For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Must be approved by KCC five | | |
|---|--|--|
| Expected Spud Date: April 18, 2008 | Spot Description: | |
| month day year | | - 25 |
| 33629 | | |
| OPERATOR: License# | leet from [A] N / | |
| Name: Great Plains Energy, Inc. 2 NE Corp. Address 1: 429 N Linden PO Box 292 | teet from X E / | W Line of Section |
| 1.00.000 7. | Is SECTION: Regular Irregular? | |
| Address 2: | (Note: Locate well on the Section Plat on reve | rse side) |
| Contact Person: Dan Blankenau | County: Graham | |
| Phone: 402-277-5336 | Lease Name: Toll - 08 | Well #: 1 |
| | Field Name: Wildcat | |
| CONTRACTOR: License#30606 | Is this a Prorated / Spaced Field? | Yes No |
| Name: _Murfin Drilling Company, Inc. | Target Formation(s): LKC | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 880 | |
| | Ground Surface Elevation: 2494 | feet MSL |
| XOil Enh Rec Infield X Mud Rotary Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: | ☐Yes ☒No ✓ |
| Disposal XWildcat Cable | Public water supply well within one mile: | Yes No |
| Seismic;# of Holes Other | Depth to bottom of fresh water: 150' | |
| Other: | Depth to bottom of usable water: 1300' | |
| | Surface Pipe by Alternate: | |
| if OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 230' | |
| Operator: | Length of Conductor Pipe (if any): | |
| Well Name: | Projected Total Depth: 4100' | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Base Kansas City | |
| Original Policy Dept. | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Water Source to Dilling Operations. Well Farm Pond Other: | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #: | Will Cores be taken? | |
| | | |
| | | Yes No |
| | If Yes, proposed zone: | RECEIVED |
| ΔFF | If Yes, proposed zone: | |
| | If Yes, proposed zone:KAN | RECEIVED SAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug | If Yes, proposed zone:KAN | RECEIVED SAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: | If Yes, proposed zone:KAN | RECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. | RECEIVED SAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted as each | If Yes, proposed zone:KAN: IDAVIT KAN: gging of this well will comply with K.S.A. 55 et. seq. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | If Yes, proposed zone: IDAVIT Raying of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe sha | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri | If Yes, proposed zone: IDAVIT Gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. ict office on plug length and placement is necessary prior to | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge | If Yes, proposed zone: IDAVIT KAN: Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. ict office on plug length and placement is necessary prior to de or production casing is cemented in; | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS o plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | If Yes, proposed zone: IDAVIT Gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. ict office on plug length and placement is necessary prior to do or production casing is cemented in; I from below any usable water to surface within 120 DAYS o | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS o plugging; f spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | If Yes, proposed zone: IDAVIT Raping of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shaded or production casing is cemented in; If from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | If Yes, proposed zone: IDAVIT Rigging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | If Yes, proposed zone: IDAVIT Rigging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the behandle. | If Yes, proposed zone: IDAVIT Raging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any coest of my knowledge and belief. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into thet 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the be | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to ded or production casing is cemented in; I from below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beautiful placed. Signature of Operator or Agent: April 9, 2008 Signature of Operator or Agent: | If Yes, proposed zone: IDAVIT Raging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any coest of my knowledge and belief. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best part of the post of the spud statements. Signature of Operator or Agent: For KCC Use ONLY | IDAVIT Grilling rig; by circulating cement to the top; in all cases surface pipe shounderlying formation. Ict office on plug length and placement is necessary prior to do or production casing is cemented in; I from below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing rementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete within 30 days of Operator or Agent: April 9, 2008 | IDAVIT Grilling rig; by circulating cement to the top; in all cases surface pipe shared or production casing is cemented in; I from below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the specific plants. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OUS - 23427-0000 Conductor pipe required feet | IDAVIT Grilling rig; by circulating cement to the top; in all cases surface pipe shared or production casing is cemented in; I from below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best part of Operator or Agent: April 9, 2008 | IDAVIT Grillong rig; by circulating cement to the top; in all cases surface pipe shared or production casing is cemented in; If from below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing cementing. 44 e; ders; r or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements and the prior of Operator or Agent: April 9, 2008 | IDAVIT Grillong rig; by circulating cement to the top; in all cases surface pipe shown underlying formation. ict office on plug length and placement is necessary prior to add or production casing is cemented in; If rom below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; of spud date. et il cementing cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best part of April 9, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OUS - 23427-0000 Conductor pipe required | IDAVIT Grillong rig; by circulating cement to the top; in all cases surface pipe show underlying formation. ict office on plug length and placement is necessary prior to add or production casing is cemented in; If rom below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt of the process of the completion salt of the plugging or injecting salt of the completion of the plugging or injecting salt of the completion of the plugging or injecting salt of the completion of the plugging or injecting salt of the completion o | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, all cementing cementing. 34 e; ders; r or re-entry; d (within 60 days); water, |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements and the provided of the specific plants of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements and the statement of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statement of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statement of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the supplementary of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the supplementary of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the supplementary of the spud date or the well shall be I hereby certify the spud date or the well shall be I hereby certify the shall be set to the spud date or | IDAVIT Grillong rig; by circulating cement to the top; in all cases surface pipe shown underlying formation. ict office on plug length and placement is necessary prior to add or production casing is cemented in; If rom below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, all cementing cementing. 34 e; ders; r or re-entry; d (within 60 days); water, |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best part of April 9, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23427-0000 Conductor pipe required Nove feet per ALT. II III Approved by: Lutt 4-14-46 | IDAVIT Grillong rig; by circulating cement to the top; in all cases surface pipe share underlying formation. ict office on plug length and placement is necessary prior to add or production casing is cemented in; If rom below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt works the box below and return to the address below. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, et il cementing tementing tementing. et il cementing tementing tementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements and the district of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23427-0000 Conductor pipe required | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to add or production casing is cemented in; if from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt verifies. | RECEIVED SAS CORPORATION COMMISSION APR 1 1 2008 CONSERVATION DIVISION WICHITA, KS or plugging; If spud date, all cementing cementing. 34 e; ders; r or re-entry; d (within 60 days); water, |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 065-23427-000 Operator: Great Plains Energy, Inc. a NE Corp. | Location of Well: County: Graham |
|--|--|
| Lease: Toll - 08 Well Number: 1 Field: Wildcat | 1,120 feet from X N / |
| Number of Acres attributable to well: SW . NE . NE | Is Section: Regular or Irregular |
| | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage),
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Great Plains Energy, Inc. a NE Corp. | | License Number: 33629 | | |
|---|---|--------------------------------|--|-------------|
| Operator Address: 429 N Linden | Operator Address: 429 N Linden PO Box 292 | | Wahoo NE 6806 | 6 |
| Contact Person: Dan Blankenau | | | Phone Number: 402-277-5336 | |
| Lease Name & Well No.: Toll - 08 | 1 | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): | Pit is: Proposed | (bbls) No et) 60 eepest point: | Sec. 34 Twp. 8 R. 25 East West 1,120 Feet from North / South Line of Section 880 Feet from East / West Line of Section Graham Coun Chloride concentration: mg/ (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Bentonite & Drilling Solids for Self Seal Width (feet) N/A: Steel Pits | on |
| Distance to nearest water well within one-mik | , | Source of infor | | |
| feet Depth of water well Emergency, Settling and Burn Pits ONLY: | | Drilling, Works | red well owner electric log KDWR over and Haui-Off Pits ONLY: | − [€ |
| Producing Formation: | | _ | l utilized in drilling/workover: | X |
| Number of producing wells on lease: | | | king pits to be utilized: 4 | 3 |
| Barrels of fluid produced daily: | | | procedure. Allow to evaporate then cover for | - } |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must t | farming. e closed within 365 days of spud date. RECEIVI | ED |
| I hereby certify that the above state | ments are true and co | orrect to the best | of my knowledge and belief. | + GOM |
| April 9, 2008 Date | | Oxor, | Maduxa CONSERVATION Gnature of Applicant or Agent WICHITA | DIVISK |
| | KCC C | OFFICE USE OF | ILY Steel Pit RFAC RFAS | |
| Date Received: 4/u/o⊊ Permit Num | ber: | Permi | Date: Yes No | |
| | | | | - 1 |