# For KCC Use: 4-20-08

# Kansas Corporation Commission

Form C-1

District # Yes No			SERVATION DIVISION	Form must be Typed Form must be Signed
Tes C No	Mı	ust be approved by KCC five	STENT TO DRILL e (5) days prior to commencing well	All blanks must be Filled
Expected Spud Date:	April 1	8 2008 ay year	Spot Description: 140' E & 70' N	· · · · · · · · · · · · · · · · · · ·
Name: LB Exploration, Inc.			520 feet from X	S. R. 10 EXW  N / X S Line of Section  E / W Line of Section
Address 1: 2135 2nd Road Address 2:		- <del> </del>	ls SECTION: Regular Irregular?	
City: Holyrood	State: KS	Zip: 67450 +	(Note: Locate well on the Section Plat of County: Ellsworth	on reverse side)
Contact Person: Michael Person: 785-252-8034	termann		Diales	
	13323		Field Name: Bloomer	
CONTRACTOR: License#_3 Name: _Petromark Drilling, LL			Is this a Prorated / Spaced Field?	Yes No
Well Drilled For:	Well Class:	Type Ferrinment:	Target Formation(s): Arbuckle  Nearest Lease or unit boundary line (in footage): 52	
Oil / Enh Rec		Type Equipment:  Mud Rotary	Ground Surface Elevation: 1779	feet MSL
Gas Storage		Air Rotary	Water well within one-quarter mile:	Ves X
Disposal	_	Cable	Public water supply well within one mile:	Yes No
Seismic ; # of H	oles Other		Depth to bottom of fresh water: 120'	· <u></u>
Other:			Depth to bottom of usable water: 280'	
If OWWO: old well info	ormation as follows:		Surface Pipe by Alternate: XI III	600'
			Length of Surface Pipe Planned to be set: Approx.  Length of Conductor Pipe (if any):	
Operator:			Projected Total Depth: 3400'	
Original Completion Date:		al Total Depth:	Formation at Total Depth: Arbuckle	
-	_	/	Water Source for Drilling Operations:	
Directional, Deviated or Horizo		Yes <mark>X</mark> No	Well Farm Fond Other:	····
If Yes, true vertical depth:  Bottom Hole Location:			DWR Permit #:	·
KCC DKT #:			(Note: Apply for Permit with DW.	
			Will Cores be taken?  If Yes, proposed zone:	Yes X No
			ii ics, proposed zarie.	
			IDAVIT (CANIC	RECEIVED SAS CORPORATION COMMISSION
			gging of this well will comply with K.S.A. 55 et. seq.	SAG CONFORMION COMMISSION
It is agreed that the following			•	APR 14 2008
Notify the appropriate     A copy of the approver	d notice of intent to a	trill <b>chall be</b> posted on each	drilling via	
The minimum amount	of surface pipe as s	pecified below <b>shall be set</b> b	orning rig, ov circulating cement to the top: in all cases surface pir	CONSERVATION DIVISION
through all unconsolida	ated materials plus a	a minimum of 20 feet into the	underlying formation.	WICHITA, KS
<ol> <li>If the well is dry hole, a</li> <li>The appropriate district</li> </ol>	an agreement betwe	en the operator and the distr	ict office on plug length and placement is necessary <b>p</b>	rlor to plugging;
<ol><li>If an ALTERNATE II Co</li></ol>	OMPLETION, produ	ction pipe shall be cemented	from below any usable water to surface within 120 DA	AYS of soud date.
Or pursuant to Append	dix "B" - Eastern Kan	sas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alte	ernate II cementing
			_	any cementing.
A / to la	ments made nerein a	are true and correct to the be	esydiany knowledge and belief.	
Date: 4 12 LOUY	Signature of Oper	rator or Agent:	Title: SCO	iter
•			V Remember to:	lω
For KCC Use ONLY	11210			Drill;
API # 15 - 053 - 2		<i>,</i>	- File Completion Form ACO-1 within 120 days of spu	ud date;
Conductor pipe required		feet		
		feet per ALT.		
This authorization expires:	4-15-09		- If this permit has expired (See: authorized expiration	n date) please
	ng not started within 12	months of approval date.)		w
Soud data:	A			
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be constituted</i> . If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing.  Title:  For KCC Use ONLY  API #15 - D53 - 21219-0000  Approved by:  Minimum surface pipe required  Nore  feet  feet  Minimum surface pipe required  Approved by:  Minimum surface pipe required between the operator and the district office on plug length and placement is necessary prior to plugging;  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders		IXI		

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 053-21219-0000			
Operator: LB Exploration, Inc.	Location of Well: County: Ellsworth		
Lease: Disque	730 feet from N / N S Line of Section		
Well Number:	520 feet from X E / W Line of Section		
Field: Bloomer	Sec. 32 Twp. 17 S. R. 10 E 🔀 W		
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE SE	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

!	· · · · · · · · · · · · · · · · · · ·			
		·		RECEIVED KANSAS CORPORATION COMMISSI
	·		······	APR 14 2008
				CONSERVATION DIVISION WICHITA, KS
	N			EXAMPLE
 				1980
			,250 <sub>1</sub>	3390'
	!!		-2	
			[ ]	SEWARD CO.

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: LB Exploration, In	ic.	License Number: 33186			
Operator Address: 2135 2nd Ro	ad	Holyrood KS	67450		
Contact Person: Michael Peterm	ann	Phone Number: 785-252-8034			
Lease Name & Well No.: Disque	1	, <u> </u>	Pit Location (QQQQ):		
Type of Pit:	Pit is:	<u>-</u>	งพ. พศ. SE . SE	:	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 32 Twp. 17 R. 10 East	West	
Settling Pit	If Existing, date constructed:		730 Feet from North / South Line		
☐ Workover Pit ☐ Haul-Off Pit			520  Feet from East / West Line	1	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Ellsworth	_	
Is the pit located in a Sensitive Ground Water	Aroa? Van			County	
is the pit located in a defisitive Ground vvater	Alea? Tes Z	<b></b> ☐ 140	Chloride concentration:  (For Emergency Pits and Settling Pits only)	mg/l	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	'O Length (fe	eet)70	. Width (feet) N/A: Steel	Pits	
	om ground level to de		4 (feet) No Pit		
Distance to nearest water well within one-mile	•	Source of infor		<dwr td=""  <=""></dwr>	
Emergency, Settling and Burn Pits ONLY:		Drilling Works		KDWR	
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Bentonite Gel			
Number of producing wells on lease:			king pits to be utilized: 3		
Barrels of fluid produced daily:					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Abandonment procedure: EVaporate and backfill  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief. KANSAS CORPOR	ETVED ATION COMMI	
4/12/2008		M.J.	APR 1	4 2008	
	KCC	OFFICE USE ON	WICH	IA, KS	
Date Received: 4/14/08 Permit Num	ber:	_ Permi	t Date: $4/4/8$ Lease Inspection: $\square$ Yes $[$	No	