# For KCC Use: Effective Date: District # District # District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

	TENT TO DRILL Form must be Sign  All blanks must be File	
Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date: 2 3 23 08	Spot Description:	
month day year	£E/2 - SE - NE - SW Sec. 32 Twp. 15 S. R. 21	W.
32218	(a/a/a/a) 1,640 feet from N / X S Line of Section	
OPERATOR: License#	2,650 feet from E / W Line of Section	
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?	OII
Address 2:		
City: Louisburg State: KS Zip: 66053 +	(Nate: Locate well on the Section Plat on reverse side)	
Contact Person: Lori Driskell	County: Franklin	_
Phone: 913-406-4236	Lease Name: Duffy Well #: W-10 Field Name: Paola-Rantoul	
CONTRACTOR: License# 33715		
Name: _Town Oilfield Service, Inc.	Is this a Prorated / Spaced Field?  Yes XIN	10
	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990'	
Oil Enh Rec Infield LMud Rotary	Ground Surface Elevation:feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of HolesOther	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water:	<del>_</del>
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I II	
<del>_</del>	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 750'	_
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other: X	
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR )	<del></del>
KCC DKT #:	Will Cores be taken?	No.
	If Yes, proposed zone: RECEIVED	—— 
ΔFF	IDAVIT	NORCHMIN
The undersigned hereby affirms that the drilling, completion and eventual plus		ıΩ
It is agreed that the following minimum requirements will be met:	AN IN TO ZOU	10
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIV	SION
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> </ol>		CICIT
3. The minimum amount of surface pipe as specified below shall be set b	by circulating cement to the top; in all cases surface pipe shall be set	
<ol><li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li></ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> eunderlying formation.	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> enderlying formation.  The control of the control o	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugger</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> enderlying formation.  First office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> enderlying formation.  The control of the control o	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  The index of pipe is a surface pipe shall be set or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  The interior office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the beside of the surface of the surf</li></ol>	by circulating cement to the top; in all cases surface pipe shall be set of underlying formation.  The initial office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the beside of the surface of the surf</li></ol>	by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  The interior office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the beta 116/09.</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	  မွှ
3. The minimum amount of surface pipe as specified below <b>shall be set</b> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 signature of Operator or Agent:    Date: 4/16/08   Signature of Operator or Agent:   Por KCC Use ONLY   Po	by circulating cement to the top; in all cases surface pipe shall be set of underlying formation.  The initial office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	32
3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete statements and the complete statements of the complete statements.  Signature of Operator or Agent:  For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title: Agent  Remember to:	!
3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete statements are true and correct to the between the complete statements.  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	32 15
3. The minimum amount of surface pipe as specified below <b>shall be set</b> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the com	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	!
3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of the com	oy circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  In orderlying is cemented in;  In orderly form below any usable water to surface within 120 DAYS of spud date.  In orderly formation in the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In orderly knowledge and belief.  In orderly in orderly in the Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);	5
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best bate:    Value of Operator or Agent:	oy circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  In orderlying is cemented in;  In orderly form below any usable water to surface within 120 DAYS of spud date.  In orderly formation in the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In orderly in orderly formation in the interval of the interval	!
3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of the com	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	5
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the compl	oy circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  In this office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the compl	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	5

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-253/7-0000	
Operator: TDR Construction, Inc.	Location of Well: County: Franklin
Lease: Duffy Well Number: W-10	1,640 feet from N / S Line of Section 2,650 feet from E / W Line of Section
Field: Paola-Rantoul	Sec. 32 Twp. 15 S. R. 21 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: _CE/2SE _ NE _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

								•		
		:	:		:	:	:			
		:	:		:	•	:			
		:			:	:	•	}		
• • • • • • • • •										
		:		İ	•	:	:			
		:	:		:	:	:			RECEIVED
	******		••••••		•••••				KANSAS C	ORPORATION COMMISS
		:			:	:	:			
		:	:			:			Α	PR 17 2008
	: 	: 	: 		:	:	:		•	taka
		:	_		:	:	•		AOC!	ISERVATION DIVISION
			:		:	•	:			WICHITA, KS
						:	:		EXAMPLE :	7,
		;	<u> </u>		:	:	:			
						<u> </u>	;			
					:	:	•		:	
					*******		•••••		19	80
			٦			:		14:40	: [ ■   ■	
						:		341. 36.	10	*****
•••••				*********	•••••				3390'	
			:		:	:	:	:		
						:			•••••••••••••••••••••••••••••••••••••••	
		:			: 	:	:		: : :	
		:	:			:	<u>:</u>			
				:	•	:	•			
						:	:		SEWARD CO.	
		14-46-		4				J		
UIE: In	ali cases	iocate the	spot of t	ne propos	sea drillin	g locaton	•			
			24	5 <b>D</b>						

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: TDR Construction, Inc.			License Number: 32218		
Operator Address: 1207 N. 1st Street East			Louisburg KS 66053		
Contact Person: Lori Driskell			Phorte Number: 913-406-4236		
Lease Name & Well No.: Duffy W-10			Pit Location (QQQQ):		
Type of Pit:	Pit is:	***************************************	CE/2 SE NE SW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 32 Twp. 15 R. 21 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,640 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit canacity:		2,650 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Franklin County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?	<del></del>	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):	Length (fe	eet)12	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	5 (feet) No Pit		
			edures for periodic maintenance and determining any special monitoring.		
,		o. tritograp,			
		KANSAS CORPORATION COM			
			APR 1 7 2008		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. WICHTA, KS		
N/A feet	feet	measu			
· .		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utillized in drilling/workover: Fresh water		
l			king pits to be utilized: 2		
Barrels of fluid produced daily: Abandonmen		Abandonment	procedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Dri		Drill pits must be closed within 365 days of spud date.  orrect to the best of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
Ŭ					
4/16/08			ignature of Applicant or Agent		
5010					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 4/17/08 Permit Number: Permit Date: 4/17/08 Lease Inspection: Yes No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.