For KCC Use: 4-23-08 Effective Date: 3 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five		
Expected Spud Date: 3 23 08		
month day year	Spot Description:	24 🔽 🗆
OPERATOR: Licensett 32218 /	Sec. 32 Twp. 15 (a/a/a/a) 1,640	
OFERAIOR, LICENSE#	lear troll In	S Line of Section
Name: TDR Construction, Inc.	leet nom	/ W Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on re	everse side)
Contact Person: Lori Driskell	County: Franklin	
Phone: 913-406-4236	Lease Name: Duffy	Well #: W-12
	Field Name: Paola-Rantoul	
CONTRACTOR: License#_33715 Name: _Town Oilfield Service, Inc.	Is this a Prorated / Spaced Field?	Yes No
Name:	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990'	
Oil Enh Rec Infield / Mud Rotary	Ground Surface Elevation:	feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water: 200	
THE CHARMON COLUMN HIS THE COLUMN HI	Surface Pipe by Alternate: I I II	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 750'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR	
NOC DKT #.	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	DECENTED
		RECEIVED NSAS CORPORATION COMMISSION
	IDATII	NSAS CORFORMION COMMINGEN
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	ADD 17 2009
It is agreed that the following minimum requirements will be mot:		
icis agreed that the following minimum requirements wal be met:		APR 17 2008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 		CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be 	y circulating cement to the top; in all cases surface pipe	CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 	y circulating cement to the top; in all cases surface pipe underlying formation.	CONSERVATION DIVISION WICHITA, KS shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction 	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary pric	CONSERVATION DIVISION WICHITA, KS shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced of or production casing is cemented in; I from below any usable water to surface within 120 DAY.	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; G of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; 6 of spud date. ate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary <i>priced</i> or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; 6 of spud date. ate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary <i>priced</i> or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; 6 of spud date. ate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements. 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alternologied. In all cases, NOTIFY district office prior to an est of my knowledge and belief.	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; 6 of spud date. ate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements. 	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary <i>priced</i> or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; 6 of spud date. ate II cementing
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the description of the spud date. Alternative	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alternologied. In all cases, NOTIFY district office prior to an est of my knowledge and belief.	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; G of spud date. ate II cementing by cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Title: Agent	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date ate II cementing y cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best place. Applete	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterriplugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drive Completion Form ACO-1 within 120 days of spud	conservation division Wichita, KS shall be set of to plugging; Sof spud date. ate II cementing by cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterriplugged. In all cases, NOTIFY district office prior to an est. of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration.	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing by cementing. 32 II; date; orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be 1 hereby certified the control of the spud date or the well shall be 1 hereby certified the control of the spud date or the shall be compared to the control of the spud date or the shall be compared to the shall be compared	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; if rom below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	conservation division Wichita, KS with the set with the s
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterriplugged. In all cases, NOTIFY district office prior to an est. of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed.	CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; For to plugging; For spud date, ate II cementing by cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best part of the production of the complete signature of Operator or Agent: For KCC Use ONLY API # 15	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; I from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterriplugged. In all cases, NOTIFY district office prior to an est. of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is complet. Obtain written approval before disposing or injecting s.	conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. II; date; orders; over or re-entry; sted (within 60 days); alt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best place. Approved by:	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed to the provided provided in written approval before disposing or injecting substitution plat in this permit has expired (See: authorized expiration of the prior to the provided	conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. II; date; orders; over or re-entry; sted (within 60 days); alt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; if nom below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting s. If this permit has expired (See: authorized expiration of check the box below and return to the address below.	conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. II; date; orders; over or re-entry; sted (within 60 days); alt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best place. Approved by:	ry circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed to the provided provided in written approval before disposing or injecting substitution plat in this permit has expired (See: authorized expiration of the prior to the provided	conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. II; date; orders; over or re-entry; sted (within 60 days); alt water.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25318-0000	
Operator: TDR Construction, Inc.	Location of Well: County: Franklin
Lease: Duffy	1,640 feet from N, / X S Line of Section
Well Number: W-12	3,300 feet from E / W Line of Section
Field: Paola-Rantoul	Sec. 32 Twp. 15 S. R. 21 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C - S/2 - NE - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.		License Number: 32218	
Operator Address: 1207 N. 1st Street East		Louisburg KS 66053	
Contact Person: Lori Driskell		Phone Number: 913-406-4236	
Lease Name & Well No.: Duffy	Lease Name & Well No.: Duffv W-12		Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 Twp. 15 R. 21 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,640 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity: 100 (bbls)		3,300 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)			Franklin County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):	B Length (fe	eet)12	Width (feet) N/A: Steel Pits
	om ground level to de		5
			edures for periodic maintenance and determining RECEIVED
material, thickness and installation procedure	.	liner integrity, in	ncluding any special monitoring. KANSAS CORPORATION COMMISS
			APR 17 2008
		CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh waterfeet.	
Source of infor N/A feet Depth of water well feet measu			
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:			
1		terial utilized in drilling/workover: Fresh water	
		of working pits to be utilized: 2	
Barrels of fluid produced daily: Abandonment p		procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		procedure: Pits filled as soon as well is completed be closed within 365 days of spud date. It of my knowledge and belief.	
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.
4/16/08		H.	Driskell
4/16/08 Date		F.	Duskell ignature of Applicant or Agent
	КСС	SOFFICE USE OF	Duskell ignature of Applicant or Agent



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.