For KCC Use: /-/3-08 Effective Date: 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

*CORRECTED

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

	NTENT TO DRILL e (5) days prior to commencing well	Form must be Signed All blanks must be Filled
7 1 12 00	Spot Description:	
Expected Spud Date: 13 day year	X NE NE SW Sec. 5 Twp. 28	S R 14 NF NW
33539	(0/0/0/0) 2.567 feet from N	
OPERATOR: License#	★ 2,920 feet from	/ W Line of Section
Name: Cherokee Wells, LLC	Is SECTION: Regular Irregular?	
Address 1: P.O. Box 296	_	augus aida)
Address 2: City: Fredonia State: KS Zip: 66736 +	(Note: Locate well on the Section Plat on n	everse side)
Contact Person: Emily Lybarger	Lease Name: K. Claiborne	Well #: A-13 SWD
Phone: 620-378-3650	Field Name: Cherokee Basin Coal Gas Area	vven #.
CONTRACTOR: License# 33072	is this a Prorated / Spaced Field?	Yes X No
Name: Well Refined Drilling	Target Formation(s): Arbuckle	
	Nearest Lease or unit boundary line (in footage): 2567	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 986'	feet MSL
Oit Enh Rec Infield Mud Rotary	Mater well within one-quarter mile:	☐Yes ☒No✓
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100'+	
Seismic ; # of HolesOther Other:	Depth to bottom of usable water:	
Other.	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum	1
Operator:	Length of Conductor Pipe (if any): N/A	
Operator:	Projected Total Depth: 1750'	<u>,</u>
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Fond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR	∐) ∏Yes ⊠No
1AS: SE-NE-SW 1370' FSL, 2590' FWL, NLUB 1370', EIN. U/K	Will Cores be taken? If Yes, proposed zone:	Lies Miss
TS: NENE SW 2567 FSL, 2920 FEL NLUB 1567, Elev.	986	RECEIVED KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plu	1 1271011	
It is agreed that the following minimum requirements will be met:	-55g -:	APR 17 2008
		74111 17 2000
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	sh drilling rig:	CONSERVATION DIVISION
The minimum amount of surface pipe as specified below shall be set	t by circulating cement to the top; in all cases surface pipe	shall be seWICHITA, KS
through all unconsolidated materials plus a minimum of 20 feet into the	ne underlying formation.	
4. If the well is dry hole, an agreement between the operator and the dis	strict office on plug length and placement is necessary pri	or to plugging;
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented 	ed from below any usable water to surface within 120 DA	YS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	133,891-C, which applies to the KCC District 3 area, alter	rnate II cementing
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to a	any cementing.
I hereby certify that the statements made herein are true and correct to the	best of my knewledge and belief.	
4/15/08 £W	ille Adminis	strative Assistant
Date: 4/15/08 Signature of Operator or Agent:	Title:	
	Remember to:	5
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to D	
API # 15 - 205 - 27401 - 0000	File Completion Form ACO-1 within 120 days of spuc File acreage attribution plat according to field proration.	
Conductor pipe required Nove feet	 File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wor 	
Minimum surface pipe required 40 feet per ALT 1		
Approved by: Pub 1-8-08 Pub 4-18-08	- Obtain written approval before disposing or injecting	
1-0-00	- If this permit has expired (See: authorized expiration	
This authorization expires: [78] (This authorization void if drilling not started within 12 months of approval date.)	check the box below and return to the address below	· 🖂
, , , , , , , , , , , , , , , , , , , ,	Well Not Drilled - Permit Expired Date:	
Spud date: Agent:	Signature of Operator or Agent:	ایا
		≥

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW



Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson
Lease: K. Claiborne	2,567 feet from N / N S Line of Section
Well Number: A-13 SWD	2,920 feet from E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 5 Twp. 28 S. R. 14 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

2920 FEL								
757					i			.
757			:		1	•		•
757				•	!	•		•
757				•	1	•	•	•
757					1	•	•	•
757				•	1	•	•	: 1
757			•	•	1	:	•	: 1
757			•	:	1	:	Ξ	
757			•	•	1	-	•	
757					1			
757								
757								1
757								٠ .
757			-	•		•	•	: 1
757				•	1	•	•	: 1
757				•	1	:	•	: 1
757				•	1	:	•	: (
757			•	:		:	:	. 1
757			•	:	1		:	- 1
757	,				l			1
757					[
757					1	_		
757					1	5.)		
757				•	l	. •\/		: 1
757				•	i		•	ː 1
757			•	:	1	March 197	:	: 1
757				:	1		:	. !
757			•	:		. /		. 1
757			:		1 1	•		
757			:		1 くわ	•		٠ ،
757	1		-		1 1 /			· i
757	1				├ ─			
757								
757	i				N/\			
757	; -				1 Y	•	•	. 1
757	i -			•	1	•	•	: 1
757			•		1	:	:	: 1
757	,		•	:	مد	-	:	i 1
757			•	:	7		:	
757	1		•		1	i	:	.
757			•	. •				
757	1		: .					٠ .
757	1 3		: .	: U.1-				
757								
757				16				-
757						-	US TO E	= / -
757			\			: 747	OFF	EL
757	:		. ()			: 292	O FE	EL
757			()			: 292	o FE	
757						242	o FE	
757		,	S O	•		242	O FE	
757		,	Ž, O	•		242	O FE	EL
757		,	, O	•		242	o FE	
757		*	, O	•		242	O FE	
757		*	, O			242	o FE	
			,			242	o FE	
			, O			242	o FE	L
						242	o FE	
			:	: 1		242	o FE	
			:	: 1		242	o Ft	L
			:	: 1		242	o Ft	
			:	: 1		242	o Ft	
			:	: 1		242	o Ft	
			:	: 1		242	o Ft	L
			:	: 1		242	o Ft	
			:	: 1		252	o Ft	L
			:	: 1		242	o Ft	L
25/c4			:	: 1		252	o F	L
25.67			:	: 1		242	o Ft	
73S(c.1			:	: 1		242	o Ft	
256				£57		242	o Ft	L
358				£57		252	o Ft	L
25.6				£57		252	o Ft	L
356				£57		242	o Ft	L
25				£57		242	o Ft	
55				£57		252	o Ft	
				£57		252	o Ft	L
				£57		252	0 Ft	
EX				£57		252	0 Ft	
				£57		252	0 Ft	
				£57		252	0 Ft	
				£57		252	0 Ft	
				£57		252	0 Ft	
				£57		252	o Ft	
: : : : : : : : : : : : : : : : : : : :				£57		252	0 Ft	
1				£57		252	0 Ft	
				£57		252	o Ft	
· · · · · · · · · · · · · · · · · · ·				£57		252	0 Ft	

RECEIVED KANSAS CORPORATION COMMISSION

APR 17 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	APPLICATION	ON FOR SU	RFACE PIT	Co.
	Su	ıbmit in Duplica	te	CORRECTED
Operator Name: Cherokee Wells, LLC			License Number: 33539	LUTED
Operator Address: P.O. Box 296			Fredonia	KS 66736
Contact Person: Emily Lybarger			Phone Number: 620-378-3	650
Lease Name & Well No.: K. Claiborne	e A-	13 SWD	Pit Location (QQQQ):	
Type of Pit:	Pit is:	*******	C NE NE SW	<u>v</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 28 R. 14	East West
Settling Pit Drilling Pit	If Existing, date c	onstructed:	2,567 Feet from North	South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2,920 Feet from East	/ West Line of Section
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No.	Chloride concentration:	mg/l
Is the belles below and Is also	Antifolial Linear		(For Emergency Pits and	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner Natural Clay & Earth	is not used?
Fit diffiensions (all but working pits).	30 Length (fe	•	Width (feet)	N/A: Steel Pits
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and notuding any special monitoring.	determining
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water 100 fe	eet.
N/A feet Depth of water well	feet	Source of informeasu		etric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	A control of the second
Producing Formation: Type of mater			al utilized in drilling/workover: Fresh \	Water
Number of producing wells on lease: Number of wo		working pits to be utilized:1		
Barrels of fluid produced daily:		Abandonment	procedure: Allow to Dry, Leve	el Surface
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	be closed within 365 days of spud dat	te. RECEIVED KANSAS CORPORATION COMMISS
I hereby certify that the above state	ements are true and o	correct to the bes		
4/15/08 Date		F	DILLA JOE TO Applicant or Agent	APR 1 7 2008 CONSERVATION DIVISION WICHITA, KS
	KCC	OFFICE USE O	NLY Steel Pit R	FAC RFAS
Date Received: 4/17/05 Permit Num	ber:	Perm	it Date: 4/17/08 Lease Inspi	ection: Yes No