| For KCC Use: Effective Date: | 4-23-08 |
|---------------------------------|---------|
| District # | |
| 0040 🗆 🗆 | 157/u- |

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

| All | F | orn | m mus | ecembe ist be it be S | rm C-1 or 2002 Typed iigned Filled | |
|-----|---|-----|-------|-----------------------------|--|--|
| | _ | _ | 1.6 | | East | |

| Expected Spud Date May 22 08 | Spot East |
|---|--|
| OPERATOR: License# 6009 | 990 feet from N / K S Line of Section |
| Dealle Feel - Feel - T | 330 feet from X E / W Line of Section |
| Name: Double Fagle Exploration, Inc. Address: 221 S. Broadway, #310 | Is SECTION X Regularirregular? |
| City/State/Zip: Wichita, KS. 67202 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Jim Robinson | County: Osborne |
| Phone: 316-264-0422 | Lease Name: Robbins Well #: 2 |
| 1 110110. | Field Name: |
| CONTRACTOR: License# 33493 🗸 | Is this a Prorated / Spaced Field? |
| Name: American Fagle Drilling, LLC | Target Formation(s): Lansing/KC Nearest Lease or unit boundary: 330' |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Devation: 1727 feet MSL |
| X Oil — Enh Rec Infield X Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary | Bublic water average well within one miles |
| OWWO Disposal Wildcat Cable | Depth to bottom of fresh water: |
| Seismic; # of Holes Other | Depth to bottom of usable water: 400 420 |
| Other | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 550 |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Arbuckle |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well X Farm Pond Other |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR |
| KCC DKT #: | Will Cores be taken? Yes X No |
| | |
| | If Yes, proposed zone: |
| AFF | |
| | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual pl | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 5516NSAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | If Yes, proposed zone: PROBLED RECEIVED ugging of this well will comply with K.S.A. 5516NS66 CORPORATION COMMISSION APR 1 7 2008 |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each | If Yes, proposed zone: DAVIT RECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55161NSAS CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; the by circulating cement to the top; in all cases surface Specialism and Section (CHITA, KS) |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each of the minimum amount of surface pipe as specified below <i>shall</i> be so through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the content of the state of the stat | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 5516NSAS CORPORATION COMMISSION APR 1 7 2008 The drilling rig; If by circulating cement to the top; in all cases surface SERVATION DEVISION in the underlying formation. WICHITA, KS listrict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the control of the surface of | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55161NSAS CORPORATION COMMISSION APR 1 7 2008 The drilling rig; the by circulating cement to the top; in all cases surface SERVATION DEVISION ne underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the control of the surface of | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55'ENSAS CORPORATION COMMISSION APR 1 7 2008 The drilling rig; the by circulating cement to the top; in all cases surface SERVATION DEVISION the underlying formation. WICHITA, KS ugged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the second of the approved notice of intent to drill <i>shall</i> be posted on each and the second of the | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55161NSAS CORPORATION COMMISSION APR 1 7 2008 The drilling rig; the by circulating cement to the top; in all cases surface SERVATION DEVISION ne underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55161NSAS CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; If by circulating cement to the top; in all cases surface SERVATION DEVISION the underlying formation. WICHITA, KS identification on plug length and placement is necessary prior to plugging; uged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55'ENSAS CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; If by circulating cement to the top; in all cases surface SENATION DEVISION the underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55'ENSAG CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; If by circulating cement to the top; in all cases surface SEE ATION DEVISION the underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; uged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the set | If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. 55'ENSAS CORPORATION COMMISSION APR 17 2008 ch drilling rig; by circulating cement to the top; in all cases surface SERVATION DEVISION ne underlying formation. WICHITA, KS listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative Remember to: |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second | IDAVIT ugging of this well will comply with K.S.A. 55'EANSAS CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; the by circulating cement to the top; in all cases surface SEENATION DEVISION ne underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief. Title: Representative Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the plus of the plus of the plus of the plus of the spud date or the well shall be plus of the spud of the spud date or the spud of the spud date or the spud of the spud of t | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55'ENSAG CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; In the price of the top; in all cases surface prior to plugging; Interpretation of the top; in all cases surface prior to plugging; Inged or production casing is comented in; Interpretation of the top; in all cases surface prior to plugging; Inged or production casing is comented in; Interpretation of the top; in all cases surface prior to plugging; Inged or production casing is comented in; Interpretation of the top; in all cases are prior to plugging; Interpretatio |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the spund to the plus of the spund to the plus of the spund to the plus of the spund date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spund to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements are true and to the statements are true | If Yes, proposed zone: DAVIT RECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the composition of the second of | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55'EANSAS CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; the by circulating cement to the top; in all cases surface SEENATION DEVISION ne underlying formation. WICHITA, KS iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second to the second shall be completed. If the well is dry hole, an agreement between the operator and the composition of the specified before well is either plus shall be completed. The second shall be composed by the specified before well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 141 - 20388 - 0000 Conductor pipe required | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55'eth See CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; If by circulating cement to the top; in all cases surface See ATION DEVISION the underlying formation. WICHITA, KS igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be cement of the production of the well shall be completed. I hereby certify that the statements made herein are true and to the best of the production of the productio | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55161NSAS CORPORATION COMMISSION APR 1 7 2008 The drilling rig; In the property of the top; in all cases surface of the property of the underlying formation. WICHITA, KS instrict office on plug iength and placement is necessary prior to plugging; and or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be replaced to the best of the spud date of the well shall be certify that the statements made herein are true and to the best of the plus of the spud date or the well shall be plus of the spud date or the well shall be plus of the spud date or the well shall be certified. For KCC Use ONLY API # 15 - 141 - 20388 - 0000 feet per Alt. 1 Approved by: App | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55 tenses CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; the by circulating cement to the top; in all cases surface properties of the underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be cement of the production of the well shall be completed. I hereby certify that the statements made herein are true and to the best of the production of the productio | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55'EANSAG CORPORATION COMMISSION APR 1 7 2008 ch drilling rig; the by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by the underlying formation. WICHITA, KS instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and the case of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best of the plus of the spud date or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 141 - 20388 - 0000 Conductor pipe required Now feet per Alt. Approved by: App | IDAVIT RECEIVED ugging of this well will comply with K.S.A. 55!ethses CORPORATION COMMISSION APR 1 7 2008 The drilling rig; the by circulating cement to the top; in all cases surface properties of the underlying formation. WICHITA, KS illistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Representative Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 141-20388-0000 | Location of Well: County: Osborne |
|---|--|
| Operator: Double Fagle Exploration, Inc. | 990 feet from N / X S Line of Section 330 feet from X E / W Line of Section |
| Lease: Robbins | 330 feet from X E / W Line of Section |
| Well Number: 2 | Sec. 31 Twp. 10 S. R. 14 East X West |
| Field: | |
| Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE - SE - SE | Is Section: X Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. |
| • | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| _ | | | | | | | | _ | | | _ | | | | | | | | | | | |
|-----|---|------|---|---|-------------|---|---|---|---------------------------------------|---------------|-------|----|---|-------|-----|---|-------|---|---|---|----------|-------|
| ŀ | | | | | | ٠ | | | • | | ļ | | | • | | | • | | | ٠ | | |
| | | | • | | | • | | | • | | | | | ٠ | | | | | | ٠ | | |
| | | | • | | | ٠ | | | • | | 1 | | | • | | | • | | | • | | |
|] . | | | | | | | | | | | . ; | | | | | | | | | | | |
| | | | | | | | | | | | : | 1 | | | | | | | | | | |
| | | | • | | | ٠ | | | • | | | | | • | | | • | | | • | | |
| | | | | | | ٠ | | | : | | | | | | | | • | | | · | | |
| Ì | | | | | | | | | ٠. | | | | | | | | | | | | | |
| İ | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | |
| - | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | ١. | | | | | | | | | , | |
| | | | - | | | | | | | | | | | - | | | | | | | | |
| | | | • | | | ٠ | | | ٠ | | | | | • | | | | | | ٠ | | |
| - | | | • | | | ٠ | | | ٠ | | | l | | ٠ | | | | | | • | | |
| 1 | | | - | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | - | | - | • | | | | | • | | | | | | - | | |
| | | | • | | | • | | | · | | | | | • | | | · | | | : | | |
| | | | • | - | | : | | | · · | | | ! | | • | | | | | | • | _ | |
| | | | | | | • | | | · · · | - | | ! | | • | | _ | | | | • | <u> </u> | |
| | | | • | | | • | | • | | | • | ! | | : | , . | • | | • | | • | | • |
| | | | | - | | • | • | | • | | • | ! | | : | ,. | • | | • | - | : | • | |
| | | | | • | | | | | · · · · · · · · · · · · · · · · · · · | | | | • | • | ,. | • | | • | - | • | | • |
| | | | | | | | | | | | | | | • | | | | | | • | | |
| | | | | | | | | | | | | | | • | | | | | | • | | |
| | , | | | | | | | | | | | | | • | | | | | | • | | |
| | , | | | | | | | | | | | | | • | | | | | | • | | |
| | | | | | | | | | | | | | | • | | | | | | • | | · |
| | | | | | | | | | · . | | | | | | | | | | | | | |
| | | | | | | | | | · . | | | | | | | | | | | | | |
| | | | | | | | | | · . | | | | | | | | | | | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Double Feel Free | 1 | License Number: 6000 | | | | | | | |
|--|---------------------------------------|---|--|--|--|--|--|--|--|
| Doubte Eagle Exp | | 0009 | | | | | | | |
| Operator Address: 221 S. Broadway | , #310 Wich | nita, Kansa | s 67202 | | | | | | |
| Contact Person: Jim Robinson | | Phone Number: (316) 264 - 0422 | | | | | | | |
| Lease Name & Well No.: Robins | #2 2031 | Pit Lecation (QQQQ): | | | | | | | |
| Type of Pit: | Pit is: | | <u>NE . SE . SE</u> | | | | | | |
| Emergency Pit Burn Pit | X Proposed | Existing | Sec. 31 Twp. 10 R. 14 🔲 East 🗓 West | | | | | | |
| Settling Pit X Drilling Pit | If Existing, date co | onstructed: | 990 Feet from North / X South Line of Section | | | | | | |
| Workover Pit Haul-Off Pit | | · | 33A | | | | | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: | 200 (bbis) | Feet from X East / West Line of Section Osborne County | | | | | | |
| In the pit leasted in a Semilian Control Water | | | | | | | | | |
| Is the pit located in a Sensitive Ground Water | Area/ res _A_ |] No | Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) | | | | | | |
| is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | | | | | | |
| X Yes No | X Yes | No | | | | | | | |
| Pit dimensions (all but working pits): | 100 Length (fe | et)100 | Width (feet) N/A: Steel Pits | | | | | | |
| Depth fo | rom ground level to de | eepest point: | 6(feet) | | | | | | |
| | | | APR 17 2008 CONSERVATION DIVISION | | | | | | |
| Distance to nearest water well within one-mil | - | Depth to shall | owest fresh water50feet. | | | | | | |
| | producing | Source of information: measured X well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: | | | | | | | |
| Emergency, Settling and Burn Pits ONLY | | | | | | | | | |
| Producing Formation: | | ì | al utilized in drilling/workover: fresh mud | | | | | | |
| Number of producing wells on lease: | | | rking pits to be utilized:3 | | | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: allow to dry & back fill | | | | | | | |
| Does the slope from the tank battery allow a | II spilled fluids to | | | | | | | | |
| flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | | | | | |
| I hereby certify that the above state | tements are true and | correct to the be | st of my knowledge and belief. | | | | | | |
| 4-16-08 Date | · · · · · · · · · · · · · · · · · · · | Jum | Signature of Applicant or Agent | | | | | | |
| | KCC | OFFICE USE O | DNLÝ | | | | | | |
| | | | | | | | | | |
| Date Received: 4 13 68 Bormit No. | | | 1 1 | | | | | | |