# For KCC Use: 4-26-08 Effective Date: 4-26-08 District # SGA2 Ves TNo

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Stud Date: April 30, 2008		
Expected Soud Date:	Spot Description:	<del></del>
month day year	<u>SESESESec. 6</u> Twp. 22S. R. 22E	W
31093 🗸	(0x0/0x0) 335 feet from N / X S Line of Sect	on
OPERATOR: License# Name: Becker Oil Corporation	330 teet from E / W Line of Sect	ion
Address 1: P. O. Box 1150	ls SECTION: ☐Regular ☐Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Ponca City State: OK Zip: 74602 + 1150	County: Hodgeman	
Contact Person: Clyde M. Becker, Jr.	Lease Name: Ewy Well #: 1	
Phone:303-816-2013	Field Name: Hanston- Oppy	
CONTRACTOR: License# 6039	Is this a Prorated / Spaced Field?	No /
Name: LD Drilling, Inc.	Target Formation(s): Chase Group	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
	Ground Surface Elevation: 2282' estfeet M	
	Water well within one-quarter mile:	
Gas' Storage Pool Ext. Air Hotary Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic : # of Holes Other	Depth to bottom of fresh water: 180'	
Other:	Depth to bottom of usable water: 500 (0,20	_
	Surface Pipe by Afternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'	<del></del>
Operator:	Length of Conductor Pipe (if any): N/A	
Well Name:	Projected Total Depth: 2720'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Wreford	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm PondOther:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	_ ( <b>Note:</b> Apply for Permit with DWR ☑)  Will Cores be taken? ☑ Yes ☒	No.
NCC DK1 #.	<del></del>	NU
	If Yes, proposed zone:	
A	FIDAVIT	ED
The undersigned hereby affirms that the drilling, completion and eventual p	ZANGAG MUDI DATION	COMMISSION
It is agreed that the following minimum requirements will be met:		
il is apieen mai the infowillo illitillidur renaliemento au no mer		
	APR 182	2008
Notify the appropriate district office <i>prior</i> to spudding of well;	ob drilling zig	
Notify the appropriate district office <i>prior</i> to spudding of well;	ob drilling zig	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into</li> </ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be sevATION to the underlying formation.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the drift.</li> </ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe <b>shall be ser</b> VATION to the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into a</li> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plu</li> </ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> VATION to the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the through all the surface of the well is dry hole, an agreement between the operator and the design of the surface of the s</li></ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be servation to the top; in all cases surface pipe shall be servation to the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the delay of the well is dry hole, an agreement between the operator and the delay of the appropriate district office will be notified before well is either plushing an ALTERNATE II COMPLETION, production pipe shall be cemented from the programment of Appendix "B" - Eastern Kansas surface casing order</li> </ol>	th drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be servation of the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plush. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	th drilling rig;  If by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	th drilling rig;  If by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	th drilling rig;  If by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the propriate district office will be notified before well is either plue.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> <li>I hereby certify that the statements made herein are true and copyect to the</li> </ol>	the drilling rig;  If the circulating cement to the top; in all cases surface pipe shall be servation of the underlying formation  If the underlying format	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and correct to the statements.  Signature of Operator or Agent:  Signature of Operator or Agent:	the drilling rig;  If the circulating cement to the top; in all cases surface pipe shall be servation of the underlying formation  If the underlying format	olvisios.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of t</li></ol>	the drilling rig;  If the circulating cement to the top; in all cases surface pipe shall be servation of the underlying formation  If the underlying format	DIVISION G
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be comen or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and correct to the statements.  Signature of Operator or Agent:  **Date:**  **Portion of the spud date of the spud date or the well shall.**  **Date:**  **Portion of the spud date or the well shall.**  **Date:**  **Portion of the spud date or the well shall.**  **Portion of the spud date or the well shall.**  **Date:**  **Portion of the spud date or the well shall.**  **Portion of the spud date or the spud	ch drilling rig; In the underlying cement to the top; in all cases surface pipe shall be servation to the underlying formation In the underlying formation In the underlying formation In the underlying formation In the underlying formation It is necessary prior to plugging; It is n	olvisios.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and correct to the Date:  For KCC Use ONLY  API # 15 - O 83 - 21553-DOOD  Conductor pipe required Nove feet.	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be servation to the underlying formation If by circulating cement to the top; in all cases surface pipe shall be servation If the underlying formation If the underlying formation It is easily to plug length and placement is necessary prior to plugging; It is good or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. It is best of my knowledge and belief.  Title:    File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;	DIVISION G
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the desc	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall preservation the underlying formation. If by circulating cement to the top; in all cases surface pipe shall preservation the underlying formation. If a concept the underlying formation. If a concept the underlying formation is necessary prior to plugging; If a concept the underlying is cemented in; If a concept the underlying is cemented in; If a concept the underlying is cemented in; If a concept the underlying is completed (within 60 days); If a concept the underlying is complet	oivisios 6
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of the district office will be notified before well is either plue.  If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and correct to the statements of Operator or Agent.  Signature of Operator or Agent.  For KCC Use ONLY  API # 15 - 083 - 21553-DOOD  Conductor pipe required	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation  strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Title:	DIVISION G
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the descr	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation  strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed (within 60 days);   Obtain written approval before disposing or injecting salt water.   If this permit has expired (See: authorized expiration date) please	oivisios 6
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sus</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the des	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be servation to the underlying formation It is concluded the underlying formation It is concluded the underlying formation It is grant to grant to the top; in all cases surface pipe shall be served to flice on plug length and placement is necessary prior to plugging; grant form below any usable water to surface within 120 DAYS of spud date. It is a grant to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  It is best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	oivisios 6
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and correct to the Date:  Signature of Operator or Agent:  Signature of Operator or Agent:  Whis authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation  strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed (within 60 days);   Obtain written approval before disposing or injecting salt water.   If this permit has expired (See: authorized expiration date) please	oivisios 6
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the desc	th drilling rig; If the circulating cement to the top; in all cases surface pipe shall preservation to the underlying formation  strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. It is a specific to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    File Drill Pit Application (form CDP-1) with Intent to Drill;	oivisios 6

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 083-21553-0000		
Operator: Becker Oil Corporation	Location of Well: County: Ho	dgeman
Lease: Ewy	335	_ feet from N / 🔀 S Line of Section
Well Number: 1	330	feet from X E / W Line of Section
Field: Hanston- Oppy	Sec. 6 Twp. 22	S. R. 22 E 🔀 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE _ SE _ SE	Is Section: Regular or	<b>⊠</b> Irregular
		e well from nearest corner boundary. ENWSESW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			1			
•				•		•
•				:		
	1					
	: :					
						•
						•
						•
						,
						•
						•
			ł	-		•
			l			
			t			
				-		•
				-		•
	_					
				-		
				•		
		,				
 			· · · · · · · · · · · · · · · · · · ·			
	: :	G	,	:		
	:	•				
	: :			:	:	
	:					
 						wy
 					#   6	wy 12/
 					#   E	 334 مرس
 					 # E	wy 334
 					#   E	wy 33/
 					T#   E	wy 334
 						wy 330
 					#   6	wy 330
 					#   6	J335

RECEIVED KANSAS CORPORATION COMMISSION

APR 18 2008

CONSERVATION DIVISION



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form COP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

<del>-</del>							
License Number: 31093							
Ponca City OK 74602							
Phone Number: 303-816-2013							
Pit Logation (QQQQ):							
Sec. 6 Twp. 22 R. 22 East X West							
335 Feet from North / South Line of Section							
330 Feet from East / West Line of Section							
eman County							
concentration:mg/l							
(For Emergency Pits and Settling Pits only)							
e pit lined if a plastic liner is not used?							
(feet) N/A: Steel Pits							
(feet) No Pit							
eriodic maintenance and determining y special monitoring.							
water 83 feet.							
Depth to shallowest fresh water							
				Drill pits must be closed within 365 days of spud date.			
				wledge and belief. KANSAS CORPORATION CO			
				APR 1 8 200 APR 1 8 200 APR 1 8 200			
WICHTA K							
Steel Pit RFAC RFAS							
ıf							