For KCC Use:	4-26-08
Effective Date:	7000
District #	
CGA2 Voc	I No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date: 4/18/08 month day year	Spot Description:	
OPERATOR: License# 30345 V	Spot Description:     Sec. 2   Twp. 13   S. R. 10     E	W Section
Name: Piqua Petro., Inc.	teet from XE / W Line of S	ection
Address 1: 1331 Xylan Road	ls SECTION: Regular Πιπegular?	
Address 2:	(Nate: Locate well on the Section Plat on reverse side)	
Contact Person: Greg Lair	County: Wabaunsee	VD.
Phone: 620-433-0099	Lease Name: Thowe D Well #: 02-08SV	_
CONTRACTOR: Licensett 33557	Field Name: Mill Creek	71
N. SKYV Deliling	Is this a Prorated / Spaced Field?	ZIMO
	Target Formation(s): Arbuckle  Nearest Lease or unit boundary line (in footage): 660'	
Well Drilled For: Well Class: Type Equipment:	410.4	t MSL
☑Oil ☐ Enh Rec ☑Infield ☑ Mud Rotary		No
Gas Storage Pool Ext. Air Rotary		X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 75'	
Seismic; # of Holes Other	Depth to bottom of usable water: 280'	
Other:	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'	
	Length of Conductor Pipe (if any): none	
Operator:	Projected Total Depth: 3300'	
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Original Completion Date	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KOO DICT II		
KCC DKT #:	Will Cores be taken?	X No.
KCC DKT #:	Will Cores be taken? Yes Yes	X No
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:	<b>⊠</b> No
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	<b>∑</b> No
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing	<b>⊠</b> №
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.	<b>⊠</b> №
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	<b>⊠</b> No
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hote, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent:  4/17/08  Signature of Operator or Agent:  For KCC Use ONLY	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; et or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is secretary/Agent  Title:  Secretary/Agent	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the content of the policy of the spud date of the well shall be Date:  Signature of Operator or Agent:  4/17/08  For KCC Use ONLY	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; et or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is secretary/Agent  Title: Secretary/Agent	-
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the spropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the specific of the specifi	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  Secretary/Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	-
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the spropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the specific of the specifi	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the best of the complete of the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - 197-20272-0000  Conductor pipe required 1900 feet feet per ALT. 11 11 11	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Isla,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  Secretary/Agent  Title:  Secretary/Agent  Title:  Secretary/Agent  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)	6:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection of the distrection of the properties of the plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the plants:    Signature of Operator or Agent:   Approved by:   Approved	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days).	6:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the spropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the specific	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  Secretary/Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days).  Obtain written approval before disposing or injecting salt water.	s);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the interest of the specified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best surface.  For KCC Use ONLY  API # 15 - 197 - 20272 - 0000  Conductor pipe required 1909 - feet per ALT. In the Approved by:  Minimum surface pipe required 1909 - feet per ALT. In the Approved by:  Marchanda	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  Secretary/Agent  Title:  Secretary/Agent  Title:  Secretary/Agent  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days).  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the best statements. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 97 - 20272 - 0000  Conductor pipe required None feet  Minimum surface pipe required 1000 feet per ALT.  III III  Approved by: 4121-39  This authorization expires: 4121-09	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Ist of my knowledge and belief.  Secretary/Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days).  Obtain written approval before disposing or injecting salt water.	s);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

APR 2 1 2008.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 197+ 20272-0000	
Operator: Piqua Petro., Inc.	Location of Well: County: Wabaunsee
Lease: Thowe D	2,940 feet from N / N S Line of Section
Well Number: 02-08SWD	3,120 feet from X E / W Line of Section
Field: Mill Creek	Sec. 2 Twp. 13 S. R. 10 E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE/4 - SE/4 - NW/4 -	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

RECEIVED KANSAS CORPORATION COMMISSION

3. The distance to the nearest lease or unit boundary line (in footage).

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APR 2 1 2008

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro., Inc.			License Number: 30345	
Operator Address: 1331 Xylan Road			Piqua KS 66761	
Contact Person: Greg Lair			Phone Number: 620-433-0099	
Lease Name & Well No.: Thowe D 02-08SWD		Pit Logation (QQQQ):		
Type of Pit:	Pit is:		SE/4 SE/4 NW/4	
Emergency Pit Burn Pit	Proposed Existing		Sec. 2 Twp. 13 R. 10 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,940 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		3,120 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	(bbls)		Wabaunsee County	
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.415.111100		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes N	0	How is the pit lined if a plastic liner is not used?	
Dit dimensions (all hut made a state	5 Langth (foo	., 8	Width (feet) N/A: Steel Pits	
Pit dimensions (all but working pits):	Length (fee	•	3 (feet) No Pit	
			ncluding any special monitoring.	
N/A Watch that		clay soil is holding water.		
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water 20 feet.		
4000			ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Work		over and Haul-Off Pits ONLY:  al utilized in drilling/workover: shale and timestone  tking pits to be utilized:		
Producing Formation:		Type of materia	material utilized in drilling/workover: shale and timestone	
1			ــــــــــــــــــــــــــــــــــــــ	
Barrels of fluid produced daily: Abandonmer		Abandonment	procedure: back fill back in	
Does the slope from the tank battery allow all spilled fluids to		Dell nite must b	be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and co	orrect to the best	t of my knowledge and belief.	
4/17/09			4 3	
			ignature of Applicant or Agent	
	KCC O	FFICE USE OI	NLY Steel Pit RFAC RFAS	
ula La				
Date Received: 4/21/08 Permit Num	ber:	Permi	it Date: 4/21/08 Lease Inspection: Yes PRO RECEIVED	
			Room 2078. Wichita, Kansas 67202  KANSAS CORPORATION COM	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

APR 2 1 2008