### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

22244	125 20530 00 00
Operator: License # 33344  Name: Quest Cherokee, LLC  Address: P O Box 100  OCT 15 2004	API No. 15 - 125-30539-00-00 County: MONTGOMERY
Address: P O Box 100  OCT 1 P	
	660 feet from (S / N (circle one) Line of Section
	2130 feet from E / W (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC WICHITA, KS  Operator Contact Person: Douglas L. Lamb	
Operator Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250  Contractor: Name: WELL REFINED DRILLING COMPANY	(circle one) NE SE NW SW Lease Name: KNISLEY, CAROL Well #: 29-1
	Field Name: CHEROKEE BASIN CBM
License: 33072	Producing Formation: NOT YET COMPLETE
Wellsite Geologist: N/A	Elevation: Ground: 835 Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 1080 Plug Back Total Depth: 1075.45
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21.6 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeel
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1075.45
Operator:	feet depth to SURFACE w/ 139 sx cmt.
Well Name:	Drilling Fluid Management Plan W. #2 KJR 6/2
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
05-14-2004 05-17-2004 05-26-2004	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: A onglas & Land	KCC Office Use ONLY
Title: Manager Date: 10/04/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 4th day of Oldobur	If Denied, Yes Date:
20 04 .	Wireline Log Received
O : O	Geologist Report Received
Notary Public: Senanga K. Houston A. JENNIFER R.	. HOUSTON UIC Distribution
Date Commission Expires: Oulu 30,2005 Notery Public - S	

#### Side Two

ORIGINAL

rator Name: Quest	Cherokee, LLC	;		_ Lease Na	ame: KN	ISLEY, CAI	ROL	_ Well #:		
29 Twp. 32	_S. R17	✓ East \	Vest	County:	MONTG	OMERY				
TRUCTIONS: Show ed, time tool open an- perature, fluid recove tric Wireline Logs su	important tops and closed, flowing and flow rates	d base of form and shut-in pre if gas to surfac	ce test, alor	etrated. De nether shut- ng with fina	etail all co	ores. Report	all final copies o static level, hydro a sheet if more s	f drill stems tes estatic pressure space is needec	ts giving interval s, bottom hole I. Attach copy of	
Stem Tests Taken (Attach Additional She			✓ No		<b>√</b> Log	Formation	on (Top), Depth a	and Datum	Sample	
		Yes	<b>√</b> No	Name Lenapah Lime				263'	+573'	
nples Sent to Geolog	icai Survey		✓ No	Altamont Lime				283'	+553'	
res Taken		la-mand	No			e Lime		432'	+404'	
ctric Log Run (Submit Copy)		Lagrana				go Lime		510 1/2'	2' +325 1	
t All E. Logs Run:						gris Lime		708'	+128	
						ssippi Lime	<u>,</u>	1030'	-194'	
UAL INDUCTION DENSIT	Y NEUTRON		CASING F	RECORD	✓ Nev					
					1	mediate, produ Setting	ction, etc.	# Sacks	Type and Perc	
Purpose of String	Size Hole Drilled	Size Ca Set (In 0		Weig Lbs./	Ft.	Depth	Cement	Used	Additives	
Surface	12 1/4	8-5/8"	***************************************	24.75#	·,	21'6"	"A"	5		
Production	6 3/4	4-1/2"		10.5#		1075.45	"A"	139		
		٨	DOITIONAL	CEMENTII	NG / SQU	EEZE RECOF	<u> </u>			
Purpose: Depth Type of Cement Top Bottom				L CEMENTING / SQUEEZE RECORD  #Sacks Used Type and Pe			d Percent Additive	es		
Protect Casing Plug Back TD Plug Off Zone			A LANGE CONTRACTOR OF THE PARTY							
				0.155		Acid F	Fracture, Shot, Cen	nent Squeeze Rec	ord	
Shots Per Foot	PERFORA Specif	TION RECORD y Footage of Eac	- Bridge Plu ch Interval Pe	gs Set/Type rforated		(Amount and Kind of Material Used)				
	NONE WAITING ON PIPELINE				RECEIVED KANSAS CORPORATION COMMISSION				<b></b>	
					OCT 1 5 20				,	
					CONSERVATION DIVISION WICHITA, KS					
			***************************************				- r r r r r r r r r r r r r r r r r r r	1 10-3		
TUBING RECORD	Size	Set At	***************************************	Packer	At	Liner Run	Yes	No		
Date of First, Resumero	d Production, SWD o	or Enhr.	Producing M	ethod	Flowing	ng 🗌 Pu	mping G	as Lift 🔲 C	Other (Explain)	
Estimated Production	Oil	Bbls.	Gas	Mcf	Wa	ter	Bbls.	Gas-Oil Ratio	Gı	
Per 24 Hours	į.	1		l						
	METHOD O	F COMPLETION	J			Production	Interval			



### 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

# ORIGINAL

TICKET NUMBER

24363

LOCATION CHAINATE

### **FIELD TICKET**

DATE CUSTOMER ACCT # WELL NAME QTR/QTR 5-26-04 6628 KNISLEY #29-1	SECTION TWP	RGE COUNTY	FORMATION
CHARGE TO QUEST CHEROKEE LLC	OWNER	To C	
MAILING ADDRESS P.O. BOX 100	OPERATOR	- 1 g	
CITY & STATE BENEDICT, KANSAS 66714	CONTRACTOR	,	

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE GEMENT PUMP		607 50
1110	14565	GILSONITE		271,60
1107	11/2545	FLO-SEAL		5663
1118	2 515	PREMIUM GEL (2 AHEAD)		2260
12154	1 GAL	KCL 4	-, -	5200
11118	15GAL	SOPIUM SILICATE		15000
	1. 1. 1. 1.			, ,
		,		
	and the second	1 347	27,1	
1123	3780 GAL	CITY WATER ( 90 BBL)		42.53
		·		
		F-0 c		
		KANSAS CORPORAS	D	
		- VIVIION	COLOR	Se Broker
		BLENDING & HANDLING COUR	101	
		BLENDING & HANDLING .	04	表 多美多类
5407	41 mi	TON-MILES MINIMUM CONSERVATION DIVIS	in.	1900
		TON-MILES MINIMUM WICHITA, KS	N	
		MILEAGE		
550/C	3 HR	WATER TRANSPORTS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24/202
55020	3 HZ	VACUUM TRUCKS	1 1 1	72502
	5.00	FRAC SAND		
			1.47	
1126	131 515	CEMENT OWE (139 SKS TOT.	20/	1410 22
- P. L.		§	/ a - i - i - i - i - i - i - i - i - i -	107.3
	1	OWC; 5 GILSONITE; 14 FLO-SEAL	3	10115
	- Land	January 14 res Dene		
avin 2790		Anne de la constante de la con	ESTIMATED TOTAL	341642
		·		1 1 1 1 2 2

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN	TODA A. TINDLE
		,
CUSTOMER or AGENT (PLEASE PRINT)		DATE

st 🖘 🚜 🧯

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

FICINED KANSAS CORPORATION COMMISSION

OCT 1 5 2004

TICKET NUMBER 31535
LOCATION OHANUTE
FOREMAN TODO A. TINDUE

### CONSERVATION DIVISION TREATMENT REPORT

## ORIGINAL

15 MIN. MAX RATE MIN RATE

DATE	CUSTOMER#	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER	
5-26-04	6628	KNISLEY			255	JOHN			
SECTION	TOWNSHIP	RANGE	COUNTY		103	WES			
29	323	11	mb	` ` [	370	50E			
CUSTOMER	rue.	1		· ; [	140	TIM			
DIKET	CHEROKEE L	46							
MAILING ADDF	RESS	7							
<i>P.O. Bo.</i> CITY	x 100								
CITY				,					
Real All	magne								
BENE DIC STATE		ZIP CODE		*					
KANSA.	· ·	66714	<i>!</i>	1,		TYPE OF T			
1)100					[ ] SURFACE		[ ] ACID BREA		
TIME ARRIVED	ON LOCATION			à	[ / PRODUCTI		[ ] ACID STIMU		
		DATA		jı ,	[ ] SQUEEZE		[ ] ACID SPOT	TING	
HOLE SIZE	63/4	PACKER DEP	ТН	<i>)</i>	[ ] PLUG & AE	BANDON	[]FRAC	•	
TOTAL DEPTH	. 011	PERFORATIO	NS	,	[ ] PLUG BACK [ ] FRAC + NITI				
		SHOTS/FT			[ ] MISP. PUM	IP.	[ ]		
CASING SIZE	41/2	OPEN HOLE		*	[ ] OTHER	[]			
CASING DEPT	a market print of				2 (8h)				
CASING WEIG	HT.	TUBING SIZE		<b>.</b>		PRESSURE	LIMITATIONS		
CASING CON	DITION	TUBING DEPT	ГН				THEORETICAL	INSTRUCTED	
		TUBING WEIG	GHT .		SURFACE PIPE				
		TUBING CON			ANNULUS LONG	STRING			
TREATMENT	VIA GEMENT	LEADINIZ.	5; TAIL 13.	19	TUBING	of the latest terminal between the second		<u></u>	
**							O Trans	A some e a	
INSTRUCTION	N PRIOR TO JOB	LIRCULA	TE W/FRE	ESH HED;	2 GEL AHE	AD KUN	9 BEL DE L PUMP PLUE	11/12/11/11	
SODIUM	SILICATE:	CEMENT.	UNTIL DYE	RETUR	N; FLUSH	PUMP; P	ump flua	r wille	
WATER	: SET FLO	ORTSHOE							
	IORIZATION TO F			TITLE			D	ATE	
						-			
	7 07105	BBL'S	I INJ RATE	TPROPPANT	SAND / STAGE	PSI			
TIME AM / PM	STAGE	PUMPED	INJEATE	PPG	3/11/2 / 31/13/L				
		. 4		1		*	BREAKDOWN	PRESSURE	
							DISPLACEME	NT	
							MIX PRESSU	RE	
							MIN PRESSUI	RE	
	1		, in the second	1.			ISIP	•	

#### TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer and be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

### WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.