Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344 Name: Quest Cherokee, LLC Address: P O Box 100 City/State/Zip: Benedict, KS 66714 Purchaser: Bluestem Pipeline, LLC	UNIGINAL
Operator: License # 33344	API No. 15 - 133-26070-00-00
Name: Quest Cherokee, LLC	County: NEOSHO
Address: P O Box 100 City/State/Zip: Benedict, KS 66714	NESWSec10 Twp30 S. R18 🗹 East 🗌 West
City/State/Zip: Benedict, KS 66714 Purchaser: Bluestem Pipeline, LLC Douglas L Lamb	1980 feet from S / N (circle one) Line of Section
75.78	1830 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Douglas L. Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>698-2250</u>	(circle one) NE (SE) NW SW
Contractor: Name: WELL REFINED DRILLING COMPANY	Lease Name: RISSEN Well #: 10-1
License: 33072	Field Name: CHEROKEE BASIN CBM
Wellsite Geologist: MARK BRECHEISEN	Producing Formation: MULKY/SUMMIT
Designate Type of Completion:	Elevation: Ground: 905 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1079 Plug Back Total Depth: 1064.95
OilSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21.6 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1064.95
Operator:	feet depth to SURFACE W/ 143 sx cmt.
Well Name:	,
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Uf. #2 KAR 6/25/
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
-	Location of fluid disposal if hauled offsite:
•	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
05-04-2004 05-05-2004 05-17-2004	QuarterSecTwpS. REast West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Jonglos X Sant	KCC Office Use ONLY
Title: Manager Date: 10/04/04	
. 111	Letter of Confidentiality Received If Denied, Yes Date:
	Wireline Log Received
20 04.	Geologist Report Received
Notary Public: Quanties R. Houston FINNIFER	R. HOUSTON UIC Distribution
Poto Commission Funitory Public	- State of Kensag
My Appt. Expires	10y 30, 2003

Side Two

ORIGINAL

Operator Name: Quest Cherokee, LLC				Lease	Lease Name: RISSE		SSEN Well #: 1		0-1	
	30 S. R. 18		West	Count	y: NEOS	SHO				
tested, time tool ope temperature, fluid re	Show important tops on and closed, flowing acovery, and flow rate gs surveyed. Attach	g and shut-in es if gas to su	pressures, rface test, a	whether s long with	hut-in pre	ssure reached	static level, hydi	ostatic pressure	es, bottom hole	
Drill Stem Tests Tak		Yes	✓ No		√ L	og Format	on (Top), Depth	and Datum	Sample	
Samples Sent to Ge	•	Yes	√ No		Nam	-		Тор 334'	Datum +571'	
Cores Taken	,	Yes	√ No		Lenapah Lime Altamont Lime			550'	+355'	
Electric Log Run		✓ Yes	No			nee Lime		485'	+420'	
(Submit Copy)		RECE	IVED.			ego Lime		562'	+343'	
List All E. Logs Run	: Kans	SAS CORPORAT	TON COMMIS	SION		digris Lime		700'	+205'	
DUAL INDUCTION LO COMP. DENSITY NEU GAMMA RAY	TRON LOG	OCT 1				sissippi Lime)	1031'	-126'	
		CONSERVATION WICHITA	N DIVISION							
	0.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.000.0000	(////	CASING	RECORD	✓ Ne	w Used ermediate, produc	tion, etc.	<u> </u>		
Purpose of String	Size Hole Drilled	Size C Set (In			ight / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12 1/4	8-5/8"	, O.D.,	24.75#		21.6	"A"	5	Additives	
Production	6 3/4	4-1/2"		10.5#		1064.95	"A"	143		
		ΑΑ	DDITIONAL	CEMENT	ING / SQL	JEEZE RECORI)			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of (Cement	#Sack	s Used		Type and	Percent Additives		
				L						
Shots Per Foot		ION RECORD Footage of Eac			•	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4	583-587			**************************************		150 SX SAND 630 BBLS KCL WATE 583-587				
4	596-599								596-599	
TUBING RECORD	Size	Set At		Packer	At	Liner Run				
2	3/8	666'		**************************************			Yes ✓ N	0		
Date of First, Resume 07-03-2004	rd Production, SWD or I	Enhr. Pi	roducing Meth	nod	Flowing	g 📝 Pumpi	ng Gas L	ift Othe	r (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. 4	Gas 0.58	Mcf	Wate	er E	bls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF (Production Inte	val			
Vented ✓ Sold (If vented, S	Used on Lease ubmit ACO-18.)	✓	Open Hole Other (Specia	Peri	f C	ually Comp.	Commingled .			



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ORIGINAL

TICKET NUMBER 24378

LOCATION AHABINE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTF	OTR SECTION TWP RGE COUNTY FORMATION						
17 57 12 10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TO LOS ASSESSMENTS						
CHARGE TO QUEST CHEESKEE LLC	OWNER						
MAILING ADDRESS P.O. 150X 160							
CITY & STATE PENEDICT KANSAS 66714	CONTRACTOR						

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-12612	PUMP CHARGE CEMENT PUMP		67500
1110	14 CKS	GILSONITE		27162
1107	11/2 5KS	FLO-SEAL		5/2
1118	2.5%	PLEMIUM GEL & (2 AHEAD)		22.60
1215%	1504	KCL		3399
11118	15 GAL	SODIUM SILICIATE		TENS?
	1,000	/		1 4 2
			-5	
	*	,		
1123	3780 GAL	CITYWARER 6 90 BELD		42.53
				10
		Dro	No sc	
		KANSAS CORPOR	EIVED ATION COMMISSION	
			TION COMMISSION	
		UCT 1	5 2004	
		DI ENDING & HANDLING	7	
5407	20 mi	TON-MILES CONSERVATION WICHIT	N DIVISION	1900
		STAND BY TIME	479	1 10
		MILEAGE		1
5501C	4 AR	WATER TRANSPORTS **		32025
5502C	4 HR	VACUUM TRUCKS	,	30000
	•	FRAC SAND		Mary Mary Mary Mary Mary Mary Mary Mary
	=	· ·		
1126	134 5KS	CEMENTOWC (143 CKS TOT	704)	1514.30
			SALES TAX	129.69
	/	ONC; 5 614 SONTE; 14# FLO-SEAL)		121.
	6			-
Ravin 2790		,	ESTIMATED TOTAL	3695,25

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN	TEAD A	The state of the	
			^	

CUSTOMER or AGENT (PLEASE PRINT)_

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720

620-431-9210 OR 800-467-8676

RECEIVED

KANSAS CORPORATION COMMISSION
ES, INC.
5 66720 OCT 1.5 2004

TICKET NUMBER	3	September 1	5	4	7	_
LOCATIONO. 1/2/2.						_
TODENANI						

MIN RATE

CONSERVATIÓN DIVISION WICHITA, KS

TREATMENT REPORT

ORIGINAL

				-						
DATE	CUSTOMER #	WELL NAME		1	TRUCK #	DRIVER	TRUCK #	DRIVER		
54264	1.6.58	KISSEN			man de la como	JEON				
SECTION	TOWNSHIP	RANGE	COUNTY	*	206	1,100				
4	2000	15	No	,	285	P H16				
CUSTOMER		*			140	Tim				
QWST 3	HEZOKE ILL									
MAILING ADDF	RESS									
PO BEX	160						**************************************			
PO LOX CITY FEMEDICT STATE	w want						The state of the s			
PENEDICT	ATT OF THE			,						
STATE		ZIP CODE		1						
KANSHO		1.6714				TYPE OF T	REATMENT			
					[]SURFACE	PIPE	[] ACID BREA	KDOWN		
TIME ARRIVED	ON LOCATION				PRODUCT	ION CASING				
	WELL	DATA		* ·	1	CEMENT	[] ACID SPOT	•		
HOLE SIZE	194	PACKER DEPT	Ή ;	1	[] PLUG & AI	BANDON	[]FRAC			
TOTAL DEPTH		PERFORATION	IS	1	[] PLUG BAC		[] FRAC + NIT	ROGEN		
		SHOTS/FT			[]MISP. PUMP					
CASING SIZE	4/2	OPEN HOLE		1	[]OTHER []					
CASING DEPTI	H 1065			-4.						
CASING WEIGI	НТ	TUBING SIZE	:		PRESSURE LIMITATIONS					
CASING COND	ITION	TUBING DEPTI	+	1			THEORETICAL	INSTRUCTED		
		TUBING WEIGI	-IT	1	SURFACE PIPE					
		TUBING COND	ITION		ANNULUS LONG	STRING				
TREATMENT V	IA				TUBING					
				-						
INSTRUCTION	PRIOR TO JOB 2	SHEE HEATE	W/FRESH	H.0. =	EEL HIERE	ENA 9	و رایا - شهرانها دانم - در آنها خا	Are Land		
500114	Market Section	111117 5.	182 180	الدوري المدار المستح المعاد المتواد المتواد	771 111/1 e	TUTAL EV	18 18 18 18 18 18 18 18 18 18 18 18 18 1	Disco to		
Flitter wifk	CEL WINDER	SET FL	AT NOC	1	1000 17 5	31344	ly .	ryn r		
,	RIZATION TO PR	•		TITLE 2			TAIL NE DA			
				AU 2	المراقع المكاميل	The same of the sa	1 Fill for 14 Comment OF	il tar		
						•				
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI		***************************************		
	and the report of the state of	1 OMI LB		FFG						
				, , ,			BREAKDOWN F	·		
						MW 1	DISPLACEMEN			
			1	<u> </u>			MIX PRESSURE			
**************************************				, , , , , , , , , , , , , , , , , , , ,			MIN PRESSURE			
							ISIP			
				<u> </u>			15 MIN.			
							MAX RATE			

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer the be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.