

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 09267
Name: JRC Oil Company, Inc.
Address: 25558 NE Vermont Road
City/State/Zip: Garnett, Kansas 66032-9622
Purchaser: Crude Marketing, Inc.

Operator Contact Person: Mike Colvin
Phone: (785) 448-5833
Contractor: Name: E K Energy, LLC
License: 31708
Wellsite Geologist: None

Designate Type of Completion:

New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>10/10/2006</u>	<u>10/11/2006</u>	<u>12/14/2006</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 003-24369-00-00
County: Anderson

SE SE SE NW Sec. 4 Twp. 21 S. R. 21 East West
2475 feet from S N (circle one) Line of Section
2475 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW

Lease Name: Daniel Well #: DP-2
Field Name: Bush City Shoestring

Producing Formation: Cattleman Sandstone

Elevation: Ground: 985' Kelly Bushing: NA

Total Depth: 781' Plug Back Total Depth: 775'

Amount of Surface Pipe Set and Cemented at 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from 779'

feet depth to Surface w/ 90 sx cmt.

Drilling Fluid Management Plan Alt #2 KJR 6/18/07
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls

Dewatering method used Pits allowed to evaporate
then backfilled.

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael S. Colvin

Title: Vice President Date: March 26, 2007

Subscribed and sworn to before me this 26th day of March

~~2006~~ 2007

Notary Public: [Signature]

Date Commission Expires: 12-2-10

TERESA K. YOUNG
NOTARY PUBLIC
STATE OF KANSAS
APPT. EXPIRES 12-2-10

KCC Office Use ONLY

N Letter of Confidentiality Attached

If Denied, Yes Date: RECEIVED
KANSAS CORPORATION COMMISSION

Wireline Log Received


Geologist Report Received MAR 28 2007

UIC Distribution

CONSERVATION DIVISION
WICHITA, KS

Operator Name: JRC Oil Company, Inc. Lease Name: Daniel Well #: DP-2
 Sec. 4 Twp. 21 S. R. 21 East West County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run: Gamma Ray & Neutron

Log Formation (Top), Depth and Datum Sample

Name Top Datum

See attached driller's log.

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	9-7/8"	6-5/8"	17	20'	Portland	3	None
Production	5-5/8"	2-7/8"	6.5	779'	Portland	90	None

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	713'-732' 40 perforations	Fractured perforations with 2 sx 20/40 sand and 8 sx 12/20 sand in 46 bbls lease crude.	

TUBING RECORD		Size	Set At	Packer At	Liner Run
1.315"	1.7 lb/ft	750'	None		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. December 15, 2006		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	2.5	Trace	0	TSTM	34.0
Disposition of Gas		METHOD OF COMPLETION		Production Interval	

Vented Solid Used on Lease (If vented, Sumit ACO-18.) Open Hole Perf. Dually Comp. Commingled Other (Specify)

Drillers Log

COMPANY: JRC Oil Company
 FARM: Daniel
 Well No. DP-2
 API 15-003-24,369
 Surface Pipe 20' - 6 5/8
 T.D. Hole 781' T.D. Pipe 778.78 2 7/8

COUNTY: Anderson
 Sec 4 Twp 21 Range 21
 Location 2475' PNL
 Location 2475' FWL
 Spot SESE-SE-SW
 CONTRACTOR: E-K Energy

Thickness	Formation	Depth	MINUTES PER	REMARKS	BIT NO.
	Soil Clay	3		Drilled 9 7/8 Hole 20' set 20' 6 5/8 cemented.	
25	Lime	28			
21	Shale	49			
3	Lime	52		5 5/8 Hole	
54	Shale	106			
55	Lime	161			
7	Shale	168			
48	Lime	216		Start 10-10-06	
177	Shale	393		Finish 10-11-06	
14	Lime	407			
31	Shale	438			
6	Sd + SH	444			
2	Sd Hard	446			
11	Shale	457			
19	Lime	476			
4	Shale	480		2 Shale 717	
9	Lime	489		17 Oil Sd. 734	
23	Shale	512		1 Coal 735	
8	Lime	520		Shale TD.	
17	Shale	537			
7	Lime	544			
3	Shale	547			
1	Coal	548			
9	Shale	557			
2	Lime	559			
9	Shale	568			
6	Sand SH	574			
21	Shale	595			
1	Lime	596			
117	Shale	713			
2	Oil Sd	715			

DESIGNED A.M. AND P.M. TIME RECORD TIME TOUR IS CHANGED UNDER REMARKS.
 ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAR 28 2007
 CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

JR002
JRC OIL COMP., INC.
25558 NE VERMONT RD.
BARNETT, KS 66032-9022

JRC OIL
NE 1500 RD-4 NE VERMONT
BARNETT, KS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #
				31	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	TICKET NUMBER
14/17/06					10752

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE, relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance

H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
----------	------	-------------	------------	----------------

9.00 DEM/1120 (10 SACKS)
1.00 TRUCKING HR.

DP-2
90 SX

DR

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 28 2007

CONSERVATION DIVISION
WICHITA, KS

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		436	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
337	419	412		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL