

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 31725
 Name: Shelby Resources LLC.
 Address: 5893 Saddle Creek Trail
 City/State/Zip: Parker, Co. 80134
 Purchaser: Link Energy
 Operator Contact Person: Jim Waechter
 Phone: (303) 840-2183
 Contractor: Name: Murfin Drilling
 License: 30606
 Wellsite Geologist: Ron Nelson
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth _____
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>8-22-03</u>	<u>8-26-03</u>	<u>9-10-03</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 195-22236-0000
 County: Trego Co.
 E/2 E/2 W/2 Sec. 1 Twp. 12 S. R. 23 East West
2640 feet from (S) / N (circle one) Line of Section
2310 feet from E / (W) (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW (SW)
 Lease Name: Newcomer Well #: 9
 Field Name: Newcomer
 Producing Formation: LKC
 Elevation: Ground: 2418 Kelly Bushing: 2423
 Total Depth: 4130 Plug Back Total Depth: 4
 Amount of Surface Pipe Set and Cemented at 220 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from see attached
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan *ALT #2 KJR 6/11/07*
(Data must be collected from the Reserve Pit)
 Chloride content 2800 ppm Fluid volume 180 bbls
 Dewatering method used evaporated dry
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

RECEIVED


FEB 09 2004

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: J. A. Waechter
 Title: General Manager Date: 2/5/04
 Subscribed and sworn to before me this 5 day of FEB
 2004
 Notary Public: _____
 Date Commission Expires: 4-07



KCC Office Use ONLY

NO Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Shelby Resources LLC. Lease Name: Newcomer Well #: 9
 Sec. 1 Twp. 12 S. R. 23 East West County: Trego Co.

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Neutron Density, Dual Induction, Cement Bond Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1837</td> <td>586</td> </tr> <tr> <td>Heebner</td> <td>3618</td> <td>-1195</td> </tr> <tr> <td>LKC</td> <td>3652</td> <td>-1229</td> </tr> <tr> <td>Marmaton</td> <td>3987</td> <td>-1564</td> </tr> </table> <div style="text-align: center; font-weight: bold; font-size: 1.2em; margin-top: 20px;"> RECEIVED FEB 09 2004 KCC WICHITA </div>	Name	Top	Datum	Anhydrite	1837	586	Heebner	3618	-1195	LKC	3652	-1229	Marmaton	3987	-1564
Name	Top	Datum														
Anhydrite	1837	586														
Heebner	3618	-1195														
LKC	3652	-1229														
Marmaton	3987	-1564														

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	25	220	common	160	2% GEL, 3% CC
production	7 7/8"	5 1/2"	15.5	4125	common	175	same

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	see attached			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4 spf	4091'-92'	250 gals 15% NE acid	
4 spf	4002'-12'	1750 gals 15% NE acid	
4 spf	3726'-29'	650 gals 15% NE acid	
4 spf	3694'-97'	650 gals 15% NE acid	
4 spf	3657'-60'	650 gals 15% NE acid	

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	2 7/8"	4100'	n/a	

Date of First, Resumerd Production, SWD or Enhr. 9/11/03	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	25		300		

Disposition of Gas METHOD OF COMPLETION Production Interval **LKC, MARMATON**

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.) Other (Specify) _____

RECEIVED

ORIGINAL

FEB 09 2004

KCC WICHITA

NEWCOMER #9 TOP STAGE SQUEEZE

- 1) Perforate 1730'-31' with 2 holes. Cement with 200 sacks of 60-40 pozmix 6%gel and 75 sacks of common and 3%cc. Cement did not circulate. Ran temperature survey and top of cement was 1650'
- 2) Perforate 1100'-01' with 2 holes. Cement with 150 sacks of common with 3% cc. Cement did not circulate. Ran temperature survey and top of cement was 1056'.
- 3) Perforate 584'-85' with 2 holes. Cement with 150 sacks of 60-40 pozmix with 6% gel and 50 sacks of common and 3% cc. Cement DID circulate.

JOB LOG

SWIFT Services, Inc. ORIGINAL

DATE 8-26-03 PAGE NO.

CUSTOMER: SHELBY RESOURCES LLC WELL NO. # 9 LEASE NEWCOMER JOB TYPE 5 1/2" LONGVIEW TICKET NO. 5870

CHART NO.	TIME	RATE (BPM)	VOLUME (BBL/GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
	1330							ON LOCATION
	1400							START 5 1/2" CASING
								RECEIVED
								FEB 09 2004
								KCC WICHITA
								ND - 4129 SET = 4128
								TP - 4133 5 1/2 - 14 #/FT
								ST - 33.62
								CATERPILLAR - 2, 3, 7, 9, 11, 68
								BASKETS - 1, 4, 10, 69
	1600							DROP BALL - BREAK CIRCULATION (LAWSON RH-MH)
	1636	6	12				400	PUMP MUDFLUSH REGRADATE
		6	20				400	PUMP KCL FLUSH
	1645							PLUG RH-MH
	1655	5 1/2	42				300	MAX CEMENT - 175 SLS EA2
	1707							WASH OUT PUMP - LINES
	1708							RELEASE LATCH DOWN PLUG
	1709	6 1/2	0					DISPLACE PLUG
		6 1/2	90				700	LAND CASING
	1726	6	100				1500	PLUG DOWN - PSE UP LATCH 2nd PLUG
								OK RELEASE PSE - HELD
								WASH UP
	1830							JOB COMPLETE
								THANK YOU
								WAVE, DUSTY, BUJC

RECEIVED
 FEB 09 2004
 KCC WICHITA

ORIGINAL

ALLIED CEMENTING CO., INC. 15783

P.O. BOX 31
 RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>8/21/03</u>	SEC	TWP	RANGE	CALLED OUT	ON LOCATION <u>6:00p.m.</u>	JOB START	JOB FINISH <u>8:00p.m.</u>
LEASE <u>Newcomer</u>	WELL # <u>9</u>	LOCATION <u>Ogallah 3u 4 1/2 W</u>		COUNTY <u>Trego</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)		<u>N INTO</u>					

CONTRACTOR <u>Martin #8</u>	OWNER
TYPE OF JOB <u>Surface</u>	CEMENT
HOLE SIZE <u>12 1/4"</u> T.D. <u>220'</u>	AMOUNT ORDERED <u>160 Com 342</u>
CASING SIZE <u>8 5/8"</u> DEPTH <u>220'</u>	
TUBING SIZE DEPTH	
DRILL PIPE DEPTH	
TOOL DEPTH	
PRES. MAX MINIMUM	COMMON <u>160</u> @ <u>7.15</u> <u>1144.00</u>
MEAS. LINE SHOE JOINT	POZMIX @
CEMENT LEFT IN CSG. <u>10'</u>	GEL <u>3</u> @ <u>10.00</u> <u>30.00</u>
PERFS.	CHLORIDE <u>5</u> @ <u>30.00</u> <u>150.00</u>
DISPLACEMENT <u>13 1/4 Bbl</u>	
EQUIPMENT	
PUMP TRUCK CEMENTER <u>Paul</u>	HANDLING <u>160</u> @ <u>1.15</u> <u>184.00</u>
# <u>366</u> HELPER <u>Shane</u>	MILEAGE <u>54 1/4</u> / MILE <u>360.00</u>
BULK TRUCK	
# <u>282</u> DRIVER <u>Don</u>	
BULK TRUCK	
# DRIVER	TOTAL <u>1868.00</u>

REMARKS: CEMENT CIRCULATED!

Thank You

DEPTH OF JOB

PUMP TRUCK CHARGE 520.00

EXTRA FOOTAGE @

MILEAGE 45 @ 3.00 157.50

PLUG 858 Sum @ 45.00 45.00

TOTAL 722.50

CHARGE TO: Shelby Resources

STREET

CITY STATE ZIP

TO ALLIED CEMENTING CO., INC.

YOU ARE HEREBY REQUESTED TO RENT CEMENTING EQUIPMENT AND FURNISH CEMENTER AND HELPER TO ASSIST OWNER OR CONTRACTOR TO DO WORK AS IS LISTED. THE ABOVE WORK WAS DONE TO SATISFACTION AND SUPERVISION OF OWNER AGENT OR CONTRACTOR. I HAVE READ & UNDERSTAND THE "TERMS AND CONDITIONS" LISTED ON THE REVERSE SIDE.

SIGNATURE Louis McKenna

PRINTED NAME Louis McKenna

DISCOUNT IF PAID IN 30 DAYS

TAX

TOTAL CHARGE

SIGNATURE Louis McKenna

PRINTED NAME Louis McKenna

ALLIED CEMENTING CO., INC. ORIGINAL

13990

P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

<i>11/20/04</i>	SEC.	TWP.	RANGE.	CALLED OUT <i>NOON</i>	ON LOCATION <i>1:30pm</i>	JOB START	JOB FINISH <i>3:45pm</i>
LEASE <i>Newcomer</i> WELL # <i>9</i>			LOCATION <i>Wakeery 3 E 1 N</i>		COUNTY <i>Regis</i>	STATE <i>K</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR *Professional*

TYPE OF JOB *Top stage*

HOLE SIZE _____ T.D. _____

CASING SIZE *5 1/2* DEPTH _____

TUBING SIZE *2 3/8* DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED
350 lb 6440-6 75 lb Com 3% C

200 lb Used 200 lb 6440-6
75 lb Com 3% C

COMMON	<i>195</i>	@	<i>7.15</i>	<i>1394.25</i>
POZMIX	<i>80</i>	@	<i>3.80</i>	<i>304.00</i>
GEL	<i>10</i>	@	<i>10.00</i>	<i>100.00</i>
CHLORIDE	<i>3</i>	@	<i>30.00</i>	<i>90.00</i>
<i>Sand</i>	<i>2</i>	@	<i>7.50</i>	<i>15.00</i>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<i>440</i>	@	<i>1.25</i>	<i>550.00</i>
MILEAGE	<i>5 1/4</i>	MILE		<i>990.00</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

366 HELPER *Shane*

BULK TRUCK

213 DRIVER *Der*

BULK TRUCK

_____ DRIVER *Jim*

RECEIVED

FEB 09 2004

TOTAL *3399.25*

KCC WICHITA SERVICE

REMARKS:

B.P. @ 3180 Feet 1500' OK

Perf 1730-31

Packer set 1690, pump 10 bbls

adjuster, no circ.

Cent w/ 200 lb 6440 6

Follow w/ 75 lb Com 3%

Displace 103 bbls, no circ.

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ *630.00*

EXTRA FOOTAGE _____ @ _____

MILEAGE *45* @ *3.50* *157.50*

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL *787.50*

CHARGE TO: *Shelby Res*

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 13993 ORIGINAL

P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>1/23/04</u>	SEC.	TWP.	RANGE	CALLED OUT <u>6:00 AM</u>	ON LOCATION <u>8:00 AM</u>	JOB START	JOB FINISH
LEASE <u>New comb</u>		WELL # <u>9</u>	LOCATION <u>Wabean 38 1/2 N</u>	COUNTY <u>Trego</u>	STATE <u>Ks</u>		
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Professional

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 8 1/2 DEPTH _____

TUBING SIZE 2 3/8 DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT AMOUNT ORDERED 1500 lbs Com 3% CC

COMMON	<u>150</u>	@	<u>7.15</u>	<u>1072.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>155</u>	@	<u>1.15</u>	<u>178.25</u>
MILEAGE	<u>5 1/2</u>	@	<u>SK/MILE</u>	<u>348.75</u>

EQUIPMENT

PUMP TRUCK # 366 CEMENTER Bill HELPER Clay

BULK TRUCK # 222 DRIVER Craig

BULK TRUCK # _____ DRIVER _____

RECEIVED **FEB 09 2004** TOTAL 1749.50

KCC WICHITA SERVICE

REMARKS:

Per @ 1150 packer rate 1035

Exp Rate 2600 500#

Cement w/ 1500 3% CC

Squeeze to 900#

Pull Tubing, Press to 500#

Shut In

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 630.00

EXTRA FOOTAGE @ _____

MILEAGE @ _____

PLUG @ _____

TOTAL 630.00

CHARGE TO: Shelby Res.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC. ORIGINAL 15670

P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>1-23-04</u>	SEC.	TWP.	RANGE	CALLED OUT <u>9:00 AM</u>	ON LOCATION <u>11:45 AM</u>	JOB START <u>12:00 PM</u>	JOB FINISH <u>1:15 PM</u>
LEASE <u>NEW</u> OR NEW (Circle one)			LOCATION <u>WAKEENY 3E ON HIXON RD 3/4 N 1/4 W</u>	COUNTY <u>WAGON</u>	STATE <u>KANSAS</u>		

CONTRACTOR Professional Piping Services OWNER (Same)
 TYPE OF JOB Perf @ Circ Cement
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 1,000 # MINIMUM 900 #
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 83'
 PERFS. @ 583'
 DISPLACEMENT 13 BBL

CEMENT
 AMOUNT ORDERED 150 SK 1 1/4 @ 6% gel
50 SK Com 3% cc

COMMON	<u>140</u>	@	<u>7.55</u>	<u>1057.00</u>
POZMIX	<u>60</u>	@	<u>3.80</u>	<u>228.00</u>
GEL	<u>8</u>	@	<u>10.00</u>	<u>80.00</u>
CHLORIDE	<u>2</u>	@	<u>30.00</u>	<u>60.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Glen
 # 366 HELPER Shane
 BULK TRUCK
 # 282 DRIVER Craig
 BULK TRUCK
 # 222 DRIVER Brent

HANDLING 2.10 @ 1.15 = 241.50
 MILEAGE 5 1/2 SK / MILE = 472.50

RECEIVED TOTAL 2083 -

FEB 09 2004

REMARKS:
Perf @ 583' / 5 1/2" Load Hole 40/80 BBL
Drilling mud mixed 150 SK 1 1/4 @ 6% gel
Followed w/ 50 SK Com 3% cc.
Displaced to 500' + shot in @
100 # Cement P.D. Circ
Around Annulus.

KCC WICHITA SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>630.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>45</u>	@	<u>350.00</u>
PLUG		@	

TOTAL 787.50

CHARGE TO: SHELBY
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

		@		
		@		
		@		
		@		
		@		

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE J A Wacker

PRINTED NAME