

**CONFIDENTIAL**

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # #32334  
 Name: Chesapeake Operating, Inc.  
 Address: P. O. Box 18496  
 City/State/Zip: Oklahoma City, OK 73154-0496  
 Purchaser: \_\_\_\_\_  
 Operator Contact Person: Jim Reisch, Aletha Dewbre  
 Phone: (405) 848-8000  
 Contractor: Name: Murfin Drilling #21  
 License: 30606  
 Wellsite Geologist: Wesley D. Hansen  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

<u>11/30/05</u>	<u>12/12/05</u>	<u>01/18/2006</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 189-22499-0000  
 County: Stevens  
5/2-NW Sec. 3 Twp. 33 S. R. 36  East  West  
1980' feet from S /  (circle one) Line of Section  
1320' feet from E /  (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE  NW SW  
 Lease Name: Mezger Trust Well #: 1-3  
 Field Name: Walkemeyer  
 Producing Formation: Morrow  
 Elevation: Ground: 3033' Kelly Bushing: 3044'  
 Total Depth: 6401' Plug Back Total Depth: 6357'  
 Amount of Surface Pipe Set and Cemented at 1872 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set 3118 Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ 6x cmt.  
 Drilling Fluid Management Plan with 6-26-07  
 (Data must be collected from the Reserve Pit)  
 Chloride content 1500 ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled off site: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**MAR 03 2006**  
**CONSERVATION DIVISION**  
**WICHITA, KS**


**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
 Title: Asset Manager Date: March 1, 2006

Subscribed and sworn to before me this 1st day of March  
2006

Notary Public: Renee Riebe  
 Date Commission Expires: 4/5/08



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**CONFIDENTIAL**  
**MAR 02 2006**

**KCC**

ORIGINAL

Side Two

CONFIDENTIAL

Operator Name: Chesapeake Operating, Inc. Lease Name: Mezger Trust Well #: 1-3  
 Sec. 3 Twp. 33 S. R. 36  East  West County: Stevens

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:  
 Lithoqv strip log  
 Compact photo density compensated neutron with micro resistivity log  
 Array induction shallow focused electronic log

Name	Top	Datum
Heebner Shale	4108.5	-1073.5
Lansing Lime	4237.6	-1202.6
Marmaton	4974.7	-1939.7
Morrow Lower	5936.8	-2901.8
St. Genevieve	6236.8	-3201.8

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8	24#	1872'	CI A & CI C	650/150	1/4# Flo-Seal
Production	7-7/8	5-1/2	17#	6401'	CI H	350	
Port Collar		5-1/2	17#	3118'	CI C	350/150	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
1 JSPF	5983'-5996' Morrow "G-2"	Frac: 3641g 70 Q gel + 121339 sand	
2 JSPF	5944'-5949' Morrow "G-1"		
1 JSPF	5954'-5969' Morrow "G-1"		

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2-7/8	5910'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First Resumerd Production, SWD or Enhr.	Producing Method
01/18/2006	<input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity
0	458 63

Disposition of Gas  Vented  Sold  Used on Lease  
 (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Other (Specify)

Production Interval  Dually Comp.  Commingled

# ALLIED CEMENTING CO., INC. 19959

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

CONFIDENTIAL  
MAR 02 2006  
KCC

SERVICE POINT:  
Oakley

DATE <u>1/2/05</u>	SEC. <u>3</u>	TWP. <u>33s</u>	RANGE <u>36W</u>	CALLED OUT	ON LOCATION <u>12:00 AM</u>	JOB START <u>4:55 AM</u>	JOB FINISH <u>6:30 AM</u>
LEASEE <u>McGeer Trust</u>		WELL # <u>1-3</u>	LOCATION <u>Moscow 8 1/2 S 1 W 2 N E/S</u>		COUNTY <u>Stevens</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				RECEIVED KANSAS CORPORATION COMMISSION MAR 03 2006			

CONTRACTOR MurFin #21  
 TYPE OF JOB Cmt 8 1/4 CSG  
 HOLE SIZE 12 1/4 T.D. 1870  
 CASING SIZE 8 3/4 24# DEPTH 1870  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX 1000 MINIMUM 100  
 MEAS. LINF SHOE JOINT 44  
 CEMENT LEFT IN CSG. 44  
 PERFS.  
 DISPLACEMENT 116.31

OWNER SAM-C  
 CEMENT AMOUNT ORDERED  
650 SKS 15.85' @ + 39.00' @ 4" Flo-Seal  
150 SKS Class C + 39.00'  
 COMMON 150 SKS C @ 12.05 1807.50  
 POZMIX @  
 GEL @  
 CHLORIDE 2.7 SKS @ 38.00 1026.00  
 ASC @  
Lite weight 650 SK @ 10.20 6630.00  
Flo-Seal 163 SKS @ 1.70 277.10  
 HANDLING 880  
 MILEAGE 68.5 SK/mi

EQUIPMENT

PUMP TRUCK CEMENTER Max  
 # 191 HELPER Wayne  
 BULK TRUCK  
 # 347 DRIVER Larry  
 BULK TRUCK  
 # 394 DRIVER Kelly

REMARKS:

Cmt 8 1/4 CSG with 650 SKS Lite & 150 SKS  
Class C Deep Plug Displace 116.31 BBL  
Land Plug Float Head  
Cement Did Circulate

CHARGE TO: Chesapeake Operating  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Pat Lee

SERVICE  
 DEPTH OF JOB 1870  
 PUMP TRUCK CHARGE 1320.00  
 EXTRA FOOTAGE @  
 MILEAGE 40 mi @ 5.00 200.00  
 MANIFOLD @  
Head Rental @ 75.00  
 TOTAL 1595.00

PLUG & FLOAT EQUIPMENT

1-8 3/4 Rubber Plug @ 100.00  
1-8 3/4 AFU Insert @ 262.00  
3-8 3/4 Centralizer @ 33.00 99.00  
1-8 3/4 Cement Basket @ 180.00  
 TOTAL 641.00

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME PAT LEE

# ALLIED CEMENTING CO., INC. 19962

IDENTIAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

Bid Attached MAR 02 2006 SERVICE POINT:

KCC

Calliey

DATE <u>12/10/09</u>	SEC. <u>3</u>	TWP. <u>33S</u>	RANGE <u>36W</u>	CALLED OUT	ON LOCATION <u>2:00 PM</u>	JOB START <u>3:00 PM</u>	JOB FINISH <u>4:05 PM</u>
I.E.A.S.P. <u>Mezger Trust</u>		WELL # <u>1-3</u>		LOCATION <u>Moscow 8 1/2 S 1 W KN ELS</u>		COUNTY <u>STEVENS</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Mur Fin #21  
 TYPE OF JOB Cmt 5 1/2 Csg  
 HOLE SIZE 7 1/2 T.D. 6401  
 CASING SIZE 5 1/2 17" DEPTH 6404  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 1600 MINIMUM 150  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 44  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 147.55

OWNER Samar  
 CEMENT  
 AMOUNT ORDERED  
350 lbs Class H + 107 gyp seal 107 gyp seal  
6" Kal-Seal 8 1/2" FL-160

COMMON	<u>350 gals</u>	@	<u>10.50</u>	<u>3675.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
SALT	<u>38</u>	@	<u>7.90</u>	<u>300.20</u>
Kal-Seal	<u>2100 #</u>	@	<u>.60</u>	<u>1260.00</u>
Gyp Seal	<u>33</u>	@	<u>19.15</u>	<u>631.95</u>
FL-160	<u>264 #</u>	@	<u>8.70</u>	<u>2296.80</u>
Mud Clean	<u>500</u>	@	<u>1.00</u>	<u>500.00</u>
Clapro	<u>15</u>	@	<u>24.10</u>	<u>361.50</u>
		@		
HANDLING	<u>468</u>	@	<u>1.60</u>	<u>748.80</u>
MILEAGE	<u>68 1/2 hr / mi</u>			<u>1123.20</u>
				TOTAL <u>10897.45</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Dean - Max  
 # 373-281 HELPER Jarrod  
 BULK TRUCK  
 # 381 DRIVER Jerry  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Start Csg @ 7:15 PM Csg on bottom 12:00 AM  
Wait on Pump Truck Pump Truck on loc 2:00 PM  
Pump Seal Mud Clean Plug Ratchet with  
15 lbs amt Plug. Make hole with last Cmt  
Csg with 325 lbs wash up Pump & Lines  
Drop Plug Displaced with 20 KCL water  
148 HBL Land Plug Float Held

**SERVICE**

DEPTH OF JOB	<u>6404</u>		
PUMP TRUCK CHARGE			<u>1900.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>40 mi</u>	@	<u>5.00</u> <u>200.00</u>
MANIFOLD		@	
<u>Head Rental</u>		@	<u>75.00</u>
		@	

CHARGE TO: Chesapeake Operating  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION

MAR 03 2006

TOTAL 2075.00

**CONSIGNMENT OF RENTAL EQUIPMENT**  
WICHITA, KS

<u>1-5 1/2 Rubber Plug</u>	@	<u>60.00</u>
<u>1-5 1/2 Calks Shoe</u>	@	<u>130.00</u>
<u>1-5 1/2 Float Callar</u>	@	<u>320.00</u>
<u>1 1/2-5 1/2 Turbo Lizers</u>	@	<u>40.00</u> <u>600.00</u>
<u>2-5 1/2 Cement Baskets</u>	@	<u>140.00</u> <u>280.00</u>
<u>1-5 1/2 Nit Callar</u>		<u>1750.00</u>
<u>1-5 1/2 Limit Callar</u>		<u>15.00</u>
		TOTAL <u>3155.00</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

FAT LEE  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

22236

CONFIDENTIAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

MAR 02 SERVICE POINT:  
Ogkley

DATE 1-12-06	SEC. 3	TWP. 33s	RANGE 36w	CALLED OUT	ON LOCATION 10:20 AM	JOB START 10:50 AM	JOB FINISH 12:00 PM
MEZZER LEASE TRUST	WELL# 1-3	LOCATION MOSCOW 8 1/2 S 1 W 1/2 E 1 S			COUNTY STEVENS	STATE KS	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Superior servicing Inc OWNER same  
 TYPE OF JOB Port collar  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 17 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2 7/8 DEPTH 3115'  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

CEMENT  
 AMOUNT ORDERED 3.50 sks Lite 1/4 Flo Seal  
150 sks Class C

Class (C) COMMON	150 sks	@ 11.65	1747.50
POZMIX		@	
GEL		@	
CHLORIDE		@	
ASC		@	
Liteweight	<del>350</del> 350 sks	@ 8.80	3080.00
Flo Seal	884	@ 1.70	149.60
HANDLING	526 sks	@ 1.60	841.60
MILEAGE	69.56 mile		1262.40
TOTAL			7081.10

EQUIPMENT

PUMP TRUCK CEMENTER Dean  
 # 373-281 HELPER Andrew  
 BULK TRUCK  
 # 386 DRIVER Kelly  
 BULK TRUCK  
 # 315 DRIVER Alan

REMARKS:

pressure tool to 2000 psi. Open  
 Tool pump had Blw. Mix 350 sks  
 Lite 1/4 Flo Seal & 150 sks C/C.  
 Disp 17 1/2 Bbls  
 Cement did circulate  
 Close tool pressure to 2000 psi ok  
 Ran 2 joints and reverse tub  
 Clean

Thank you

CHARGE TO: Cheapeake Operating  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB 3115'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 785.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 40 miles @ 5.00 200.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 RECEIVED \_\_\_\_\_ @ \_\_\_\_\_  
 KANSAS CORPORATION COMMISSION \_\_\_\_\_ @ \_\_\_\_\_

MAR 03 2006

TOTAL 985.00

CONSERVATION DIVISION  
 WICHITA, KS

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE ~~\_\_\_\_\_~~

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE

Bud Neff

Bud Neff  
 PRINTED NAME