

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

RECEIVED

JUL 15 2005

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

KCC WICHITA

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

ORIGINAL

Operator: License # 3532
Name: CMX, Inc.
Address: 1551 N. Waterfront Parkway, Suite 150
City/State/Zip: Wichita, KS 67206
Purchaser: OneOK
Operator Contact Person: Douglas H. McGinness II
Phone: (316) 269-9052
Contractor: Name: Duke Drilling Co., Inc.
License: 5929

API No. 15 - 007-22897-0000
County: Barber
C N/2 N/2 NE Sec. 6 Twp. 35 S. R. 14 East West
330 feet from S / N (circle one) Line of Section
1320 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Davis Ranch Well #: 2-6

Wellsite Geologist: Doug McGinness II
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Field Name: Aetna Gas Area
Producing Formation: Mississippi
Elevation: Ground: 1520' Kelly Bushing: 1531'
Total Depth: 4960' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 280 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
5/23/05 6/1/05 6/16/05
Spud Date or 6/1/05 6/16/05
Recompletion Date Date Reached TD Completion Date or
Recompletion Date

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) **ALTI WHM 7-12-07**
Chloride content _____ ppm Fluid volume 400 bbls
Dewatering method used Haul off
Location of fluid disposal if hauled offsite: _____
Operator Name: Oil Producers, Inc. of Kansas
Lease Name: May License No.: 8061
Quarter NW Sec. 13 Twp. 35 S. R. 16 East West
County: Comanche Docket No.: D-27726

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: President Date: 7/14/2005
Subscribed and sworn to before me this 14th day of July
20 05
Notary Public: [Signature]
Date Commission Expires: 2/7/08

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

DONNA L. MAY-MURRAY
Notary Public - State of Kansas
My Appt. Expires 2/7/08

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: CMX, Inc.

Lease Name: Davis Ranch

Well #: 2-6

Sec. 6 Twp. 35 S. R. 14 East West

County: Barber

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No (Submit Copy)

List All E. Logs Run:

DI, Micro, CDNL, Bond

Log Formation (Top), Depth and Datum Sample

Name Top Datum

Mississippi 4812 -3278

KCC JUL 14 2005 CONFIDENTIAL

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows include Conductor/Surface, Intermediate, and Production.

ADDITIONAL CEMENTING / SQUEEZE RECORD

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes checkboxes for Perforate, Protect Casing, Plug Back TD, Plug Off Zone.

Table with 3 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record. Includes handwritten notes: 8000g bbbs gelled wtr, 50,000 lbs 1 1/2/20 sand.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run. Includes checkboxes for Yes/No.

Table with columns: Date of First, Resumerd Production, SWD or Enhr., Producing Method. Includes checkboxes for Flowing, Pumping, Gas Lift, Other (Explain).

Table with columns: Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval. Includes checkboxes for Vented, Sold, Used on Lease, Open Hole, Perf., Dually Comp., Commingled, Other (Specify).

ALLIED CEMENTING CO., INC.

16590

CONFIDENTIAL

KCC

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

JUL 14 2005

SERVICE POINT:

ML

CONFIDENTIAL

DATE <u>5-24-05</u>	SEC. <u>6</u>	TWP. <u>35.5</u>	RANGE <u>14W</u>	CALLED OUT <u>8:30 PM</u>	ON LOCATION <u>12:00</u>	JOB START <u>1:15 PM</u>	JOB FINISH <u>1:45 AM</u>
LEASE <u>DAVIS</u>		WELL # <u>2-6</u>	LOCATION <u>Hardtner KS.</u>	COUNTY <u>Barber</u>	STATE <u>KS.</u>		
OLD OR NEW (Circle one)		<u>W to Paris Dog Leg + N</u>					

CONTRACTOR Duke #5 OWNER CMX

TYPE OF JOB Conductor

HOLE SIZE 1 7/8 T.D.

CASING SIZE 13 7/8 x 5 1/2 DEPTH 267'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 250 MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 39 3/4 bbls water

CEMENT AMOUNT ORDERED

300 SX 60:40:2+3%cc

COMMON	<u>180</u>	<u>A</u>	@	<u>8.70</u>	<u>1566.00</u>
POZMIX	<u>120</u>		@	<u>4.70</u>	<u>564.00</u>
GEL	<u>5</u>		@	<u>14.00</u>	<u>70.00</u>
CHLORIDE	<u>10</u>		@	<u>38.00</u>	<u>380.00</u>
ASC			@		
			@		
			@		
			@		
			@		
			@		
			@		
HANDLING	<u>315</u>		@	<u>1.60</u>	<u>504.00</u>
MILEAGE	<u>35 X 315 X .06</u>				<u>661.50</u>
					TOTAL <u>3745.50</u>

REMARKS:

Run 267' 13 7/8 w/ 13' 8 7/8 LIT

Break circulation

Mix 300 SX 60:40:2+3%cc

Disp cement w/ 39 3/4 water

Leave 15' cement in pipe + shut in

50 SX to Pit

SERVICE

DEPTH OF JOB	<u>267'</u>				
PUMP TRUCK CHARGE					<u>670.00</u>
EXTRA FOOTAGE			@		
MILEAGE	<u>35</u>		@	<u>5.00</u>	<u>175.00</u>
			@		
			@		

RECEIVED

JUL 15 2005

KCC WICHITA

TOTAL 845.00

CHARGE TO: CMX, INC.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

MANIFOLD		@			
		@			
		@			
		@			
		@			

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

TAX _____

TOTAL CHARGE [scribble]

DISCOUNT [scribble] IF PAID IN 30 DAYS

SIGNATURE [Signature]

Joe Levine's Tool

PRINTED NAME

ALLIED CEMENTING CO., INC. 16593

CONFIDENTIAL

KCC

ORIGINAL

TO P.O. BOX 31
RUSSELL, KANSAS 67665

JUL 14 2005

SERVICE POINT:

ML

CONFIDENTIAL

DATE <u>6-6-05</u>	SEC. <u>6</u>	TWP. <u>35S</u>	RANGE <u>14W</u>	CALLED OUT <u>11:30 AM</u>	ON LOCATION <u>12:30 AM</u>	JOB START <u>4:15 AM</u>	JOB FINISH <u>5:00 AM</u>
LEASE <u>Davis Ranch</u>	WELL # <u>2-6</u>	LOCATION <u>Hardtner Kes. W.</u>			COUNTY <u>Farber</u>	STATE <u>KS.</u>	
OLD OR NEW (Circle one)			<u>to Prairie Dog Rd. SW on M Rd</u>				

CONTRACTOR Duke #5 OWNER CMX, INC.

TYPE OF JOB Production

HOLE SIZE 1778 T.D. 4963' CEMENT 8 Gals clapro

CASING SIZE 4 1/2 x 10.5 DEPTH 4962' AMOUNT ORDERED 500 Gal mud-clean

TUBING SIZE _____ DEPTH _____ 300 sx H 10' Gyp-seal 10' salt

DRILL PIPE _____ DEPTH _____ 6" Kol-seal 6' 8" H-160 6' Gas Block

TOOL _____ DEPTH _____

PRES. MAX 2000 MINIMUM 200 COMMON 300 H @ 10.50 3150.00

MEAS. LINE _____ SHOE JOINT 39.58 POZMIX _____ @ _____

CEMENT LEFT IN CSG. _____ GEL _____ @ _____

PERFS. _____ CHLORIDE _____ @ _____

DISPLACEMENT 80 Bbls 2% KCL ASC _____ @ _____

EQUIPMENT Salt 32 @ 7.90 252.80

PUMP TRUCK CEMENTER Carl Balding Kol Seal 1800 @ .60 1080.00

368-265 HELPER Dave Felio FH-160 226 @ 8.70 1966.20

BULK TRUCK _____ Gas Block 170 @ 7.40 1258.00

359 DRIVER Larry Freeman Mud Clean 500 gal @ 1.00 500.00

BULK TRUCK _____ Clapro 8 gal @ 22.90 183.20

_____ DRIVER _____ Gyp Seal 28 @ 19.15 536.20

HANDLING 404 @ 1.60 646.40

MILEAGE 35 x 404 x .06 848.40

TOTAL 10421.20

REMARKS:

Run Csg + Circulate on bottom for 45 min. Pump 500 Gal mud-clean Plug Rat + mouse w/ 25 sx Cement Mix + pump 275 sx Class H + Additives. Wash out Pump + Lines + Release plug Displace with 80 Bbls 2% KCL water. Land plug + float held.

SERVICE

DEPTH OF JOB 4962'

PUMP TRUCK CHARGE _____ 1435.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 35 @ 5.00 175.00

Head Rental @ 75.00 75.00

RECEIVED

JUL 15 2005

KCC WICHITA

TOTAL 1685.00

CHARGE TO: CMX, INC.

STREET _____

CITY _____ STATE _____ ZIP _____

4 1/2" PLUG & FLOAT EQUIPMENT

MANIFOLD _____ @ _____

F-AFU Float shoe @ 200.00 200.00

Latch Down plug @ 300.00 300.00

1-Basket @ 116.00 116.00

1-Centrolizers @ 45.00 315.00

TOTAL 931.00

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Joe Harrington

PRINTED NAME

ALLIED CEMENTING CO., INC. 20677

CONFIDENTIAL

KCC

ORIGINAL

P.O. BOX 31
RUSSELL, KANSAS 67665

JUL 14 2005

SERVICE POINT:

Medicine LDZ

CONFIDENTIAL

DATE <u>5-28-05</u>	SEC. <u>6</u>	TWP. <u>35S</u>	RANGE <u>14W</u>	CALLED OUT <u>9:30 P.M.</u>	ON LOCATION <u>12:00AM.</u>	JOB START <u>4:00AM.</u>	JOB FINISH <u>5:15AM.</u>
LEASE <u>Davis</u>		WELL# <u>2-6</u>	LOCATION <u>HardTrer w/ To Prairie</u>		COUNTY <u>Barber</u>	STATE <u>KS,</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>Dog RD, N 5, into</u>				

CONTRACTOR Duke #5

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1075

CASING SIZE 8 5/8 DEPTH 1071

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 DEPTH 1075

TOOL _____ DEPTH _____

PRES. MAX 400 PSI MINIMUM _____

MEAS. LINE _____ SHOE JOINT 40 FT

CEMENT LEFT IN CSG. 40 FT

PERFS. _____

DISPLACEMENT Fresh Water 66 BBLs

OWNER CMX, INC.

CEMENT

AMOUNT ORDERED 425sx A + 3% cc + 2% Gel

COMMON	<u>425 A</u>	@	<u>8.70</u>	<u>3697.50</u>
POZMIX		@		
GEL	<u>8</u>	@	<u>14.00</u>	<u>112.00</u>
CHLORIDE	<u>15</u>	@	<u>38.00</u>	<u>570.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>448</u>	@	<u>1.60</u>	<u>716.80</u>
MILEAGE	<u>35 x 448 x .06</u>			<u>940.80</u>
TOTAL				<u>6037.10</u>

REMARKS:

Pipe on bottom Break circ pump
425sx A + 3% cc + 2% Gel
Shot Down Release Plug
Displace w/ 66 BBLs water
Shot in cement did
circ wash up Rig Down.

SERVICE

DEPTH OF JOB	<u>1071</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>670.00</u>
EXTRA FOOTAGE	<u>771'</u>	@	<u>.55</u> <u>424.05</u>
MILEAGE	<u>35</u>	@	<u>5.00</u> <u>175.00</u>
MATERIAL Head Rent		@	<u>75.00</u> <u>75.00</u>
		@	

RECEIVED

JUL 15 2005

KCC WICHITA

TOTAL ~~750.00~~
1344.05

8 5/8" PLUG & FLOAT EQUIPMENT

Rubber Plug	@	<u>100.00</u>	<u>100.00</u>
3-Basket	@	<u>180.00</u>	<u>540.00</u>
	@		
	@		
	@		

TOTAL 640.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**ANY APPLICABLE TAX
 WILL BE CHARGED
 UPON INVOICING**

SIGNATURE [Signature]

[Signature] JON LIVINGSTON
 PRINTED NAME

TAX _____
 TOTAL CHARGE ~~1344.05~~
 DISCOUNT ~~704.05~~ IF PAID IN 30 DAYS