KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORICHAL

| Operator: License # 5046 | API No. 15 - 007-22867-00-00 |
|--|---|
| Name: Raymond Oil Company, Inc. | County: Barber County, Kansas |
| Address: P.O. Box 48788 | SW _NE Sec. 20 Twp. 31 S. R. 13 |
| City/State/Zip: Wichita, KS 67201-8788 | 2130 feet from S / N (circle one) Line of Section |
| Purchaser: | 1980 feet from E / W (circle one) Line of Section |
| Operator Contact Person: Clarke Sandberg | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (316) 267-4214 | (circle one) NE SE NW SW |
| Contractor: Name: Duke Drilling Company, Inc. | Lease Name: Hartley 'A' Well #: 1 |
| License: 5929 | Field Name: |
| Wellsite Geologist: Clarke Sandberg | Producing Formation: Lower Douglas Sand |
| Designate Type of Completion: | Elevation: Ground: 1580' Kelly Bushing: 1591' |
| New Well Re-Entry Workover | Total Depth: 4480' Plug Back Total Depth: |
| Oil SWD SIOWTemp. Abd. | Amount of Surface Pipe Set and Cemented at Feet |
| Gas ENHR SIGW | Multiple Stage Cementing Collar Used? Yes No |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from |
| Operator: | feet depth to w/sx cmt. |
| Well Name: | Dilli Silvino A Di America |
| Original Comp. Date: Original Total Depth: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) ALTI WHM 7-17-07 |
| Deepening Re-perf Conv. to Enhr./SWD | (Data must be collected from the Reserve Pit) Chloride content ppm Fluid volume bbls |
| Plug BackPlug Back Total Depth | Dewatering method used |
| Commingled Docket No | Location of fluid disposal if hauled offsite: |
| Dual Completion Docket No | · |
| Other (SWD or Enhr.?) Docket No | Operator Name: |
| 01/24/05 01/31/05 02/01/05 | Lease Name: License No.: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | Quarter Sec. Twp. S. R. East West |
| Trecompletion Date | County: Docket No.: |
| | |
| Kansas 67202, within 120 days of the spud date, recompletion, workorn information of side two of this form will be held confidential for a period of | th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It is months if requested in writing and submitted with the form (see rule 82-3-13) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells. |
| All requirements of the statutes rules and regulations promulgated to regulation are complete and correct to the best of mythowledge. | alate the oil and gas industry have been fully complied with and the statements |
| Signature: / ////////////////////////////////// | KCC Office Use ONLY |
| | Letter of Confidentiality Received |
| Subscribed and sworn to before me this day of Tebrua | If Denied, Yes Date: RECEIVED |
| 20.05. | Wireline Log Received Geologist Report Received FEB 1 0 2005 |
| Notary Public: W. J. Chull Surger | |
| 7 7/02/07 | UIC Distribution KCC WICHITA |
| Date Commission Expires: | |



MICHELLE SINGER
NOTARY PUBLIC
STATE OF KANSAS
AND END 7/23/07

Side Two

| Operator Name: Raym | perator Name: Raymond Oil Company, Inc. Lease N | | | | se Name: | lartley 'A' | Well #:1 | | | | | |
|--|---|---|----------------------|------------|--|--------------------------------------|---------------------|------------------|--------------|-------------------|--|--|
| Sec. 20 Twp. 31 | S. R. <u>13</u> | East | ✓ West | Cour | nty: Barbe | r County, Kar | nsas | | · | | | |
| INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report. | | | | | | | | | | | | |
| Drill Stem Tests Taken ✓ Yes □ No (Attach Additional Sheets) | | | | | | Log Formation (Top), Depth and Datum | | | | n Sample | | |
| Samples Sent to Geological Survey | | | es 🗌 No | | Name Indian Cave Sand | | | Top 2644 | _ | atum 1044 | | |
| Cores Taken | Cores Taken Yes 🗹 No | | | | Heebner | | | | -1 | 972 | | |
| Electric Log Run | | ✓ Ye | es 🗌 No | | Muncie Creek | | | 3957 | -2 | 2357 | | |
| (Submit Copy) | | | | | Viola | · | | | -2806 | | | |
| List All E. Logs Run: | | | | | Tota | l Depth | | 4479 | | | | |
| Dual Induction | | | | | | • | | | | | | |
| Compensated [| Density/Neutr | on | | | | | | | | | | |
| | | Renor | CASING I | | | _ | ction etc | | | | | |
| Purpose of String | Size Hole | | e Casing | | eight | Setting | Type of | # Sacks | Туре а | nd Percent | | |
| Purpose of String Surface | Drilled 14 - 3/4" | | (In O.D.) - 3/4" | Lbs. / Ft. | | Depth 254' | Cement 60/40 Poz | Used 220 | | ditives 2% ael | | |
| Production | 7 - 7/8" | | | | | 3834' | 60/40 Poz | 200 | 3% cc 2% gel | | | |
| Troduction | 1 - 1/0 | 5 - 1/2" | | 14# | | 3034 | 00/40 1-02 | 00/40 P02 200 | | | | |
| | ADDITIONAL OFFICE DECOME | | | | | | | | | | | |
| ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Coment #Sacks Used Type and Parcent Additives | | | | | | | | | | | | |
| Perforate Protect Casing Plug Back TD Plug Off Zone | Top Bottom | туре | Type of Cement | | ks Used | Type and Fen | | ercent Additives | • | | | |
| Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Ty Specify Footage of Each Interval Perforated | | | s Set/Typ forated | oe | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | | Depth | | | |
| | | | | | | | | | | <u> </u> | | |
| | | | | | | | | | | | | |
| | | *************************************** | | | | | | | | | | |
| TUBING RECORD | Size | Set At | | Packer | r At | Liner Run | Yes No | | | | | |
| Date of First, Resumerd Production, SWD or Enhr. Producing Method | | | Flowing | g Dump | oing Gas Lift | Oth | er (Explain) | | | | | |
| Estimated Production Per 24 Hours | Oil E | Bbls. | Gas | Mcf | Wate | er I | Bbls. G | as-Oil Ratio | | Gravity | | |
| Disposition of Gas | METHOD OF C | OMPLETIC |)N | | | Production Inte | erval | RE | CEIVE | ED . | | |
| Vented Sold | Used on Lease | | Open Hole | P€ | erf. 🔲 C | oually Comp. | Commingled | FEB | 1 0 20 | 05 | | |
| (iii 12.1150) Gubii | ·· | | Other (Speci | 'Y) | | | | KCC | | | | |

ALLIED CEMENTING CO., INC. 18

| NTO P.O. BOX 31 RUSSELL, KANSAS 67665 | | | TCE POINT: <i>Medic</i> im | e bodo e |
|--|---|---------------------|--|------------------|
| | | | | |
| (SEC.) Law 100 100 100 | LEDOUT | ON LOCATION | JOB START | 230 P |
| 14-00 01/6 | . / | | Rober | STATE |
| EHANTIEY INCLES | 5hop | | 1000 | |
| ORVENTCircle one) 10W, 7S | | |] | |
| 7 / =5 | OWNER_ | zymond | Ail Co | |
| TRACTOR OF THE | | | | |
| 1-176- TD 4900 | CEMENT | | | |
| SILE DEPTH 3834 | AMOUNT OR | DERED | | |
| DEPTH. | 190 sx 6 | 0:40:2 7:40:2 +1 | =/ | F650 |
| I PIPE DEPTH | 35 5x 60 | 7. 30.Z F/ | 13000 | |
| L DEPTH | COMMON | 135 A | @ 8.30 | 11.20,50 |
| MAX / ACOC TOTALT 3/ | POZMIX | 90 | @ 4.50 | |
| (3. LHV). | GEL | 4 | _@ <i>_13.00</i> | 52.00 |
| ENTLEFT IN CSG. | CHLORIDE _ | | _ @ | |
| PLACEMENT & Bobs Freshunter | ASC | -21 , | _@ | 10,60 |
| EQUIPMENT | FL-5 | J | _@ <u>/{:\\$\</u> | |
| 4 | | | | |
| PTRUCK CEMENTER for Balding | | | @ | |
| 60-802 HELPER Dwayne West | | | _ @ | |
| KTRUCK | | | | |
| 13-3/4 DRIVER Larry Colds herry | | | | |
| KTRUCK | HANDLING | 230 | | 345,07 |
| DRIVER | HANDLING_ MILEAGE_ | | | 165,00 |
| REMARKS: | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Minc | TOTAL | . 2098.10 |
| 3071 PEar May hall + literallate | | SERV. | ICE | |
| John John John Was the Will | | | | |
| 60:40:b Mix 165 5x 60:40:2/+ | DEPTH OF JO | DB <u>-3836</u> | | 1260,00 |
| (h) (h) 2 + / / Sack TAUP | PUMP TRUCI | | | fred for Car Car |
| och out tung thing | EXTRA FOOT MILEAGE | //) | _@ @_ '/, .502 | 45.00 |
| space up 93 Bels + 15 hwater. | MILEAGE | 10 | _ @ _ | |
| The plug + Front Hera. | | | | |
| <i>//)</i> | | | @ | |
| HARGE TO: RAYMOND OX CO. | | | | - n - M |
| U | | | TOTA | L 1305.0 |
| TREETSTATEZIP | | PLUG & FLOA | T EQUIPME | NT |
| | 5-1/2" | | | |
| | MANIFOLD | | @ <u>/66.0</u> | 0 160.00 |
| | - Keg OL | vide shoe | @ 23510 | |
| Allied Cementing Co., Inc. | to chacke I | 11)61 | @140,0 | |
| MINU COMETIONS | 5- PRH TO | lizers | @ 50.0 | |
| the manuscript of tent comenting equipment | | 11. 1 | @ 75,6 | |
| ou are hereby requested to rent cementing equipment | 1.22 11-1 | Head | | |
| on are hereby requested to rent cementing equipment of distinish cementer and helper to assist owner or the above work was | Coment | Head | TOTA | 1 <i>860.0</i> |
| on are hereby requested to rent cententing equipment and furnish cermenter and helper to assist owner or on one of the content | Comet | Head | , TOTA | l <u>860,0</u> |
| of are hereby requested to refit cementing equipment of and furnish cermenter and helper to assist owner or contractor to do work as is listed. The above work was lone to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND | Cament | Head | TOTA | l <u>860.0</u> |
| o Allied Cementing Co., the control of the commenting equipment of the control of | TAX | | тота — ————————————————————————————————— | 1 <u>860.0</u> |
| nd furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was lone to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND | TAXTOTAL CHA | RCE '7 | - 263, | 10 |
| nd furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was lone to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND | TAX | RCE '7 | - 263, | |
| on are hereby requested to rent centering equipment of the firms of the content o | TAXTOTAL CHA | RCE '7 | - 263, | 10 |

RECEIVED
JUL 1 6 2577
KCC WICHITA

*ALLIED CEMENTING CO., INC. 17760

| REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: | | | | | |
|---|---|---|--|--|--|
| | | | 1 Cd. C. Fle P. VI | | |
| DATE / 15-15 SEC. TWP. RANGE CO. 13/5 /36.1 | CALLED OUT O | N LOCATION | JOB START JOB FINISH | | |
| LEASE H. T/- WELL # A -/ LOCATION A// | 1.56-P | 1001 | COUNTY STATE | | |
| OLD OR NEW (Circle one) | | <u> </u> | TO DE IL | | |
| | | | -J | | |
| CONTRACTOR DUKE # 5 TYPE OF JOB Set Face | OWNER ROY | mand | 0.1.00 | | |
| HOLE SIZE 14 3/4 T.D. 255 | CEMENT | | | | |
| CASING SIZE 10 3/4 DEPTH 254 | AMOUNT ORDE | RED 220 | DEX 60:110:2+ | | |
| TUBING SIZE DEPTH | 34000 | | | | |
| DRILL PIPE 41/7 DEPTH 255 | · | | | | |
| TOOL DEPTH | | | · · · · · · · · · · · · · · · · · · · | | |
| PRES. MAX ZOOPST MINIMUM — MEAS. LINE SHOE JOINT 15 FT | COMMON | | @ | | |
| MEAS. LINE SHOE JOINT 15 FT CEMENT LEFT IN CSG. 15 FT | POZMIX | | | | |
| PERFS. | CHLORIDE | | | | |
| DISPLACEMENT FIEST WOTER 2016 CS | | | @ | | |
| EQUIPMENT | | | @ | | |
| | | | @ | | |
| PUMPTRUCK CEMENTER / build (4) | | | _@ | | |
| # 302 HELPER Duickage | | 48 jerri - 18 kinstra artiklije kom difter britanis dan diskulation , | | | |
| BULK TRUCK | | | @ | | |
| # 3(4 DRIVER Tell) C | | | _ @ | | |
| BULK TRUCK | | | @ | | |
| # DRIVER | HANDLING | | @ | | |
| | MILEAGE | | the same of the sa | | |
| REMARKS: | | | TOTAL | | |
| | | *** | | | |
| File of Collin Parck & Fa | | SERVI | CE | | |
| 121 220 St 60:110:2+3% CC | | | | | |
| Dellace W/Flesh Weter | DEPTH OF JOB | | | | |
| JULIE WEST OF RE DOWN | | | | | |
| e a market by the contract of | , EXTRA FOOTAG MILEAGE | | _ @ | | |
| | WILLIAM | | @ | | |
| | ************************************** | | @ | | |
| | | | @ | | |
| CHARGE TO: Reymond O. / Cambay STREET | | | | | |
| | | | TOTAL | | |
| STREET | | | | | |
| CITYSTATEZIP | PL | UG & FLOA | r equipment | | |
| | | | | | |
| | MANIFOLD | | @ | | |
| | | | _ @ | | |
| To Allied Cementing Co., Inc. | | | @ | | |
| You are hereby requested to rent cementing equipment | A B The Same | to make the state of the state | | | |
| and furnish cementer and helper to assist owner or | | | | | |
| contractor to do work as is listed. The above work was | tan da karangan da karang Karangan da karangan da ka | | TOTAL | | |
| done to satisfaction and supervision of owner agent or | r. | | IUIAL | | |
| contractor. I have read & understand the "TERMS AND | TAX | | - | | |
| CONDITIONS" listed on the reverse side. | | | | | |
| | | | | | |
| | DISCOUNT - | | IF PAID IN 30 DAYS | | |
| | , e e e e e e e e e e e e e e e e e e e | | | | |
| SIGNATURE V | X him | (1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 | | | |
| | \ | PRINT | ED NAME | | |