15-015-00498-00-00

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building

WELL PLUGGING RECORD

 \mathbf{or}

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

800 Bitting Building Wichita, Kansas		Butler	C o	ounty. Sec. 19	$_{\mathrm{Twp}}$ 27 S_{Rg}	e3 (E)(W
NORTH	Location as "N	E4NW4SW4"	or footage fr	om linesN	WC SWを	
	Lease Owner	John P.	Gaty	·····		
1 1 1	Lease Name	Colner	T/			Well No
	Office Address	wichita,	nansas	5	Dry Hola	
	Character of W	Tell (completed a	s Oil, Gas or	Dry Hole)	Dr.A HOTO	
	Date, well com	pleted	•••••	ADLIT 9		19.4
	Application for	plugging filed		WDLTT O		194
	Application for	· plugging approv	ed	WDLTT D		194
	Plugging Comn	nenced	•••••	April 5		194
	Plugging Comp	leted		A DI III	Dry Hole	19.4
	Reason for aba	indonment of we	l or producin	g formation		
						19
	If a producing	well is abandone	d, date of las	t production	, its agents before	re plugging was co
Locate well correctly on above	Was permission	veamed from	the Conserva	tion Division o	1 10s agentos bero	
Section Plat me of Conservation Agent who su	menced (T. Lome	an. El Do	rado. Kan	388
me of Conservation Agent who surducing formation	pervised plugging of the	nis wellnor	10 Bott	none	Total Depth of	Well 2905 Fe
ducing formation	Dep	th to top	Doi:	ош	Total Depth of	. \
w depth and thickness of all wate		ns.			C	ASING RECORD
OIL, GAS OR WATER RECOR	DS					
Formation	Content	From	То	Size	Put In	Pulled Out
				<u> </u>		
		-	***************************************			
						,
					,	
Describe in detail the manner in						
cellar.						
		CAN	C		10	
	FILE	+ 10 5	7. 2	/	S	
	POOK	5000	/ 2E	10	1 1200	· · · · · · · · · · · · · · · · · · ·
		49	45	1-1	40///	*1 *k
			COLUMN TO THE REAL PROPERTY.	le l	7794	
	· · · · · · · · · · · · · · · · · · ·			1-1	0,000	· ,
				1-1	47707	8 · · 1
			••••••	\F		75/
•						
	***************************************					\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	(If additional	description is necessa	rv, use BACK of	f this sheet)	(17)	
Correspondence regarding this	well should be address	sed to J. P.	Gaty	c/o Beec	h Aircraf	t Corporat
dress Wichita, Kans	29					And the second s
idress						
ATE OF Kansas	, COUNTY	OF Butle	er	, ss	.	
I. Ira Marhenke,	Drilling Co	ontractor.	iployee of o w	mer) er-(ewner-	or eperator) of th	e above-described w
ing first duly sworn on oath, says:	That I have knowle	dge of the facts,	statements, a	and matters here	in contained and	the log of the abo
scribed well as filed and that the				/-	Ω	
S AND AR A 3	·		\mathcal{O}_{λ}	$_{o}$ M	y . K.	, Sp.
三なる。		(Signature)			curnen	714
			and	Lusta	700	
直线(Arach) 學學是					(Address)	
					,	4
	/⊋		(Mh	il	4	/a
SUBSCRIBED AND SWORN TO before	re me this /3	day of	Mrs	il	(19.X	le
SUBSCRIBED AND SWORN TO before	re me this /3	day of	Afris	il	MIA TIN	hham_
SUBSCRIBED AND SWORN TO before y commission expires.	re me this /3	day of	Afri	il Jn	ma Tuc	la . Notary Public.

12-40—3M

18-6718

· WELL LOG

J. P. Gaty, Owner - Coiner #1

NWC SW Section 19, Township 27 S, Range 3 E Butler County, Kansas

Figures indicate bottom of formation

	r regres	THUT CA LO		OW OT	TOLUMECTON
	0	to	100	Shale	
			115	Lime	
			220	Shale	
•			305	Lime	•
			330		Lime
			390	Shale	
			410	Brown	
			425		
Manu			460	Lime	
Tops:		· ·	465	Shale	
T A	7 6 6 7		475		ock
Lansing	1995		490	Lime	
Mississippi	2831		505	Shale	
-			515	Sandy	Lime
			520	Lime	
	•	•	525	Shale	
Pipe Record:	•		530 540		
trhe vecoud:			565	Shale	
Size	Depth		575	Lime Shale	
0120	DOLUIT		595	Lime	
15 1/2*	90		600		
13 3/8"	1095			Shale	Time
10"	1995		620	Sandy Shale	TIMA
8"	2475		630	Lime	
711	2860		636	Red R	oole
	2000		670	Lime	OCK
			695	Shale	
			710	Lime	
			715	Shale	
			740	Line	
Water Record:			745		light
			755	Lime	TTRIIO
hfw	40-50		770	Shale	
2bw	605-615		805	Lime	•
4bw per hr	1035-1055		845	Shale	
6bw	1240-1260		855	Lime	
2bw	1465 -1475		875	Shale	
2bw	1885-1895			Lime	
2abw	2015-2020	*	910	Shale	
4bw	2432-2440		915	Red Re	ock
hfw	2448-2458		930	Shale	
hfw	2880-2887		935	Lime	
			1005	Shale	
•			1030	Sandy	Shale
	•		1050		Shale and Water
			105	Shale	
			130	Lime	
Spudded March	7, 1946	_ 1	.155	Shale	
Completed D&A	April 3, 194		170		and Shells
			180	Shale	
Property of the second			.215	Lime	
	•		230	Shale	Sec. 32 Feb.
			.240	Lime	
	19 27 3		260	Sandy	Snare
and the second second	49 49			Shale	
es es	The second		345	Lime	•
			.365 370	Shale	
	•		.370 .400	Lime	
			405	Shale Lime	
	•		415	Shale	
			475	Lime	
			500	Shale	
		*		ا که بن میر <i>ب</i>	

	Lime		Lime
	Shale		Black Shale
	Lime	2435	Lime
1570	Shale	2435 2440	Dark Lime
	Lime	2448	Grey Soft Lime
	Shale	2490	Lime
	Lime	2495	Shale
	Shale	2555	Lime
	Lime	2560	
	Blue Lime	2615	Shale and Shells
	Lime	2630	Sandy Lime
	Shale	2695	Shale
	Lime		Shale and Shells
1715		2710	
1740	Lime		Sandy Brown Lime
1750	Shale	2725	Black Shale
1805	Lime	2745	Grey Lime
1815	Light Shale	2760	Shele
1830	Lime		Broken Lime
1880	Shale	2795	Shale
1905	Lime	2800	
1915	Sand	2810	Shale
1945	Sandy Shale	2831	V C Shale
1995	Shale		Lime and Chert
2005	Lime	2890	Chat
2045	Shale		Lime
2085	Lime		
2225	Shale		
2240	Lime	2905	Total Depth
2345	Shale		,

State of Kansas) County of) ss

I, Ira Marhenke, Drilling Contractor of the above-described well, being first duly sworn on oath, declare: That I have knowledge of the facts, statements and matters herein contained pertaining to the log of the above-described well as filed and that the same are true and correct.

I sa Marken Ke

Subscribed and Sworn to before me this 18 day of 1946

Juria Teckham notary mulic

My commission expires Manch 17-1948.

19 27 3E 49 42