

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

WELL PLUGGING RECORD

K.A.R. 82-3-117

Lease Operator: BP America Production Company
Address: P.O. Box 3092, Rm 6.121, Houston, TX 77253
Phone: 281.366.4395 Operator License #: 5952
Type of Well: SWD Docket #: D 27301.0
The plugging proposal was approved on: 4/5/2006
by: Steve Durrant
Is ACO-1 filed? [x] Yes [] No
Producing Formation(s): List All (If needed attach another sheet)

API Number: 15- 093-21534 -00-00
Lease Name: Gray B SWD
Well Number: 1
Spot Location (QQQQ): NE-NE-NE
125 Feet from [x] North / [] South Section Line
150 Feet from [x] East / [] West Section Line
Sec. 5 Twp. 23 S S. R. 35 [] East [x] West
County: Kearny
Date Well Completed: 11/4/1996
Plugging Commenced: 7/19/2006
Plugging Completed: 7/19/2006

Show depth and thickness of all water, oil and gas formations.

Table with 7 columns: Oil, Gas or Water Records (Formation, Content), Casing Record (Surface Conductor & Production) (From, To, Size, Put in, Pulled out). Rows include SURFACE CASING and PRODUCTION CASING.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole.

Fill 2 3/8" casing with cement from GL to 1707' by pumping 72 sacks of cement w/1 sack of cottonseed hulls in the lead slurry. Pump 2 sacks cement to fill annulus between 5 1/2 and 2 3/8 casing. Pressure annulus to 200 psi. Cut off and cap casing 5' below GL. Restore the location. Cement blend: Halliburton 60/40 class H POZ with 6% total gel. Cement mixed at 13.5 ppg with 1.54 cuft/sk yield.

Name of Plugging Contractor: Halliburton Services License #: 5287 99997
Address: []


RECEIVED KANSAS CORPORATION COMMISSION

Name of Party Responsible for Plugging Fees: BP America Production Company
State of Texas County, Harris, ss.

MAR 06 2008

DeAnn Snyers (Employee of Operator) or (Operator) on above-described well... sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well as filed and the same are true and correct, so help me God.

(Signature) DeAnn Snyers
(Address) P.O. Box 3092, Rm 6.121, Houston, TX 77253-3092



SUBSCRIBED and SWORN TO before me this 28th day of February, 2008
Suzanne M. Jones, Notary Public, My Commission Expires: 1-11-2009

HALLIBURTON

Cementing Job Summary

The Road to Excellence Starts with Safety

Sold To #: 307666	Ship To #: 2508911	Quote #:	Sales Order #: 4514826
Customer: BP AMERICA PRODUCTION COMPANY		Customer Rep: Eudey, Joe	
Well Name: Gray B SWD	Well #: #1	API/UWI #:	
Field:	City (SAP): UNKNOWN	County/Parish: Kearny	State: Kansas
Contractor: WORKOVER	Rig/Platform Name/Num: 11		
Job Purpose: Plug to Abandon Service			
Well Type: Producing Well		Job Type: Cementing	
Sales Person: HESTON, MYRON		Srvc Supervisor: CLEMENS, ANTHONY	MBU ID Emp #: 198516

Job Personnel

HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #
ARNETT, JAMES Ray	2.5	226567	CLEMENS, ANTHONY Jason	2.5	198516	hatfield, rick	2.5	tw

Equipment

HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way
10251401C	100 mile	422831	100 mile	52026	100 mile	75821	100 mile

Job Hours

Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours

TOTAL Total is the sum of each column separately

Job

Job Times

Formation Name	Formation Depth (MD) Top	Bottom	Called Out	Date	Time	Time Zone
			On Location			
Form Type	BHST		Job Started	19 - Jul - 2006	09:20	CST
Job depth MD	1707. ft	Job Depth TVD	Job Completed	19 - Jul - 2006	15:45	CST
Water Depth		Wk Ht Above Floor	Departed Loc			
Perforation Depth (MD) From	1,612.00 ft	To				
		1,707.00 ft				

Well Data

Description	New / Used	Max pressure psig	Size in	ID in	Weight lbf/ft	Thread	Grade	Top MD ft	Bottom MD ft	Top TVD ft	Bottom TVD ft
Production Casing	Used		2.375	1.995	4.7		Unknown		1707.		
Surface Casing	Used		5.5	4.95	15.5		Unknown		1031.		

Tools and Accessories

Type	Size	Qty	Make	Depth	Type	Size	Qty	Make	Depth	Type	Size	Qty	Make
Guide Shoe					Packer					Top Plug			
Float Shoe					Bridge Plug					Bottom Plug			
Float Collar					Retainer					SSR plug set			
Insert Float										Plug Container			
Stage Tool										Centralizers			

Miscellaneous Materials

Gelling Agt	Conc	Surfactant	Conc	Acid Type	Qty	Conc	%
Treatment Fld	Conc	Inhibitor	Conc	Sand Type	Size	Conc	Qty

Fluid Data

Stage/Plug #: 1										
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbf/gal	Yield ft ³ /sk	Mix Fluid Gal/sk	Rate bbl/mjn	Total Mix Fluid Gal/sk	RECEIVED

KANSAS CORPORATION COMMISSION

MAR 06 2008

CONSERVATION DIVISION
WICHITA, KS

HALLIBURTON

Cementing Job Summary

Stage/Plug #: 1									
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbm/gal	Yield ft ³ /sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk
1	Water W/Cottonseed Hulls		5.00	bbl	8.33	.0	.0	.0	
10 lbm/bbl		SALT 2% (100003652)							
2	Plug Cement	POZ PREMIUM 40/60 - SBM (15075)	50.0	sacks	13.5	1.54	7.67	2.0	7.67
4 %		BENTONITE, BULK (100003682)							
7.668 Gal		FRESH WATER							
Calculated Values		Pressures			Volumes				
Displacement		Shut In: Instant		Lost Returns		Cement Slurry		Pad	
Top Of Cement		5 Min		Cement Returns		Actual Displacement		Treatment	
Frac Gradient		15 Min		Spacers		Load and Breakdown		Total Job	
Rates									
Circulating		Mixing		Displacement		Avg. Job			
Cement Left In Pipe	Amount	0 ft	Reason	Shoe Joint					
Frac Ring # 1 @	ID	Frac ring # 2 @	ID	Frac Ring # 3 @	ID	Frac Ring # 4 @	ID		
The Information Stated Herein Is Correct				Customer Representative Signature <i>Joe Ludwig</i>					

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 06 2008

CONSERVATION DIVISION
WICHITA, KS

HALLIBURTON

Cementing Job Log

The Road to Excellence Starts with Safety

Sold To #: 307666	Ship To #: 2508911	Quote #:	Sales Order #: 4514826
Customer: BP AMERICA PRODUCTION COMPANY		Customer Rep: Eudey, Joe	
Well Name: Gray B SWD	Well #: #1	API/UWI #:	
Field:	City (SAP): UNKNOWN	County/Parish: Kearny	State: Kansas
Legal Description:			
Lat: N 0 deg. OR N 0 deg. 0 min. 0 secs.		Long: E 0 deg. OR E 0 deg. 0 min. 0 secs.	
Contractor: WORKOVER		Rig/Platform Name/Num: 11	
Job Purpose: Plug to Abandon Service			Ticket Amount: \$ 5,011.13
Well Type: Producing Well		Job Type: Cementing	
Sales Person: HESTON, MYRON		Srvc Supervisor: CLEMENS, ANTHONY	MBU ID Emp #: 198516

Activity Description	Date/Time	Cht #	Rate bbl/min	Volume bbl		Pressure psig		Comments
				Stage	Total	Tubing	Casing	
Call Out	07/19/2006 04:00							
Arrive At Loc	07/19/2006 08:00							
Pre-Job Safety Meeting	07/19/2006 08:15							
Rig-Up Completed	07/19/2006 09:00							
Pump Cement	07/19/2006 09:29		3		18		.0	mix 50 sks 40/60 poz mixed @ 13.5#
Other	07/19/2006 09:45							did not see any pressure wash up, move to next pta and let well set and come back to it
Other	07/19/2006 15:00							return to location /// hook back up to well
Pump Cement	07/19/2006 15:15		2		5	350.0		40/60 poz mixed @ 13.5#
Other	07/19/2006 15:30		2		1	200.0		hook up to backside and fill
End Job	07/19/2006 15:45							

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 06 2008

CONSERVATION DIVISION
WICHITA, KS

Sold To #: 307666

Ship To #: 2508911

Quote #:

Sales Order #:

4514826

SUMMIT Version: 7.10.386

Wednesday, July 19, 2006 03:39:00