Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

·	•		X.		· .		,			
	erica Production Compa	I	-	3-21533 - OO-OL						
Address: P.O. B	SOK 3092, Rm 6.121, Ho	Lease Nan	ne: Schaefer	r SWID						
Phone: <u>281.366.439</u>	Operator License	i ·	A-110-001	· Well Numb	_ Well Number: 1					
Type of Well: SWD (Oil, Gas D&A, SWD, ENHR, Water S			or ENHR)							
The alwaying proposal was a	annound on: 4/5/200	6	(Da	re) 2	Feet from	☐ North / 🗶 South	n Section Line			
The plugging proposal was a	approved on: 4/5/200				138 Feefirom	East / West	t Section Line			
by: Steve Durrant			t rict Agent's Nar ☐ Yes ☐ No	Sec. 1	6 Twp. 23	s S. R. 35]East 😠 W			
Is ACO-1 filed? X Yes	11 100, is well log	attached: _	۰۰۰۰ ا		Kearny	#4	<u> </u>			
Producing Formation(s): List	All (If needed attach another	sheet) .		Date Well	Completed:1	L1/20/1996				
•	th to Top: Bottor		a.	_l	Commenced:					
Dept	th to Top: Bottor	m:	_T.D	— · · · ·			. ,			
Dept	th to Top: Bottor	m:	_T.D	— Plugging C	Completed:	//19/2006				
Show depth and thickness of	f all water, oil and gas formati	ions.					· · · · · · · · · · · · · · · · · · ·			
	/ater Records Content	From	Cas	ing Record (Sur Size	face Conductor of Put in	& Production) Pulled out				
Formation										
	SURFACE CASING	Surface	1031	5 1/2"	1031	-				
	PRODUCTION CASING	. Surface	1647	2 3/8"	1647	0'				
			4	*d,						
Fill 2 3/8" casing will lead slurry. Pump 3. Cut off and cap casir	ith cement from GL to	1647' by	pumping 33 s	and 2 3/8	t w/1 sack c	of cottonseed hul	o 1000 psi.			
	ixed at 13.5 ppg with				* -					
Name of Plugging Contractor:	energy			per CP2/	3	cense #: 5287 9	1997			
Name of Plugging Contractor: Address:	Halliburton Servic	es		120.0.		RECI	EIVED ATION COMMISSION			
Name of Party Responsible fo	or Plugging Fees: BP Am	erica Prod	uction Comp	any		MAR 0				
State of	exas Cour	nty,	Harri		,ss.	WICH	TION DIVISION IITA, KS			
sworn on oath, says: That I	DeArm Smyers	etatemente a				n above-described well				
same are true and correct, so		statements, a	na matters here	in comanieu, ai	id the log of the	above-described well	as med and the			
	, (Sign	ature)(Delm	Som	, en	3.	· ·			
	(Add	ress) <u>P.O. B</u>	ox 3092,Rm (5.121, Houst	on, TX 772	53-3092				
Notary Public	M. JONES State of Texas alssion Expires y 11, 2009	SWORN TO	before me this Notary Public	28th	day of	February ission Expires:	11-2009			
Minimum.			, totally i dollo	7 "			- 1			

HALLIBURTON

Cementing Job Summary

The Road to Excellence Starts with Safety Sales Order #: 4514829 Sold To #: 307666 Ship To #: 2508906 Quote #: Customer Rep: Eudey, Joe **Customer: BP AMERICA PRODUCTION COMPANY** API/UWI #: Well Name: Schaefer SWD Well #: #1 County/Parish: Kearny State: Kansas City (SAP): UNKNOWN Field: Contractor: WORKOVER Rig/Platform Name/Num: 11 Job Purpose: Plug to Abandon Service Well Type: Producing Well Job Type: Cementing Sales Person: HESTON, MYRON Srvc Supervisor: CLEMENS, MBU ID Emp #: 198516 ANTHONY Job Personnel **HES Emp Name** Emp# **HES Emp Name** Exp Hrs **HES Emp Name** Exp Hrs Emp# Exp Hrs Emp# 198516 ARNETT, JAMES Ray 1.0 226567 CLEMENS, ANTHONY 1.0 hatfield, rick 1.0 tsw Jason Equipment Distance-1 way **HES Unit # HES Unit # HES Unit #** Distance-1 way **HES Unit #** Distance-1 way Distance-1 way 100 mile 75821 10251401C 100 mile 422831 100 mile 52026 100 mile **Job Hours** Operating On Location On Location Operating On Location Date Operating Date Date 1 Hours Hours Hours Hours Hours Hours TOTAL Total is the sum of each column separately Job Times Job Time Zone Formation Name Date Time Formation Depth (MD) Top Bottom **Called Out** Form Type BHST On Location 19 - Jul - 2006 CST 1647. ft Job Depth TVD 1647. ft Job Started 10:30 Job depth MD Job Completed 19 - Jul - 2006 11:30 CST Wk Ht Above Floor 1. ft Water Depth 1,647.00 ft Perforation Depth (MD) From 1.556.00 ft То Departed Loc Well Data **Bottom Bottom** Description New / Max Size ID Weight Thread Grade Top MD Top MD TVD TVD Used ft pressure in in lbm/ft ft ft ft psig Production 2.375 1.995 Unknown 1647. Used Casing Surface Casing 5.5 4.95 15.5 Unknown 1032 Used **Tools and Accessories** Make Size Make Depth Type Size Make Depth **Type** Size Qty Type Qty | Qty **Guide Shoe** Packer · Top Plug Bridge Plug **Bottom Plug** Float Shoe Float Collar Retainer SSR plug set Insert Float Plug Container Centralizers Stage Tool Miscellaneous Materials Conc Conc Acid Type Conc % Gelling Agt Surfactant Qty Treatment Fld Conc Inhibitor Conc Sand Type Size Qty Fluid Data Stage/Plug #: 1 Fluid Stage Type Fluid Name Qty Qty Mixing Yield Mix Rate **Total Mix** bbl/min Fluid Gal/sk uòm Density ft3/sk Fluid Gal/sk RECEIVED lbm/gal KANSAS CORPORATION COMMISSION

MAR 0 6 2008

HALLIBURTON.

Cementing Job Summary

St	tage/Plug #: 1			Ph-		1. 1.	•	-			
Fluid #	Stage Type	Fluid	Name	e	Qty	Qty uom	Mixing Density Ibm/gal	Yield ft3/sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk
1	Water W/50 LE Cottonseed Hul	· -			5.00	bbl	8.33	.0	.0	.0	
2	Plug Cement	POZ PREMIUM 40/6	30 - SBM (150	075)	50.0	sacks	13.5	1.54	7.67	2.0	7.67
	4 %	BENTONITE, BULK	(100003682)			* *	-1 · · · · · · · · · · · · · · · · · · ·			J	
	7.668 Gal	FRESH WATER	S. P. Inlin			·i.			*******	77.	
Ca	Iculated Value	es Pressu	ires		***		• V	olumes	· · · · · ·		
Displa	cement	Shut In: Instant	1 14 L	Lost Re	turns		Cement S		T	Pad	
Top Of	Cement	5 Min	13.64	Cement	Returns			splacement		Treatm	ent
Frac G	radient	15 Min		Spacers	1			Breakdown		Total J	· · · · · · · · · · · · · · · · · · ·
	75. Vi			™ Rε	ites	10.			·		
Circul	lating	Mixing			Displac	ement		T	Avg. Jo	ob	
Ceme	ent Left In Pipe	Amount 0 ft Re	ason Shoe	Joint .			<u> </u>				
Frac R	Ring # 1 @	ID Frac ring #	2 @ 10	D I	Frac Rin	a # 3 @	l lo	Fra	c Ring	#4@	ID
Th	e Information	Stated Herein Is			r Represe				- 11119	<u></u>	

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 6 2008

CONSERVATION DIVISION WICHITA, KS

HALLIBURTON

Field:

Cementing Job Log

The Road to Excellence Starts with Safety Quote #: Sales Order #: 4514829 Sold To #: 307666 Ship To #: 2508906 Customer Rep: Eudey, Joe **Customer: BP AMERICA PRODUCTION COMPANY** API/UWI #: Well Name: Schaefer SWD Well #: #1 City (SAP): UNKNOWN County/Parish: Kearny State: Kansas egal Description: at: N 0 deg. OR N 0 deg. 0 min. 0 secs. Long: E 0 deg. OR E 0 deg. 0 min. 0 secs Contractor: WORKOVER Rig/Platform Name/Num: 11 Job Purpose: Plug to Abandon Service Ticket Amount: \$ 5,011.13

Well Type: Producing Well Sales Person: HESTON, MYRC			ementing		ANTHON	MRUIT	Fmn #	198516	
Activity Description	Date/Time	Cht	Rate bbl/ min	Volume bbi Stage		YMBU ID Emp #: Pressure psig Tubing Casing		Comments	
Arrive At Loc	07/19/2006 10:30		,				•		
Pre-Job Safety Meeting	07/19/2006 10:32							,	
Rig-Up Completed	07/19/2006 10:35								
Pump Spacer 1	07/19/2006 10:37	ş						w/ 50 # cotten seed hulls	
Pump Cement	07/19/2006 10:57	39	3		10	800.0		50 sks 40/60 poz mixed @13.5%	
Other	07/19/2006 11:21		1		1	900.0	•	hook up to backside and pump 1 bbl cement	
Other	07/19/2006 11:25		1.		0.5	45.0		hook back up tp tubing pump 1/2/ bbl	
End Job	07/19/2006 11:30						,		

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 6 2008

CONSERVATION DIVISION WICHITA, KS

Sold To #: 307666

Ship To #:2508906

Sales Order #:

4514829

SUMMIT Version:

7.10.386

Wednesday, July 19, 2006 11:30:00