For KCC Use: 4/-28-01
Effective Date: 3
District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: May 1, 2008	Spot Description
month day year	SE NW SE Sec. 25 Twp. 28 S. R. 15 XE W
OBERATOR: Liganost 33074	(Q/Q/Q/Q/Q) 1910 feet from N / S Line of Section
OPERATOR: License# 33074 P Name: Dart Cherokee Basin Operating Co LLC	1910 feet from X E / W Line of Section
Address 1: 211 W Myrtle	Is SECTION: Regular Irregular?
Address 2:	
City: Independence State: KS Zip: 67301 +	(Note: Locate well on the Section Plat on reverse side) County: Wilson
Contact Person: Jeff Hudson	Lease Name: Nell Bros. Well #: C3-25
Phone: 620-331-7870	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?
Name: McPherson Drilling	Target Formation(s): Mississippian
MACHINE THE STATE OF THE STATE	Nearest Lease or unit boundary line (in footage): 660 Feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 830 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic # of Holes Other	Depth to bottom of fresh water: 175 - 100
Other:	Depth to bottom of usable water: 200 /50
	Surface Pipe by Alternate: I XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1345 Feet
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED KANSAS CORPORATION COMMUNICATION CO
	TIDAVII
The undersigned hereby affirms that the drilling, completion and eventual plug	ligging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	AFR 2.3 2000
1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONCEDIATION DUTIES
2. A copy of the approved notice of intent to drill shall be posted on each	n drilling rig; CONSERVATION DIVISION WICHITALKS
3. The minimum amount of surface pipe as specified below shall be set to	by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	e undenying iormatiqii.
5. The appropriate district office will be notified before well is either pluggi	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	d from below any usable water to surface within 120 DAYS of spud date.
	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 10 plugged and belief. 11 production Engineer
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Production Engineer Title:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 10 plugged and belief. 11 production Engineer
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27539-DDD	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 20 5 - 27 539 - DOOD Conductor pipe required Feet	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 20 5 - 27 539 - DOO Conductor pipe required Minimum surface pipe required Feet per ALT.	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 20 5 - 27 539 - DOOD Conductor pipe required Minimum surface pipe required Approved by: MM 4-23-08	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 20 S - 27 5 39 - DOOD Conductor pipe required Minimum surface pipe required Approved by: 4-23-08 This authorization expires: 4-23-09	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 20 5 - 27 539 - DOOD Conductor pipe required Minimum surface pipe required Approved by: MM 4-23-08	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Production Engineer Title: Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: April 22, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27539-DOD Conductor pipe required Minimum surface pipe required Approved by: 4-23-08 This authorization expires: 4-23-09	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Production Engineer Title: Production Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See; authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27539-000 Operator: Dart Cherokee Basin Operating Co LLC Lease: Neilt Bros. Well Number: C3-25 Field: Cherokee Basin Coal Gas Area Number of Acres attributable to well: 40	Location of Well: County: Wilson 1910
QTR/QTR/QTR of acreage: - SE - NW - SE PL: (Show location of the well and shade attribute) (Show footage to the nearest)	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW AT Itable acreage for prorated or spaced wells.)
T28S	RECEIVED KANSAS CORPORATION COMMISSIC APR 2 3 2008 CONSERVATION DIVISION WICHITA, KS EXAMPLE
1910 F 1910 FSL	10 1980

Wilson County

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co LLC		License Number: 33074		
Operator Address: 211 W Myrtle		Independence KS 67301		
Contact Person: Jeff Hudson		Phone Number: 620-331-7870		
Lease Name & Well No.: Neill Bros. C3-25		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 25 Twp. 28 R. 15 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		1910 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	1910 Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water	Area? Yes	-	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Natural Clays	
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:5 (feet) No Pit				
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
•		owest fresh waterfeet.		
N/A feet Depth of water well	Depth of water wellfeet Source of info		ured well owner electric log KDWR	
		Drilling, Work	over and Haul-Off Pits ONLY: al utilized in drilling/workover: None Air Rig	
Producing Formation: Type of materia		Type of materia	al utilized in drilling/workover: None Air Rig	
		king pits to be utilized: 0		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry & Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSIO		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 2.3.2008				
April 22, 2008 Date		Je	CONSERVATION DIVISION WIGHITA, KS	
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS	
Date Received: 4/23/08 Permit Num	ber:	Permi	it Date: 4/23/08 Lease Inspection: Yes XNo	