For KCC Use:	5-5-08
Effective Date:	<u> </u>
District #	వ
SGA? Yes	XNo

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC	five (5) days prior to commencing well
Expected Spud Date:	Spot Description:
month day year	SW NW Sec. 29 Twp. 15 S. R. 21 XE W
32834	(0/0/0/0) 1,620 feet from N / X S Line of Section
OPERATOR: License# Name: JTC Oil Inc.	4.960 feet from XE / W Line of Section
T.O. D049	Is SECTION: Regular Irregular?
—·	
Address 2:  City: Louisburg State: ks Zip: 66053 +	(Note: Locate well on the Section Plat on reverse side)  Franklin
Contact Person: Torn Cain	COUNTY,
Phone: 913 208-7914	
	Field Name: Paola-Rantoul
CONTRACTOR: License# 32834	Is this a Prorated / Spaced Field?Yes X No
Name: JTC Oil Inc.	Target Formation(s): squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330 320
	Ground Surface Elevation:feet MSL
XOil ☐ Enh Rec    XInfield	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100'
Seismic ; # of Holes Other	Depth to bottom of usable water: 200'
Other:	
DIS CHARACO: old wall information on follows:	Surface Pipe by Alternate: \( \sum \) \( \su
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 800'
Original Completion Date: Original Total Depth:	Formation at Total Depth: squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XOther:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	─ Will Cores be taken?
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on the approved notice of intent to drill <i>shall be</i> posted on the approved notice of intent to drill <i>shall be</i> posted on the approved notice of intent to drill <i>shall be</i> posted on the approved notice of intent to drill <i>shall be</i> posted on the approximation of the approved notice of intent to drill <i>shall be</i> posted on the approximation of th	each drilling rig;
<ol> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.  district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases; NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to t	he dest of my knownedge and deliet.
Date: 7/28/08 Signature of Operator or Agent:	
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API#15- 059- 25.324-00-0D	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required None feet	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
20	VIII. Colored aborates report (CR 4) after plugging is completed (within 60 days):
54 4-24.08	- Obtain written approval before disposing or injecting salt water.
1,000,000	If this permit has expired (See: authorized expiration date) please
This authorization expires: 4-30-09	check the how helow and return to the address below.
(This authorization void if drilling not started within 12 months of approval date.)	)   ¬¬,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Signature of Operator or Agent:
Spud date: Agent:	_
RECEIVED	

KANSAS CORPORATION COMMISSIMMII to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059 - 25324-00-00 Operator: JTC Oil Inc.	Location of Well: County: Franklin	
Lease: Moldenhauer	1,620 feet from N / X S Line of Section	
Well Number: #57	4,960 feet from X E / W Line of Section	
Field: Paola-Rantoul	Sec. 29 Twp. 15 S. R. 21 X E W	
Number of Acres attributable to well:  QTR/QTR/QTR of acreage: SW _ NW _ SW	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

**PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


							:
	:	•	:			:	: !
		;					• 1
	•	•	•			•	: 1
	:	•	: 1			:	. 1
	:	:				•	. 1
		-	-		•	•	•
							1
			*******				
						_	.
	:	:	: 1			:	-
							-
			.			-	: 1
	:	:	;			:	
		:					
ì	-		•				.
							ŀ
	•		:		:	:	: 1
l	1	:	:		:	:	. [
l		:			•		. [
l					:		: 1
l	:	1	:		:	:	
l	;	:					
l	•	•	•		•	•	
l							
l	:	:	:		:	:	. [
	-	:	.				
	•				•	•	: )
	•		: '		:	:	: 1
	:	:					٠ ،
l					•		: 1
		•	•		•	•	
			-				
l	:	:	:	;	:	:	: 1
l			:		:	:	: 1
	:	:	:			:	: 1
l			•				: 1
l			:		:	:	; 1
l	:	:	: !			:	. 1
	-	•					- 1
			1				
	,						I
_							
2 /			:			:	:
<b>PA</b> 3	:	:	: 1			:	.
• • •	;	:	•			•	.
i	•		:		·	<b>!</b>	: 1
1	:		;		:	•	: [
/\~							
1 ' <b>1</b>							
1 1							:
1 1		•	:		:	1	: !
1 1	:	:	:				
1 1					,		- ;
	•	•	:		:	•	: 1
1 <b>i</b>	:	:	:		•		. 1
1 <b>1</b>		-					i
				,			1
1 1							1
1 1							. 1
1 1			:		:	:	: 1
	:	:	;		;	;	:
1 1							
1 1	•		:		:		: 1
1 <b>1</b>	1	:				:	.
			-	1	,		.
	· · · · · · · · · · · · · · · · · · ·			L.,			

KANSAS CORPORATION COMMISSION

APR 3 0 2008

RECEIVED

CONSERVATION DIVISION WICHITA, KB



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form GDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

			License Number: 32834
Operator Name: JTC Oil Inc.	- 12 2 AM		<u> </u>
Operator Address: P.O. Box 910, Lo	ouisburg, KS	66053	
Contact Person: Tom Cain			Phone Number: 913 208-7914
Lease Name & Well No.: Moldenhaue	er #57		Pit Location (QQQQ):
Type of Pit:	Pit is:	****************	sw . nw . sw .
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 15 R. 21 East West
Settling Pit Drilling Pit	If Existing, date of	constructed:	1,620 Feet from North / South Line of Sec
Workover Pit Haul-Off Pit	Dit appeals		4,960 Feet from East / West Line of Sec
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Franklin
is the pit located in a Sensitive Ground Water	<del></del>		Chloride concentration:
The present of a Seriemve Studied Placer	~ <b>~</b>	7.40	(For Emergency Pits and Settling Pits only)
is the bottom below ground level?  Yes No	Artificial Liner?	la.	How is the pit lined if a plastic liner is not used?
		No 	Drilling Mud
Pit dimensions (all but working pits):1	12 Length (fi	eet)12	Width (feet) N/A: Steel Pits
Death fr	om ground level to d	concet coint:	4
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce	dures for periodic maintenance and determining notuding any special monitoring.
If the pit is lined give a brief description of the	liner	Describe proce liner integrity, is	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe processiner integrity, in	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile	liner  of pik  60 feet	Describe procediner integrity, in Depth to shallo Source of informeesu	dures for periodic maintenance and determining including any special monitoring.  west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure  Distance to nearest water well within one-mile	iner	Describe procediner integrity, is  Depth to shallo Source of informessures Drilling, Works	west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure  Distance to nearest water well within one-mile  GGO feat Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	liner  of pit  60 feet	Depth to shallo Source of infor messu Drilling, Worke Type of materia	west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure  Distance to nearest water well within one-mile  690 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	liner  of pit  60 feet	Depth to shallo Source of infor messu Drilling, Worke Type of materia	west fresh water 46 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY:
If the pit is lined give a brief description of the material, thickness and installation procedure  Distance to nearest water well within one-mile  GGO feat Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	liner  of pit  60 feet	Depth to shallo Source of informessu Drilling, Worke Type of materia Number of work Abandonment	west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile  GOO feat Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank bettery allow all flow into the pit?	liner  of pit  60 feet  spilled fluids to	Describe procediner integrity, is  Depth to shallo Source of information measure. Drilling, Worker Type of material Number of work Abandonment (Drill pits must be	west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile  690 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank bettery allow all	liner  of pit  60 feet  spilled fluids to	Describe proceding intermediate integrity, in the shallo Source of informessure Drilling, Worker Type of material Number of work Abandonment Drilli pits must be correct to the best	west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile  GOO feat Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank bettery allow all flow into the pit?	iner  of pit  60 feet  spilled fluids to  ments are true and of	Describe proceding intermediate integrity, in the shallo Source of informessure Drilling, Worker Type of material Number of work Abandonment Drilli pits must be correct to the best	west fresh water

APR 3 0 2008

CONSERVATION DIVISION WICHITA, KS

15-059-25324-00-00