

For KCC Use:

Effective Date: 5-10-08

District # 1

SGA?  Yes  No

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 06 month 29 day 2008 year

Spot SW NE SW Sec 10 Twp 27 S. R 39  East  West

OPERATOR: License # 5952

Name: BP AMERICA PRODUCTION COMPANY

Address: P. O. BOX 3092, RM 6.121, WL-1

City/State/Zip: HOUSTON, TX 77253-3092

Contact Person: DEANN SMYERS

Phone: (281)366-4395

CONTRACTOR: License #: 33784

Name: Trinidad Drilling, LP

1500 feet from  N / S  Line of Section  
1500 feet from  E / W  Line of Section

Is SECTION  Regular  Irregular?

(Note: Locate well on Section Plat on Reverse Side)

County: Stanton

Lease Name: Brattin Well #: 4

Field Name: Hugoton

Is this a Prorated/Spaced Field?  Yes  No

Target Formation(s): Chase

Nearest Lease or unit boundary: 1500

Ground Surface Elevation: 3180.55 feet MSL

Water well within one-quarter mile:  yes  no

Public water supply within one mile:  yes  no

Depth to bottom of fresh water: 180

Depth to bottom of usable water: 1060 water well

Surface Pipe by Alternate:  1  2

Length of Surface Pipe Planned to be set: 1080 minimum

Length of Conductor pipe required: \_\_\_\_\_

Projected Total Depth: 3000 per oper.

Formation at Total Depth: Council Grove

Water Source for Drilling Operations:

Well  Farm Pond  Other \_\_\_\_\_

DWR Permit #: will apply if needed

(Note: Apply for Permit with DWR )

Will Cores Be Taken?  Yes  No

If yes, proposed zone: \_\_\_\_\_

Well Drilled For:	Well Class:	Type Equipment:
<input type="checkbox"/> Oil	<input type="checkbox"/> Enh Rec	<input checked="" type="checkbox"/> Infield
<input checked="" type="checkbox"/> Gas	<input type="checkbox"/> Storage	<input checked="" type="checkbox"/> Mud Rotary
<input type="checkbox"/> OWWO	<input type="checkbox"/> Disposal	<input type="checkbox"/> Air Rotary
<input type="checkbox"/> Seismic; _____ # of Holes	<input type="checkbox"/> Wildcat	<input type="checkbox"/> Cable
<input type="checkbox"/> Other _____	<input type="checkbox"/> Other	

If OWWO: old well information as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Completion Date: \_\_\_\_\_ Original Total Depth \_\_\_\_\_

Directional, Deviated or Horizontal wellbore?  Yes  No

If yes, true vertical depth: \_\_\_\_\_

Bottom Hole Location \_\_\_\_\_

KCC DKT # 08-CONS-128-CNLE

PRORATED & SPACED HUGOTON-PANOMA

### AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55- 101 et, seq.  
It is agreed that the following minimum requirements will be met:

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 28 2008

CONSERVATION DIVISION  
WICHITA, KS

1. Notify the appropriate district office **prior** to spudding of well;
2. A copy of the approved notice of intent to drill **shall be** posted on each drilling rig;
3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation;
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is **necessary prior to plugging**;
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within **120 days** of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. **In all cases, NOTIFY district office** prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 4/17/2008 Signature of Operator or Agent: [Signature] Title: REGULATORY STAFF ASSIST.

**For KCC Use ONLY**

API # 15- 187-21123-0000

Conductor pipe required None feet

Minimum surface pipe required 1080 feet per Alt. 1

Approved by: [Signature]

This authorization expires: 5-5-09

(This authorization void if drilling not started within 12 months of effective date.)

Spud date: \_\_\_\_\_ Agent \_\_\_\_\_

**Remember to:**

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.
- If permit has expired (See: authorized expiration date) please check the box below and return to the address below

Well Not Drilled - Permit Expired

Signature of Operator or Agent: \_\_\_\_\_

Date: \_\_\_\_\_

10-27-39 W

**IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW**

*Plat of acreage attributable to a well in a prorated or spaced field*

*If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.*

API No. 15- 187-21123-0000  
187-28623-

Operator BP AMERICA PRODUCTION COMPANY

Lease Brattin

Well Number 4

Field Hugoton

Number of Acres attributable to well: 640

QTR/QTR/QTR of acreage: SW - NE - SW

Location of Well: County: Stanton

1500 feet from  N / S  Line of Section

1500 feet from  E / W  Line of Section

Sec 10 Twp 27 S. R 39  East  West



Is Section  Regular or  Irregular

**If Section is irregular, locate well from nearest corner boundary.**

Section corner used:  NE  NW  SE  SW

**PLAT**

*(Show location of the well and shade attributable acreage for prorated or spaced wells.)  
(Show footage to nearest lease or unit boundary line)*



SEWARD CO.

**In plotting the proposed location of the well, you must show;**

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
2. The distance of the proposed drilling location from the section's south/north and east/west; and 3.
3. The distance to the nearest lease or unit boundary line.
4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

15-187-21123-0000

GAS-OIL WELL LOCATION AND / OR ELEVATION


**BP AMERICA PRODUCTION COMPANY**

2225 West Oklahoma  
Ulysses, KS 67880  
620-356-1237

NW/4

N

NE/4



DATE 2-11-2008

WELL NAME BRATTIN 4

LOCATION STANTON 10 27S 39W  
COUNTY SEC TOW RAN

FOOTAGES & RELATIONS 1500' F S L  
1500' F W L

LATITUDE 37°42'42.61"

LONGITUDE 101°34'35.41"

ELEVATION 3180.55

DISTANCE FROM #1  
HUGOTON WELL (If appl) 1725 FT.

SW/4

SE/4

SPL re

CROPS

IRRIGATED

DRYLAND wheat stubble

PASTURE

WATER WELL WITHIN 1/4 MILE

yes

no

PUBLIC WATER SUPPLY WITHIN 1 MILE

yes

no

**DRIVING DIRECTIONS**

JCT OF HIGHWAYS 160 & 25 IN ULYSSES  
11 WEST TO THE BIG BOW JCT  
9 1/2 NORTH  
1/2 WEST  
1/4 SOUTH  
1/4 WEST INTO

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 28 2008

CONSERVATION DIVISION  
WICHITA, KS

BP AUTHORIZED REPRESENTATIVE JOE EUDEY

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division  
Finney State Office Building, 130 South Market, Room 2078  
Wichita, Kansas 67202

API NUMBER 15- 187-21123-0000

OPERATOR BP AMERICA PRODUCTION COMPANY

LEASE BRATTIN

WELL NUMBER 4

FIELD HUGOTON / CHASE

NUMBER OF ACRES ATTRIBUTABLE TO WELL 640

QTR/QTR/QTR OF ACREAGE SW - NE - SW

LOCATION OF WELL: COUNTY STANTON

1500 FSL feet from south/north line of section

1500 FWL feet from east / west line of section

SECTION 10 TWP 27S (s) RG 39W E/W


IS SECTION X REGULAR or \_\_\_\_\_ IRREGULAR

IF SECTION IS IRREGULAR, LOCATE WELL FROM

NEAREST CORNER BOUNDARY. (check line below)

Section corner used: NE NW SE SW


(Show the location of the well and shade attributable acreage for prorated or spaced wells).  
(Show the footage to the nearest lease or unit boundary line; and show footage to the nearest common source supply well).



RECEIVED  
KANSAS CORPORATION COMMISSION

APR 28 2008

CONSERVATION DIVISION  
WICHITA, KS



SEWARD CO.

The undersigned hereby certifies as REGULATORY STAFF ASSISTANT (title) for

BP AMERICA PRODUCTION COMPANY


(Co.), a duly authorized agent, that all information shown hereon is true and correct to the best of my knowledge and belief, that all acreage claimed attributable to the well named herein is held by production from that well and hereby make application for an allowable to be assigned to the well upon the filing of this form and the State test, whichever is later.

Signature *Dolores Sengler*

Subscribed and sworn to before me on this 5 day of March, 20 08

*Suzanne M. Jones*

My Commission expires 1-11-2009



### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: <b>BP America Production Company</b>		License Number: <b>5952</b>
Operator Address: <b>P. O. Box 3092, Houston, TX 77253-3092, Room 6.121, WL-1</b>		
Contact Person: <b>DeAnn Snyers</b>		Phone Number: <b>( 281 ) 366-4395</b>
Lease Name & Well No.: <b>Brattin Well No. 4</b>		Pit Location (QQQQ): <b>SW NE SW</b>
Type of Pit: <input type="checkbox"/> Emergency Pit <input type="checkbox"/> Burn Pit <input type="checkbox"/> Settling Pit <input checked="" type="checkbox"/> Drilling Pit <input type="checkbox"/> Workover Pit <input type="checkbox"/> Haul-Off Pit <i>(If WP Supply API No. or Year Drilled)</i>	Pit is <input checked="" type="checkbox"/> Proposed <input type="checkbox"/> Existing If existing, date constructed _____ Pit capacity _____ <b>3500</b> (bbls)	Sec. <b>10</b> Twp. <b>27</b> R. <b>39</b> <input type="checkbox"/> East <input checked="" type="checkbox"/> West _____ Feet from <input type="checkbox"/> North/ <input checked="" type="checkbox"/> South Line of Section _____ Feet from <input type="checkbox"/> East/ <input checked="" type="checkbox"/> West Line of Section _____ <b>Stanton</b> _____ County
Is the pit located in a Sensitive Ground Water Area? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Chloride concentration: _____ mg/l <i>(For Emergency Pits and Settling Pits, only)</i>
Is the bottom below ground level? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Artificial Liner? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	How is pit lined if a plastic liner is not used? <b>Sealed with Bentonite from drilling fluid</b>
Pit dimensions (all but working pits): <b>75</b> Length (feet) <b>75</b> Width (feet) _____ N/A Steel Pits Depth from ground level to deepest point <b>4</b> (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION <b>APR 28 2008</b> CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile of pit <b>N/A</b> <sup>1628</sup> feet    Depth of water well <b>656</b> feet	Depth to shallowest fresh water <b>140</b> feet. Source of information: <input type="checkbox"/> measured <input type="checkbox"/> well owner <input type="checkbox"/> electric log <input type="checkbox"/> KDWR	
<b>Emergency, Settling and Burn Pits ONLY:</b> Producing Formation: _____ Number of producing wells on lease: _____ Barrels of fluid produced daily: _____ Does the slope from the tank battery allow all spilled fluids to flow into the pond? <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Drilling, Workover and Haul-Off Pits ONLY:</b> Type of material utilized in drilling/workover <b>Bentonite</b> Number of working pits to be utilized <b>0</b> Abandonment procedure: <b>Evaporate &amp; Backfill</b> Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.		
_____ <b>4/17/2008</b> _____ Date		_____ <i>DeAnn Snyers</i> _____ Signature of Applicant or Agent
KCC OFFICE USE ONLY		
Date Received: <b>4/28/08</b> Permit Number: _____ Permit Date: <b>4/28/08</b> Lease Inspection: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

15-187-2/123-0000