For KCC	Use:	ا سے	0-08	٥	
Effective I	Date:	⊃ <i>- /</i> /	שרע	2	
District #		<u> </u>	Ĺ		
6042	Voc	No			

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by K	
Expected Spud Date: May 7, 2008	Spot Description:
month day year	SW SE NE SW Sec. 13 Twp 31 S. R. 16 XE W
OPERATOR: License# 5675	(0/0/0/0) 1,485 feet from N / S Line of Section
Name: McPherson Drilling LLC	3,135 feet from K E / W Line of Section
Address 1: P.O Box 129	Is SECTION: Regular Irregular?
Aridrace 2:	(Note: Locate well on the Section Plat on reverse side)
City: Sycamore State: KS Zip: 67363 +	- County: MONTGOMERY
One MaDharan	_
Phone: 620-336-2662	Field Name: NEODESHA
Contact Person: Ron McPherson  Phone: 620-336-2662  CONTRACTOR: License# Company Tools  Name:	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): BARTLESVILLE
	Nearest Lease or unit boundary line (in footage): 165
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 908 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100 +OR -
Seismic ; # of Holes Other	Depth to bottom of usable water: 150
Other:	Surface Pine by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator:	4000
Well Name:	<del></del> -
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	
	(Note: Apply for Permit with DWR )
Bottom Hole Location:KCC DKT #:	( <i>Note: Apply for Permit with DWR</i> ☐) Will Cores be taken? ☐ Yes ☒ No
	(Note: Apply for Permit with DWR )
	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:  RECEIVED
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION Intual plugging of this well will comply with K.S.A. 55 et. seq.
KCC DKT #:  The undersigned hereby affirms that the drilling, completion and ever It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RESIDENT  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i>	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  be set by circulating cement to the top; in all cases surface piper from the corporation of the corporatio
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes No If Yes, proposed zone:  RECEIVED  **ANSAS CORPORATION COMMISSION**  Intual plugging of this well will comply with K.S.A. 55 et. seq.  **MAY 0 2 2008**  On each drilling rig;  **De set* by circulating cement to the top; in all cases surface piperchital Reset into the underlying formation, the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feel 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either	(Note: Apply for Permit with DWR   )  Will Cores be taken?   Yes   No If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  on each drilling rig;   CONSERVATION DIVISION be set by circulating cement to the top; in all cases surface piper into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either that the control of the complete of the control of the cont	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  De set by circulating cement to the top; in all cases surface piperint Received to the underlying formation.  It district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intention of the intention of the approved notice of intention of the intention of the approved notice of intention of the int	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  AFFIDAVIT  ANSAS CORPORATION COMMISSION  Initial plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  CONSERVATION DIVISION  to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithe  6. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  It into the underlying formation.  It district office on plug length and placement is necessary prior to plugging;  er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  It into the underlying formation.  It district office on plug length and placement is necessary prior to plugging;  er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and correct	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  Intuition of the comply with the complete of the comple
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be c Or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  Into the underlying formation, the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feel 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be corpurated to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well be the production of the well.  I hereby certify that the statements made herein are true and correct that the statements of the operator of Agent:  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  the district office on plug length and placement is necessary prior to plugging;  er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.  Title:  Remember to:
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be compusuant to Appendix "B" - Eastern Kansas surface casing a must be completed within 30 days of the spud date or the well 1 hereby certify that the statements made herein are true and correct Date: #130/08 Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  AFFIDAVIT  ANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  CONSERVATION DIVISION  be set by circulating cement to the top; in all cases surface pipericulations or plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; eremented from below any usable water to surface within 120 DAYS of spud date. Forder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correct Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 - 00 - 00	Will Cores be taken?  Will Cores be taken?  Will Cores be taken?  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  CONSERVATION DIVISION  Intual plugging formation, the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form AGO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concorded or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well 1 hereby certify that the statements made herein are true and correct Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 -00 - 00	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RAFIDAVIT  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  the set by circulating cement to the top; in all cases surface piperichital as a tinto the underlying formation.  The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attr bution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and ever It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well be reby certify that the statements made herein are true and correct Date:  ### 30 / 08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3 16 12 - 00 - 00  Conductor pipe required feet	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RAFIDAVIT  KANSAS CORPORATION COMMISSION  Initial plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  CONSERVATION DIVISION  to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attr button plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CPA) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted;  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and;  5. The appropriate district office will be notified before well is eithe.  6. If an ALTERNATE II COMPLETION, production pipe shall be concerned or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well.  I hereby certify that the statements made herein are true and correct.  Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3 1412 - 00 - 00  Conductor pipe required feet minimum surface pipe required feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  AFFIDAVIT  MANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  er plugged or production casing is cemented in;  emented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  shall be plugged. In all cases, NOTIFY district office prior to any cementing.  to the best of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attr bution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted;  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well. It hereby certify that the statements made herein are true and correct.  Date: #30/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 - 00 - 00  Conductor pipe required feet  Minimum surface pipe required feet per ALT.  Approved by: \$\frac{1}{2} \frac{1}{2}	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RAFIDAVIT  RANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  It into the underlying formation, the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. Order #133,891-C, which applies to the KCC District 3 area, alternate It cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  To the best of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attr bution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted;  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correct.  Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 - 00 - 00  Conductor pipe required feet  Minimum surface pipe required feet per ALT.  Approved by: SB 5-5-08  This authorization expires: 5-5-09	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  Into the underlying formation.  It into the underlying formation.  It into the underlying formation.  It into the underlying formation casing is cemented in;  I emented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  Shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It to the best of my knowledge and belief.  Permember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attr bution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted;  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either of an ALTERNATE II COMPLETION, production pipe shall be compusuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well. I hereby certify that the statements made herein are true and correct.  Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 - 00 - 00  Conductor pipe required // None feet per ALT feet p	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  CONSERVATION DIVISION  Into the underlying formation, the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; erenented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate It cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It to the best of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attr bution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted;  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correct.  Date: #130/08 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31612 - 00 - 00  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  AAFFIDAVIT  KANSAS CORPORATION COMMISSION  Intual plugging of this well will comply with K.S.A. 55 et. seq.  MAY 0 2 2008  On each drilling rig;  CONSERVATION DIVISION  Into the underlying formation,  the district office on plug length and placement is necessary prior to plugging;  er plugged or production casing is cemented in;  eremented from below any usable water to surface within 120 DAYS of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  shall be plugged. In all cases, NOTIFY district office prior to any cementing.  to the best of my knowledge and belief.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attr bution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31612-00-00		
Operator: McPherson Drilling LLC Lease: MCPHERSON	Location of Well: County: Model   1,485	feet from N / S Line of Section
Well Number: 8 Field: NEODESHA	3,135 Sec. 13 Twp. 31	feet from X E / W Line of Section
Number of Acres attributable to well: 3  QTR/QTR/QTR/QTR of acreage: SW - SE - NE - SW	Is Section: Regular of	
	· -	ite well from nearest corner boundary.

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFAC** ₱ PIT

Submit in Duplicate

Operator Name: McPherson Drilling LLC			License Number: 5675		
Operator Address: P.O Box 129		Sycamore KS 67363			
Contact Person: Ron McPherson		Phone Number: 620-336-2662			
Lease Name & Well No.: MCPHERSON 8			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SE NE SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 31 R. 16 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,485 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3,135 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300 (bbls)		MONTGOMERY County		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
	1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	20 Length (fe	eet)8	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de				
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, it	edures for periodic maintenance and determining IVED ncluding any special monitoring KANSAS CORPORATION COMMISSION		
			MAY 0 2 2008		
			CONSERVATION DIVISION WICHTA, KS		
Distance to nearest water well within one-mile	e of pit	Denth to shallo			
l ,		Source of infor	west fresh waterfeet.		
N/Afeet Depth of water well			west fresh waterfeet.		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY	feet	Source of informeasu	west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:		
lest Deptir of water well	feet	Source of informeasu	west fresh waterfeet. mation:  red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	feet:	Source of informeasu  Drilling, Work  Type of materia  Number of work	west fresh waterfeet. rmation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: EARTHEN  rking pits to be utilized: 1		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet:	Source of informeasu  Drilling, Work  Type of materia  Number of work	west fresh waterfeet. mation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: EARTHEN		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet:	Source of informeasure measurement measure	west fresh waterfeet. rmation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: EARTHEN  rking pits to be utilized: 1		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	feet:	Source of informeast  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must	west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: EARTHEN  king pits to be utilized: 1  procedure: COVER OVER WITH DOZER  be closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No	feet : Il spilled fluids to ements are true and o	Source of informeast  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes	west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: EARTHEN king pits to be utilized: 1  procedure: COVER OVER WITH DOZER  be closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  APRIL 30, 2008	feet:	Source of informeast  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes	west fresh water		