KANSAS CORPORATION COMMISSION

Form C-1

For KCC Use: NOTICE OF INTEN	Earn must be Timed
	T TO DRILL Form must be Typed Form must be Signed
Effective Date: 5-10-08 NOTICE OF INTEN Must be approved by KCC five (5) day	<u> </u>
District # mids: be approved by NOO invo (b) day	as phot to continentially well All blanks most be tilled
SGA? Yes X No	_
	SpotEast
Expected Spud Date07	NES SW SW Sec 4 Twp 27 S.R 39 X West
month day year	1250 toot from N/S VII inc of Section
	reet from [IN73 X Line of Section
OPERATOR: License #	1250 feet from E / W x Line of Section
Name: BP AMERICA PRODUCTION COMPANY	Is SECTION X Regular Irregular?
Address: P. O. BOX 3092, RM 6.121, WL-1	(A) I A I A I A I A I A I A I A I A I A I
City/State/Zip: HOUSTON, TX 77253-3092	(Note: Locate well on Section Plat on Reverse Side)
Contact Person: DEANN SMYERS	County: Stanton
1991) 366_430F	Lease Name: Trussell B Well #: 4
Phone: (281)366-4393	Field Name: Hugoton
CONTRACTOR: License #: 33784	Is this a Prorated/Spaced Field? x Yes No
Meinided Drilling ID	· · · · · · · · · · · · · · · · · · ·
Name:	ranger of matter (6).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1250
Weii Drilled For. Weii Olass. Type Equipment.	Ground Surface Elevation: 3241.17 feet MSL
Oil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile: yes x no
	Public water supply within one mile: yes _x_ no
	Depth to bottom of fresh water:
	Depth to bottom of usable water:
Seismic; # of Holes Other	Surface Pipe by Alternate:
Other	Length of Surface Pipe Planned to be set: 640 minimum
If OWWO: old well information as follows:	Length of Conductor pipe required:
Operator:	Projected Total Depth: 3060 per oper.
vven manie.	• 10,000
Original Completion Date: Original Total Depth	Formation at Total Depth: Council Grove
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well X Farm Pond Other
If yes, true vertical depth:	DWR Permit #: will apply if needed
Bottom Hole Location	(Note: Apply for Permit with DWR)
KCC DKT #	Will Cores Be Taken?: Yes X No
	If yes, proposed zone:
PRORATEO : SPACED: HULDTON-PANOMA AFFIL	
/ Kolentoo , opin	or of this well will comply with K.S. DEAV-101_et. sea
The state of the second second place in the state of the second second second second place in	
The undersigned hereby affirms that the drilling, completion and eventual pluggin	KANSAS COPPODATION
The undersigned hereby affirms that the drilling, completion and eventual pluggin It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	MANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	APR 2 & 2008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	APR 2 8 2008
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> b 	drilling rig; or circulating cement to the topological cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> b 	drilling rig; or circulating cement to the topological cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; by circulating cement to the topning length cases surface pipe shall be set underlying formation; wichtra, ks ict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggi	drilling rig; by circulating cement to the topning length cases surface pipe shall be set underlying formation; with office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the topning leaves surface pipe shall be set underlying formation; with the set underlying formation; for on plug length and placement is necessary prior to plugging; and or production casing is cemented in; for from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the topning leaves surface pipe shall be set underlying formation; with the set underlying formation; for on plug length and placement is necessary prior to plugging; and or production casing is cemented in; for from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the topning all cases surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my	drilling rig; by circulating cement to the topning Cases surface pipe shall be set underlying formation; wichita, ks indicate on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate I! cementing plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the topning all cases surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: O4/17/2008 Signature of Operator or Agent:	drilling rig; by circulating cement to the topnism leaves surface pipe shall be set underlying formation; Wichita, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: REGULATORY STAFF ASSIST.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent:	drilling rig; by circulating cement to the topnism Cases surface pipe shall be set underlying formation; wichtta, ky circulating cement to the topnism Cases surface pipe shall be set underlying formation; wichtta, ky circulating cement to the topnism Cases surface pipe shall be set underlying formation; with the complex of the complex
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: O4/17/2008	drilling rig; by circulating cement to the topnism leaves surface pipe shall be set underlying formation; Wichita, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: REGULATORY STAFF ASSIST.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY - 2/12 4-0000 For KCC Use ONLY - 2/12 4-0000 For CCC Use ONLY - 2/12 4-0000	drilling rig; by circulating cement to the topnism Cases surface pipe shall be set underlying formation; wichtta, ky circulating cement to the topnism Cases surface pipe shall be set underlying formation; wichtta, ky circulating cement to the topnism Cases surface pipe shall be set underlying formation; with the complex of the complex
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY - 2//24-0000 For KCC Use ONLY - 2//24-0000 Minimum surface pipe required 190 feet per Ali 1	drilling rig; by circulating cement to the topnignal cases surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: RESILATORY STAFF ASSIST. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY - 2//24-000 API # 15- Conductor pipe required feet feet per Ali 1 Approved by: 440 feet per Ali 1	drilling rig; by circulating cement to the topnignal cases surface pipe shall be set underlying formation; WICHITA, KS increased or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: REGULATORY STAFF ASSIST. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY 2/124-000 API # 15- 2/124-000 Conductor pipe required feet feet per Ali 1 Approved by: 400 feet per Ali 1 This authorization expires: 5-5-09	drilling rig; by circulating cement to the topnism largest surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: RESULATORY STAFF ASSIST. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY - 2//24-000 API # 15- Conductor pipe required feet feet per Ali 1 Approved by: 440 feet per Ali 1	drilling rig; by circulating cement to the topological cases surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: RESULATORY STAFF ASSIST. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY 2/124-000 API # 15- 2/124-000 Conductor pipe required feet feet per Ali 1 Approved by: 400 feet per Ali 1 This authorization expires: 5-5-09	drilling rig; by circulating cement to the topointal cases surface pipe shall be set underlying formation; Wichita, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: REGULATORY STAFF ASSIST. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 04/17/2008 Signature of Operator or Agent: For KCC Use ONLY 2/124-000 API # 15- 2/124-000 Conductor pipe required feet feet per Ali 1 Approved by: 400 feet per Ali 1 This authorization expires: 5-5-09	drilling rig; by circulating cement to the topological cases surface pipe shall be set underlying formation; WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: RESULATORY STAFF ASSIST. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

Signature of Operator or Agent: ____

Date: ___

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

/87-21124-0000 API No. 15- 187-28623	Location of Well: County:Stanton
Operator BP AMERICA PRODUCTION COMPANY	1250 feet from N/S X Line of Section
Lease Trussell B	1250_ feet from E / W x Line of Section
Well Number	Sec4Twp27 S. R39 East _X Wes
Field Rugoton	
Number of Acres attributable to well: 640	Is Section X Regular or Irregular
QTR/QTR/QTR of acreage: NE - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division
Finney State Office Building, 130 South Market, Room 2078
Wichita, Kansas 67202

08-CONS-129-CWLE

OPERATOR BP AMERICA PRODUCTION COMPANY LEASE TRUSSELL B WELL NUMBER 4 FIELD HUGOTON / CHASE NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW - SW NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE - NW - SE - SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to nearest common source supply well):	ECtion E/W R M M W
WELL NUMBER 4 FIELD HUGOTON / CHASE SECTION 4 TWP 27S (s) RG 39W IS SECTION X REGULAR or IRREGULAR NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW SW (Show the location of the well and shade attributable acreage for provided or spaced well	ECtion E/W R M M W
SECTION 4 TWP 275 (s) RG 39W IS SECTION X REGULAR OF IRREGULAR REGULAR OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW - SW NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW Section corner used: NE NW SE SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to	E/W R M y) W
SECTION X REGULAR OF IRREGULAR OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW - SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to	E/W R M y) W
IS SECTION X REGULAR OF IRREGULAR NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW - SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to	R M Y) W
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE - SW - SW NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE - NW - SE - SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to	oM r) W
QTR/QTR/QTR OF ACREAGE NE - SW - SW NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW (Show the location of the well and shade attributable acreage for prorated or spaced well (Show the footage to the nearest lease or unit boundary line; and show footage to	r) W
(Show the location of the well and shade attributable acreage for prorated or spaced wel (Show the footage to the nearest lease or unit boundary line; and show footage to	1161
(Show the footage to the nearest lease or unit boundary line; and show footage to	115).
	the
RECEIVED KANSAS CORPORATION COMMISSION	
APR 2 8 2008	
CONSERVATION DIVISION	
WICHITA, KS	
· · · · · · · · · · · · · · · · · · ·	
1. /250. 4	
3390	
\$	
SEWARD CO.	
The undersigned hereby certifies as REGULATORY STAFF ASSISTANT (title)	for
BP AMERICA PRODUCTION COMPANY (Co.), a duly authorized agent, that	all
information shown hereon is true and correct to the best of my knowledge and belief, that acreage claimed attributable to the well named herein is held by production from that w	all
and hereby make application for an allowable to be assigned to the well upon the filing	a ot
this form and the State test, whichever is later.	•
Signature Delan Sage	
Subscribed and sworn to before me on this $\frac{5}{200}$ day $\theta = \frac{1}{2000}$ March $\frac{1}{2000}$	
Surane m. Jones	
Av Commission expires /-//- 2009 SUZANNE M. JONES	
My Commission expires Notary Public State of Texas My Commission expires Notary Public State of Texas My Commission expires	

GAS-OIL WELL LOCATION AND / OR ELEVATION

BP AMERICA PRODUCTION COMPANY

2225 West Oklahoma Ulysses, KS 67880 620-356-1237

NW/4	N	NE/4			
			DATEJ	anuary 25, 200	08
	;		WELL NAME	Trussell (94
			LOCATION_	Stanton county	4 27S 39W SEC TOW RAN
·			FOOTAGES &	RELATIONS	1250' F S L 1250' F W L
			LATITUDE _	37*43'32.04"	
			LONGITUDE	101*35'44.66	5"
1250'. • 1250'	:		ELEVATION	3241.17	_
			DISTANCE FI	ROM #1 /ELL (if appl)_	2191 FT .
SW/4	******	SE/4	DRIVING DIR	ECTIONS	
CROPS IRRIGATED DRYLAND X_PASTURE			11 miles wes 7 miles north 2 miles west 3 1/4 miles no	t on 160 to the	/ED
WATER WELL WITHIN 1/4	MILE			APR 2 8	2008
<u>yes</u> _ <u>x</u> no				CONSERVATION WICHITA	N DIVISION
PUBLIC WATER SUPPLY V yes _x_no	MITHIN 1 MILE				

8P AUTHORIZED REPRESENTATIVE_

Joe Eudey

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
BP America Production Company			5952		
Operator Address:					
P. O. Box 3092, Houston, TX 77253-3092, Room 6.121, WL-1					
Contact Person:			Phone Number:		
DeAnn Smyers			(281) 366-4395		
Lease Name & Well No.:			Pit Location (QQQQ):		
Trussell B Well No. 4	Г		<u>NESWSW_</u>		
Type of Pit:	Pit is				
☐ Emergency Pit ☐ Burn Pit	X Proposed Existing		Sec. <u>4</u> Twp. <u>27</u> R. <u>39</u> East x West		
Settling Pit 🗶 Drilling Pit	If existing, date cor	nstructed	1250 Feet from North/ South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		1250 Feet from East/ X West Line of Section		
(If WP Supply API No. or Year Drilled)	3500	(bbls)	Stanton County		
Is the pit located in a Sensitive Ground Wate	r Area? Yes	X No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits, only)		
Is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?		
X Yes No	Yes	X No	Sealed with Bentonite from drilling fluid		
Pit dimensions (all but working pits):	75 Lenç	gth (feet) 7 !	Width (feet) N/A Steel Pits		
	Depth from ground le	vel to deenest poir	nt 4 (feet)		
If the pit is lined give a brief description material, thickness and installation procedure		Describe proce liner integrity, in	dures for periodic maintenance RECES Filhing cluding any special monitories CORPORATION COMMISSION APR 2 8 2008 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile of pit Depth to		Depth to sha	allowest fresh water		
Blodardo to ricardo ridado non mano dilo	Ф О. р.:	Source of infor			
<u>N/A</u> feet Depth of water well	feet	measur	ed well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation: Type (Type of materia	al utilized in drilling/workover <u>Bentonite</u>		
Number of producing wells on lease: Number of work		king pits to be utilized _0 procedure: _Evaporate & Backfill			
Barrels of fluid produced daily: Aba		Abandonment p	procedure: Evaporate & Backfill		
Does the slope from the tank battery allow all spilled fluids to					
flow into the pond?	□ No	Drill pits mus	t be closed within 365 days of spud date.		
I hereby certify that the above statemen	nts are true and co	rrect to the best	of my knowledge and belief.		
		De An Signature o	of Applicant of Agent		
KCC OFFICE USE ONLY					
Date Received: 4/28/08 Permit N	umber:	Permit Date	: 4/28/08 Lease Inspection: Yes No		