# RECEIVED \*\*ANSAS CORPORATION COMMISSION

| For KCC     | Use: |           | 11-70 |
|-------------|------|-----------|-------|
| Effective I | ر    | <u> </u>  | 11.00 |
| District #  | 4    | <u></u> _ |       |
| SGA?        | Yes  | X No      | lo    |

Kansas Corporation Commission Oil & Gas Conservation Division MAY 05 2008

Form C-1 October 2007

Form must be Typed

|  | CONSERVATION DIVISION Form must be signed with the signed with |
|--|--|
| Evented Soud Date: June 25, 2008   | Spot Description:  |
| Expected Spud Date:  | NW SW NE - Sec. 15 Twp. 11 S. R. 16 EXW  |
| 33335  | (Q/Q/Q/Q) 1,430 feet from N / S Line of Section  |
| OPERAIOR: License#   | 2,200 feet from XE / W Line of Section   |
| Name: IA Operating, Inc.   | Is SECTION: After the street of Section 1  |
| Address 1: 9915 W 21st Street N  | IS SECTION. Megular I magulars   |
| Address 2:   | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person: Hal Porter   | Gounty.  |
| Phone: 316-721-0036  | Lease Name: Dinges Well #: 15-1  |
|  | Field Name: Wildcart   |
| CONTRACTOR: License# 30606   | Is this a Prorated / Spaced Field?  Yes No   |
| Name: Murtin Orilling Co, The  | Target Formation(s): Reagan Sand, Lansing Kansas City  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage): 1210   |
| XOII Enh Rec Infield X Mud Rotary  | Ground Surface Elevation: 1910 approx feet MSL   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal XWildcat Cable  | Public water supply well within one mile:  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water: 180 feet   |
| Other:   | Depth to bottom of usable water: 550   |
| Transport to the state of the s | Surface Pipe by Atternate: I   I   I   I   I   Length of Surface Pipe Planned to be set: 200°  |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 200  |
| Operator:  | Length of Conductor in pertinany,  |
| Well Name:   | Projected Total Depth: 4000 per oper   |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth: Granite  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  | No Well Farm Pond Other: X   |
| If Yes, true vertical depth:   | DWR Permit #:  |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR ()  |
| KCC DKT #:   | — Will Cores be taken? ☐ Yes X No  |
| The undersigned hereby affirms that the drilling, completion and eventual  | AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seg.  |
|  | in plugging of this from that gampy white those to out ood.  |
| It is agreed that the following minimum requirements will be met:  |  |
| through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either a 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall.  | e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date.  er #133 191 6, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| I hereby certify that the statements made herein are true and correct to   | the bar of my knowledge and belief.  |
| Date: May 3, 2008 Signature of Operator or Agent:  | Title: President   |
|  | Remember to:   |
| For KCC Use ONLY   | - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| API#15-051-2578D-0000  | - File Completion Form ACO-1 within 120 days of spud date;   |
| Conductor pipe required  | - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;  |
| Minimum surface pipe required 200 feet per ALT.  | Submit plugging report (CP-4) after plugging is completed (within 60 days):  |
| Approved by: But 5 to 08   | - Obtain written approval before disposing or injecting salt water.  |
|  | - If this permit has expired (See: authorized expiration date) please  |
|  | check the box below and return to the address below.   |
| (This authorization void if drilling not started within 12 months of approval date.  | Well Not Drilled - Permit Expired Date: m  |
| Could date: Accest   | Signature of Operator or Agent:  |
| Spud date: Agent:  |  |

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 051-25780-0000           |  |
|---------------------------------------|--|
| Operator: IA Operating, Inc.          | Location of Well: County: Ellis  |
| Lease: Dinges                         | 1,430 feet from X N / S Line of Section  |
| Well Number: 15-1                     | 2,200 feet from X E / W Line of Section  |
| Field: Wildcat                        | Sec. 15 Twp. 11 S. R. 16 E W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)


| 1        |            | . , |         | 1 :        |   | :         |            |
|----------|------------|-----|---------|------------|---|-----------|------------|
| 1        | :          | :   |         | - 1 -      |   |           |            |
|          | •          |     |         |            |   | •         |            |
|          | :          | •   | :       | 1 :        |   |           |            |
|          | :          | :   | ;       |            |   |           |            |
|          | •          |     | •       | 1 :        |   |           |            |
|          |            |     | '       |            |   |           |            |
|          |            |     | 1       |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         | 1430'      |   |           |            |
|          | :          | :   |         | 11115      |   |           |            |
|          |            |     | •       | 14110      | •                                       |           |            |
|          | •          |     | •       | 1 '~ '     |   |           |            |
| ,        | •          |     |         |            |   |           |            |
| i        | ;          | :   |         | - F        |   |           |            |
| 1        |            |     | -       |            |   | £         |            |
|          |            |     |         |            | * |           |            |
| ******** |            |     |         | L .        |   | 7 4-      |            |
| 1        |            |     | •       | Ø <b>–</b> |   | : Z-170 : |            |
|          | •          | -   | :       |            |   |           |            |
| 1        | :          | :   |         |            |   |           |            |
| l        |            | ;   | •       |            | ,                                       |           |            |
| i        | •          |     | :       |            | :                                       |           |            |
| 1        | :          | :   | :       |            |   |           |            |
| 1        | ;          | ;   |         |            |   |           |            |
| 1        |            |     |         |            |   |           |            |
| 1        |            |     | ******* | ********   |   |           | ,,,,,,,,,, |
| 1        |            |     |         |            |   |           |            |
| 1        |            |     | -       |            | ,                                       | -         | •          |
|          |            |     | •       |            | :                                       | •         |            |
| 1        | :          | :   | ;       |            |   |           |            |
| 1        |            | :   |         |            |   |           |            |
| 1        |            |     |         | _          |   |           | :          |
| 1        | :          | •   | : 17    |            | :                                       |           |            |
| 1        | :          | :   | : 15    | `          |   | ;         |            |
| 1        |            | -   | / ~     |            |   |           |            |
|          |            |     | . (     |            |   |           |            |
| 1        | :          | •   |         |            |   |           |            |
| i .      | :          | :   |         |            |   |           |            |
| 1        | •          |     | •       |            | •                                       |           |            |
| 1        | :          |     |         |            |   |           |            |
| 1        |            |     |         |            |   |           |            |
|          |            | :   | :       |            | •                                       | ;         |            |
|          | :          | :   | :       |            |   |           |            |
|          | :          | :   | :       |            |   |           |            |
|          | :          | i   |         | .,,.,.,.   |   |           | ,,         |
|          | :          | i   |         |            |   |           | .,         |
|          | :<br>      |     |         | .,,,,,,,   |   |           | ,,,,,,,,,, |
|          | :<br><br>: | :   |         |            |   |           |            |
|          | :<br>      | i   |         | .,,.,      |   |           | ,,         |
|          | :          | i   |         | .,,.,.     |   |           | ,,         |
|          | :          |     |         |            |   |           | ,,,,,,     |
|          | :          |     |         |            |   |           | ,,         |
|          | :          |     |         |            |   |           | ,,         |
|          | :          |     |         |            |   |           |            |
|          | :          |     |         |            |   |           |            |
|          | :          |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |
|          |            |     |         |            |   |           |            |

RECEIVED

\*\*ANSAS CORPORATION COMMISSION

MAY 0 5 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: IA Operating, Inc.   |                         |   | License Number: 33335   |           |
|---|-------------------------|---|---|-----------|
| Operator Address: 9915 W 21st St  | reet N                  |   | Wichita KS 672  | 05        |
| Contact Person: Hal Porter  |                         |   | Phone Number: 316-721-0036  |           |
| Lease Name & Well No.: Dinges   | 15-1                    | 1   | Pit Location (QQQQ):  |           |
| Type of Pit:  | Pit is:                 |   | NW _ SW _ NE _  |           |
| Emergency Pit Burn Pit  | Proposed                | Existing  | Sec. 15 Twp. 11 R. 16 East West   |           |
| Settling Pit Drilling Pit   | If Existing, date con   | nstructed:  | 1,430 Feet from North / South Line of Sect  | tion      |
| Workover Pit Haul-Off Pit   | Pit capacity:           |   | Feet from East / West Line of Sec   | tion      |
| (If WP Supply API No. or Year Drilled)  | 600                     | (bbls)  | Ellis Cou   |           |
| Is the pit located in a Sensitive Ground Water  | Area? Yes               | No  | Chloride concentration: m  (For Emergency Pits and Settling Pits only)  | ا/بو      |
| Is the bottom below ground level?  Yes No   | Artificial Liner?       | 0   | How is the pit lined if a plastic liner is not used?  |           |
| Pit dimensions (all but working pits):  | 00 Length (fee          | t)100   | Width (feet) N/A: Steel Pits  |           |
| Depth f   | rom ground level to dee | epest point:  | 4 (feet) No Pit   |           |
| material, thickness and installation procedure  |                         | or mognly, n  | maintenance and determining conservations and setermining conservations.  | 5 2008    |
| Distance to nearest water well within one-mil   |                         |   |   | ITA, KS   |
|   | e of pit                | •   | west fresh waterfeet.   |           |
| N/A feet Depth of water well _  | ·                       | Source of infor   |   |           |
| N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  | feet                    | Source of informeasu  | mation:   |           |
|   | feet                    | Source of information measurements  Drilling, Worker  Type of material                                | mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover:  Bentonite   |           |
| Emergency, Settling and Burn Pits ONLY  | feet:                   | Source of informeasu  Drilling, Worke  Type of materia  Number of wor                                 | mation: red well owner electric log KDWR  by read Haul-Off Pits ONLY: all utilized in drilling/workover:  Bentonite  king pits to be utilized:  4   |           |
| Emergency, Settling and Burn Pits ONLY Producing Formation:   | feet:                   | Source of informeasu  Drilling, Worke  Type of materia  Number of wor                                 | mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover:  Bentonite   | 15-051-25 |
| Emergency, Settling and Burn Pits ONLY Producing Formation:  Number of producing wells on lease:  | feet                    | Drilling, Work Type of materia Number of wor Abandonment  | mation: red well owner electric log KDWR  by read Haul-Off Pits ONLY: all utilized in drilling/workover:  Bentonite  king pits to be utilized:  4   | 15-051-25 |
| Emergency, Settling and Burn Pits ONLY Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all  | feet:                   | Drilling, Work Type of materia Number of wor Abandonment Drill pits must i                            | mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover:  Bentonite  king pits to be utilized:  procedure: allow to dry, backfill and level  be closed within 365 days of spud date.                                      | 15-051-25 |
| Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No  I hereby certify that the above state  May 3, 2008 | feet:                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must to | mation:  red well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Bentonite  king pits to be utilized:  4  procedure: allow to dry, backfill and level  be closed within 365 days of spud date.  t of my knowledge and belief.  |           |
| Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state                      | feet:                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must to | mation:  red well owner electric log KDWR  by or and Haul-Off Pits ONLY:  all utilized in drilling/workover:  Bentonite  4  procedure: allow to dry, backfill and level  be closed within 365 days of spud date.  It of my knowledge and belief.                          | 15-051-25 |
| Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No  I hereby certify that the above state  May 3, 2008 | feet:                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must to | mation:  red well owner electric log KDWR  by over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  Bentonite  king pits to be utilized:  procedure: allow to dry, backfill and level  be closed within 365 days of spud date.  t of my knowledge and belief. | 15-051-25 |