### RECEIVED KANSAS CORPORATION COMMISSION

| MAY    | በ 5 | 2008 |
|--------|-----|------|
| וראויו | UJ  | 4000 |

Form C-1

6

October 2007 CONSERVATION DIVISION Form must be Typed WICHITA, KS Form must be Signed All blanks must be Filled

| For KCC Use:    | 5-11-08 |
|-----------------|---------|
| Effective Date: | 3       |
| District #      | 4       |
| CCA2 Vo         | c XINO  |

Conductor pipe required

Minimum surface pipe required.

This authorization expires: \_\_

Spud date:

Approved by: New 5-6-08

5-6-09

(This authorization void if drilling not started within 12 months of approval date.)

\_ Agent: \_

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date: June 17                         | 7, 2008   | Spot Description:  |
|---|---|--|
| month   | day year  | SW _ NW _ NW Sec. 14 Twp. 11 S. R. 16 TEXW   |
| 33335   |   | (0/0/0/0) 1,010 feet from N / S Line of Section  |
| OPERAIOH: License#                                  |   |  |
| Name: IA Operating, Inc.                            |   | 560 feet from ☐ E / ☒ W Line of Section  |
| Address 1: 9915 W 21st Street N                     |   | Is SECTION: Regular Irregular?   |
| Address 2:  |   | (Note: Locate well on the Section Plat on reverse side)  |
| City: Wichita Sta                                   | ate: KS Zip: 67205 +  | County: Ellis  |
| Contact Person: Hal Porter                          |   | Lease Name: Farmers Well #: 14-1   |
| Phone: 316-721-0036                                 | ¢   | Lease Name:  |
| 30606   |   | Field Name: Wildcat  |
| CONTRACTOR, License#                                | AWARAN AWAR | Is this a Prorated / Spaced Field?   |
| Name: Murfin Orilling G., Inc.                      |   | Target Formation(s): Reagan Sand, Lansing Kansas City  |
| Well Drilled For: Well 0                            | Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage): 560  |
|   |   | Ground Surface Elevation: 1850 approx feet MSL   |
|   | Infield Mud Rotary  | Water well within one-quarter mile:  |
|   | Pool Ext Air Rotary   |  |
|   | Wildcat Cable   |  |
| Seismic ; # of Holes                                | Other   | Depth to bottom of fresh water: 180 feet   |
| Other:  |   | Depth to bottom of usable water:   |
| _   |   | Surface Pipe by Alternate:   |
| lf OWWO: old well information a                     | as follows:   | Length of Surface Pipe Planned to be set: 200'   |
| Operator:   |   | Length of Conductor Pipe (if any): None  |
| ·   |   | Projected Total Depth: 4000 per oper.  |
| Well Name:  |   | Formation at Total Depth: Granite  |
| Original Completion Date:                           | Original lotal Depth:   |  |
|   |   | Water Source for Brilling Operations:  |
| Directional, Deviated or Horizontal wellb           |   | Weil Parm Pond Other: X  |
| If Yes, true vertical depth:                        |   | DWR Permit #:  |
| Bottom Hole Location:                               |   | (Note: Apply for Permit with DWR   |
| KCC DKT #:  |   | - Will Cores be takken? ☐ Yes ☒ No   |
|   |   | If Yes, proposed zone:   |
|   |   |  |
|   | ΛE  | FIDAVIT  |
| Ti I i II I i iliin a shaaba                        |   | · ·  |
| -   |   | lugging of this well will comply with K.S.A, 55 et. seq.   |
| It is agreed that the following minimum             | n requirements will be met:   |  |
| 1. Notify the appropriate district of               | ffice prior to spudding of well;  |  |
| <ol><li>A copy of the approved notice of</li></ol>  | of intent to drill <b>shall be</b> posted on eac  | h drilling rig;  |
| 3. The minimum amount of surface                    | ce pipe as specified below shall be se  | t by circulating cement to the top; in all cases surface pipe shall be set   |
| through all unconsolidated mat                      | terials plus a minimum of 20 feet into th   | ne underlying formation.   |
| 4. If the well is dry hole, an agree                | ment between the operator and the dis   | strict office on plug length and placement is necessary prior to plugging;   |
| <ol><li>The appropriate district office v</li></ol> | vill be notified before well is either plug   | ged or production casing is cemented in;   |
| <ol><li>If an ALTERNATE II COMPLET</li></ol>        | FION, production pipe shall be cement   | ed from below any usable water to surface within 120 DAYS of spud date.  |
| Or pursuant to Appendix "B" - E                     | Eastern Kansas surface casing order #   | 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| must be completed within 30 da                      | ays of the spud date or the well shall b  | e plugged. In all cases, NOTIFY district office prior to any cementing.  |
| I hereby certify that the statements m              | nade herein are true and correct to the   | pest of my knowledge and belief.   |
|   |   |  |
| Date: May 3, 2008 Signal                            | ture of Operator or Agent:  | Title: President   |
|   |   | The state of the s |
|   |   | Remember to:   |
| For KCC Use ONLY                                    |   | File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| API # 15 - 051-2577                                 | 17-0000   | - File Completion Form ACO-1 within 120 days of spud date;   |
| Conductor nine required                             | Vone <sub>feet</sub>  | - File acreage attribution plat according to field proration orders;   |

Notify appropriate district office 48 hours prior to workover or re-entry;

Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

check the box below and return to the address below.

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

Submit plugging report (CP-4) after plugging is completed (within 60 days);

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 051-85779-0000           |  |
|---------------------------------------|--|
| Operator: IA Operating, Inc.          | Location of Well: County: Ellis  |
| Lease: Farmers                        |  |
| Well Number: 14-1                     | 560 feet from E / X W Line of Section  |
| Field: Wildcat                        | Sec. 14 Twp. 11 S. R. 16 E W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

|      | 10       | Ab' |          |                | : |         |              |
|------|----------|-----|----------|----------------|---|---------|--------------|
| 560' | 70       | ðð' |          |                |   |         | <br>         |
|      |          |     |          |                |   |         |              |
|      | .,       |     |          |                |   | ******* | <br>******** |
|      |          |     |          | / <sub>7</sub> |   |         | ·            |
|      |          |     | ******** |                |   |         | <br>         |
|      |          |     |          |                |   |         | <br>.,,,,    |
|      | ******** |     | .,       |                |   |         | <br>         |

RECEIVED \*\*CANSAS CORPORATION COMMISSION

MAY 0 5 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: IA Operating, Inc.   |                        |   | License Number: 33335   |                   |
|---|------------------------|---|---|-------------------|
| Operator Address: 9915 W 21st St  | reet N                 |   | Wichita KS 67205  |                   |
| Contact Person: Hal Porter  |                        |   | Phone Number: 316-721-0036  | i                 |
| Lease Name & Well No.: Farmers  | 14-                    | 1   | Pit Location (QQQQ):  |                   |
| Type of Pit:  | Pit is:                |   | <u>SW</u> - <u>NW</u> - <u>NW</u>   |                   |
| Emergency Pit Burn Pit  | Proposed               | Existing  | Sec. 14 Twp. 11 R. 16 East West   |                   |
| Settling Pit Drilling Pit   | If Existing, date co   | nstructed:  | 1,010 Feet from North / South Line of Section   |                   |
| Workover Pit Haul-Off Pit   | Pit capacity:          |   | 560 Feet from East / West Line of Section   |                   |
| (If WP Supply API No. or Year Drilled)  | 600                    | (bbls)  | Ellis County  |                   |
| Is the pit located in a Sensitive Ground Water  | Area? Yes              | No  | Chloride concentration: mg/l  |                   |
| Is the bottom below ground level?   | Artificial Liner?      |   | (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?   | -                 |
| Yes No  |                        | No  |   |                   |
| Pit dimensions (all but working pits):  | 00 Length (fee         | et) 100   | Width (feet) N/A: Steel Pits  |                   |
| Depth fr  | rom ground level to de | epest point:  | 4 (feet) No Pit   |                   |
| If the pit is lined give a brief description of the material, thickness and installation procedure  |                        |   | edures for periodic maintenance and determining ncluding any special monitoring.  | /ED               |
| material, trickness and installation procedure  | "                      | inter integrity, i  | YANSAS CORPORATE  | ON COMMISS        |
|   |                        |   | MAY 05  | 2008              |
|   |                        |   | CONSERVATION  |                   |
| Distance to nearest water well within one-mile  |                        |   |   |                   |
|   | e of pit               |   | west fresh waterfeet.   | I DIVISION<br>-KS |
| N/A feet Depth of water well_   | ·                      | Depth to shallo<br>Source of infor<br>measu   | west fresh waterfeet.   |                   |
| M/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:  | feet                   | Source of informeasu  | west fresh waterfeet.   |                   |
|   | feet                   | Source of informeasu  Drilling, Work  | west fresh waterfeet. rmation: uredwell owner electric logKDWR  | × 15-051          |
| Emergency, Settling and Burn Pits ONLY:   | feet                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  | west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Eking pits to be utilized:4  | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY: Producing Formation:  | feet                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  | west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover:  | × 15-051          |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  | feet                   | Drilling, Work Type of materia Number of wor Abandonment  | west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Eking pits to be utilized:4  | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all  | feet                   | Drilling, Work Type of materia Number of wor Abandonment Drill pits must  | west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4  procedure: allow to dry, backfill and level be closed within 365 days of spud date.    | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No   | feet                   | Drilling, Work Type of materia Number of wor Abandonment Drill pits must  | west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4  procedure: allow to dry, backfill and level be closed within 365 days of spud date.    | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No   | feet                   | Drilling, Work Type of materia Number of wor Abandonment Drill pits must  | west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4  procedure: allow to dry, backfill and level be closed within 365 days of spud date.    | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  May 3, 2008 | feet                   | Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must becorrect to the besen | west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: be utilized:4  procedure: allow to dry, backfill and level  be closed within 365 days of spud date.  to my knowledge and belief. | 4 15-051-         |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  May 3, 2008 | feet                   | Drilling, Work Type of materia Number of wor Abandonment Drill pits must  | west fresh water  | 4 15-051-         |