

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

expected Spud Date: 5/5/08	Spot Description: F MW
month day year	100 - 100 - 100 Sec. 16 Twp. 24 S. R. 16 XE
30345	(0/0/0/0) 2,900 / feet from N / X S Line of Section
PERAIOR: License#	
lame; Piqua Petro., Inc.	teet from LE / X W Line of Section
ddress 1: 1331 Xylan Road	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: Piqua State: KS _ Zip: 66761+	O Woodson
ontact Person: Greg Lair	
hone: 620-433-0099	
/	Field Name: Vernon
ONTRACTOR: License# 30567	Is this a Prorated / Spaced Field?
arne: Rig 6	Target Formation(s): Squirrei
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1480
	Ground Surface Elevation: n/a feet M5
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 125'+
Other:	Depth to bottom of usable water: 2007 /50
	Surface Pipe by Alternate: I XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Longth of Conductor Dino (if omit) 1008
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 1150'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
CC DKT #:	
	Will Cores he takan?
	Will Cores be taken?
	Will Cores be taken?Yes
	If Yes, proposed zone:
ease unit previously submitted w/15-201-26852-000AFF	FIDAVIT KECEIVE
ease unit previously submitted w/15-201-26852-000AFF	FIDAVIT KECEIVE
ecse unit previously submitted w/15-201-20852-000AFF	If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. CANSAS CORPORATION COMPANY AND COMPA
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:	If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. CANSAS CORPORATION COMPANY AND COMPA
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0.5 20 h drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 h drilling rig; by circulating cement to the top; in all cases surface pipe shall the suation Div
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0.5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the salation of the content of the top; in all cases surface pipe shall the salation of the content
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the design of the well is dry hole, an agreement between the operator and the distance of the control of the state of the well is dry hole, an agreement between the operator and the distance of the control of the state of the control	FIDAVIT ANSAS CORPORATION OF MAY 10.5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be selected and the complete of the control
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated material	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0.5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the sea ATION DIV e underlying formation. WICHTA WE aged or production casing is cemented in;
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intermediate of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through the intermediate of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemente	FIDAVIT Use in drilling rig; It is comply with K.S.A. 55 et. seq. MAY 05 20 In drilling rig; It is comply with the top; in all cases surface pipe shall the sevention by circulating cement to the top; in all cases surface pipe shall the sevention by the underlying formation. It is drilling rig; It is complete to the top; in all cases surface pipe shall the sevention by the underlying formation. It is drilling rig; It is complete to the top; in all cases surface pipe shall the sevention by the complete right and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through the set of the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either pluggen. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be selection of the conclusion. WICHTA INSTANCE OF PORATION DIVIDED IN CONTRACTOR OF THE CONTRACTOR O
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the sale TION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the sale TION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be mereby certify that the statements made herein are true and correct to the best of the spud content of the statements made herein are true and correct to the because of the spud correct to the best of the spud correct to the statements made herein are true and correct to the spud correc	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; In driving cement to the top; in all cases surface pipe shall be set at the complete of the com
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified list of the well is dry hole, an agreement between the operator and the dist into the specified list of the specified list is either pluggent. The appropriate district office will be notified before well is either pluggent. In a ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the best of the specific production of the statements made herein are true and correct to the best of the specific production of the specific production in the statements made herein are true and correct to the specific production in the statements made herein are true and correct to the specific production in the statements made herein are true and correct to the specific production in the specific prod	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; In driving cement to the top; in all cases surface pipe shall be set at the complete of the com
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; In drilling rig; In drilling romation. Uncertainty of the top; in all cases surface pipe shall be set at the top of the top; in all cases surface pipe shall be set at the top of the top; in all cases surface pipe shall be set at the top of the top; in all cases surface pipe shall be set at the top; in all cases surface pipe shall be s
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the temperature. Signature of Operator or Agent:	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the set ATION DIV e underlying formation. which the control of the
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dist of the set of the set. The appropriate district office will be notified before well is either plugs of the set. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set ATION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 273 9 5 - 0000	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; In drilling rig; In drilling rig; In drilling rement to the top; in all cases surface pipe shall be set at the complete of the
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the base in the complete of the statements of the statements of the statement of the stat	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seventially be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27395 OCC Conductor pipe required	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the sea TION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: Signatur	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ATION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 273 9 5 0000 Conductor pipe required	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall the sea TION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be necessary certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 273 9 5 0000 Conductor pipe required	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be swartion of the concentration. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 273 9 5 0000 Conductor pipe required	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ATION DIV e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 273 9 5 0000 Conductor pipe required Minimum surface pipe required Approved by: MM 5 16 - 08	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be sevention of the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent:	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 20 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be swartion of the concentration. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Field: Ver	per: 24-08 non						1,480 Sec. 16	Twp.	A	leet from S. R. <u>16</u>	∐ E /	X W Line of X E ∏ \
						man or man and the section of the se	360. 19			J. n. <u></u>		
		butable to v of acreage:			_ NE		Is Section:	Reg	ular or [Irregul	ar	
QINQIN	QINQIN	oi acreage.	Slad	SW	SE	NW						
			<u>ن</u>	3-0	3.	7100	If Section is Section con		r, locate v	vell from NW		orner bounda SW
						PL	.AT					
		((Show loc				ıtable acreage f			ed wells.)		
					1 -	to the neares	t lease or unit b	oundary lii	ne.)			
					\mathcal{M}			_				
		:						i				
		:					:	•				
	;	:	:::::::::::::::::::::::::::::::::::::::			· · · · · · · · · · · · · · · · · · ·	:	• .				CEIVED
							:			MANS	SAS CORP	ORATION COMM
	[·		-			ΜΔΥ	0 5 2008
		:						!				
		:		.,,		ii		-				VATION DIVISIO ICHITA, KS
From	٠. ا	:	:			: :	:					IOCOTA, NO
From	e		> 4	50	! ?				EXAME	ĹE	:	:
ٔ ج	7	-=;		 ر	6	<u> </u>		=		:		
_				•								უ
	ļ						······			:	o	1980
		:						İ			10	<u> </u>
		:	} :							<u>:</u>	3390	
	:	:					:	ļ		;	3330	
		:						•		,,,,,,,,,		
			····· .			· · · · · · · · · · · · · · · · · · ·		. :				
							:		OFILE	<u> </u>	<u>:</u>	<u>:</u>
		<u> </u>		·	<u> </u>		<u> </u>	<u>:</u>	SEWAR	D CO.		
	NOTE: In	all cases lo	cate the	spot of t	s propos	sed drilling lo	caton.					

API No. 15 - 207-27395-0000

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro., Inc.		License Number: 30345						
Operator Address: 1331 Xylan Road			Piqua KS	66761				
Contact Person: Greg Lair		Phone Number: 620-433-0099						
Lease Name & Well No.: Wingrave	24	Pit Location (QQQQ):						
Type of Pit:	Pit is:		NW NE SW					
Emergency Pit Burn Pit	Proposed	Existing	Sec. 16 Twp. 24 R. 16 East West					
Settling Pit Drilling Pit	If Existing, date c	onstructed:	2, 6 00 Feet from North / South Line of Section					
Workover Pit Haul-Off Pit	Pit canacity:		1,480 Feet from East / West Line of Section					
(If WP Supply API No. or Year Drilled)			Woodson County					
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:	mg/l				
Is the bottom below ground level? Artificial Liner?			(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?					
Yes No			clay soil					
Pit dimensions (all but working pits):	5 Length (fe	eet)8	Width (feet) N/A: Steel F	Pits				
Depth fr	om ground level to de							
If the pit is lined give a brief description of the material, thickness and installation procedure N/A		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Watch that clay soil is holding water. MAY 0.5 2008						
			ATION DIVISION					
Distance to nearest water well within one-mile	of pit		llowest fresh water 20 feet.					
1000' feet Depth of water well	20 feet	Source of information:						
Emergency, Settling and Burn Pits ONLY: Drilling, Work			cover and Haul-Off Pits ONLY:					
Producing Formation: Type of mat			erial utilized in drilling/workover: shale and limestone					
Number of producing wells on lease: Num			Number of working pits to be utilized:1					
Barrels of fluid produced daily:	· · · · · · · · · · · · · · · · · · ·	Abandonment procedure:						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.						
I hereby certify that the above state	ments are true and o	correct to the bes	of my knowledge and belief.	8				
5/4/08 Date		Cich Resolution Agent						
Date Received: 5/5/08 Permit Num		OFFICE USE O	NLY Steel Pit RFAC RFAS it Date: 5/5/08 Lease Inspection: Yes					
Date Received: - 12100 Permit Num	Del:	Perm	Lease Inspection: Yes	₹ 1,40				