

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? Kyes No	NOTICE OF IN	(5) days prior to commencing well	Il blanks must be Filled
Expected Spud Date: May 16, 2008 month OPERATOR: License# 33074	day year	Spot Description: C NE NW Sec. 13 Twp. 32 S. (0/0/0/0/0) 4620 feet from N	S Line of Section
Name: Dart Cherokee Basin Operating Co L	LC	3300 feet from X E /	W Line of Section
		ls SECTION: KiRegular Irregular?	
Address 2: City: Independence State: KS	Zip: 67301 +	(Nate: Locate well on the Section Plat on rev County: Montgomery	/erse side)
Contact Person: Jeff Hudson		Lease Name: J&B Palmer	Well #: A2-13
Phone: 620-331-7870		Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License#5675 Name: McPherson Drilling		Is this a Prorated / Spaced Field? Target Formation(s): Mississippian	Yes No
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 335 Fee	
Oil Enh Rec Infield Storage Pool Ext Disposal Wildcat	Mud Rotary Air Rotary Cable	Ground Surface Elevation: 753 Water well within one-quarter mile: Public water supply well within one mile:	feet MSL Yes No
Seismic ; # of Holes Other		Depth to bottom of fresh water: 150 + - Depth to bottom of usable water: 175	. , , , , , , , , , , , , , , , , , , ,
Other:	/s:	Surface Pipe by Alternate:	
Operator:		Length of Conductor Pipe (if any):	
•		Projected Total Depth: 1400 Feet Formation at Total Depth: Mississippian	
Original Completion Date: O	riginal Total Depth:	Water Source for Drilling Operations:	· · · · · · · · · · · · · · · · · · ·
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:		DWR Permit #:	
Dettem Hele Leastion:			7.//
Bottom Hole Location: KCC DKT #:		(Note: Apply for Permit with DWR	
			Yes No
		(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes ⊠No RECEIVED
KCC DKT #:	AFF	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes No
KCC DKT #: The undersigned hereby affirms that the drill	AFF ling, completion and eventual plug	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes ⊠No RECEIVED
The undersigned hereby affirms that the drill lt is agreed that the following minimum requires	AFF ing, completion and eventual plug rements will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008
The undersigned hereby affirms that the drill It is agreed that the following minimum requiration. Notify the appropriate district office pr	AFF ing, completion and eventual plug rements will be met: ior to spudding of well; i to drill shall be posted on each	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq.	CONSERVATION DAVISION
The undersigned hereby affirms that the drill It is agreed that the following minimum requiration 1. Notify the appropriate district office process. A copy of the approved notice of intents. The minimum amount of surface pipe through all unconsolidated materials possible that the well is dry hole, an agreement both the minimum amount of surface pipe through all unconsolidated materials possible to the well is dry hole, an agreement both the minimum amount of the well is dry hole, an agreement both the minimum agreement both the	AFF ing, completion and eventual plug rements will be met: ior to spudding of well; it to drill shall be posted on each as specified below shall be set to lus a minimum of 20 feet into the etween the operator and the distri- otified before well is either plugge roduction pipe shall be cemented Kansas surface casing order #13	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Iddilling rig; In y circulating cement to the top; in all cases surface pipe sounderlying formation. In this indicates the sequence of the sequen	CONSERVATION DAVISION WICHITA, KS to plugging; to f spud date. ate II cementing
The undersigned hereby affirms that the drill It is agreed that the following minimum requiration 1. Notify the appropriate district office proceed and the approved notice of intentions. The minimum amount of surface pipe through all unconsolidated materials proceed and the appropriate district office will be not find an ALTERNATE II COMPLETION, programment to Appendix "B" - Eastern	AFF ing, completion and eventual plug rements will be met: ior to spudding of well; it to drill shall be posted on each as specified below shall be set b lus a minimum of 20 feet into the etween the operator and the distri- otified before well is either plugge roduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Orithing rig; y circulating cement to the top; in all cases surface pipe so underlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DEVISION WICHITA, KS at to plugging; of spud date. ate II cementing y cementing.
The undersigned hereby affirms that the drill It is agreed that the following minimum requirable. 1. Notify the appropriate district office proceed to the approved notice of intentions. The minimum amount of surface pipe through all unconsolidated materials possible. If the well is dry hole, an agreement be appropriate district office will be not find an ALTERNATE II COMPLETION, por pursuant to Appendix "B" - Eastern must be completed within 30 days of the surface o	AFF ing, completion and eventual plug rements will be met: ior to spudding of well; it to drill shall be posted on each as specified below shall be set b lus a minimum of 20 feet into the etween the operator and the distri- otified before well is either plugge roduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be prein are true and correct to the be-	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idilling rig; In y circulating cement to the top; in all cases surface pipe sunderlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; If from below any usable water to surface within 120 DAYS ISB,891-C, which applies to the KCC District 3 area, alternating plugged. In all cases, NOTIFY district office prior to any	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DIVISION WICHITA, KS of spud date. ate II cementing y cementing. on Engineer
The undersigned hereby affirms that the drill It is agreed that the following minimum requiration 1. Notify the appropriate district office properties 2. A copy of the approved notice of intents 3. The minimum amount of surface pipe through all unconsolidated materials post 4. If the well is dry hole, an agreement be 5. The appropriate district office will be noted for an ALTERNATE II COMPLETION, por pursuant to Appendix "B" - Eastern must be completed within 30 days of the statements made here the Date: May 6, 2008 Signature of the statement	AFF ing, completion and eventual plug rements will be met: ior to spudding of well; it to drill shall be posted on each as specified below shall be set b lus a minimum of 20 feet into the etween the operator and the distri- otified before well is either plugge roduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be prein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Iddilling rig; y circulating cement to the top; in all cases surface pipe sounderlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS IST OF THE CONTROL OF THE CONTRO	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DIVISION WICHITA, KS It to plugging; It of spud date. Intel I cementing y cementing. On Engineer
The undersigned hereby affirms that the drill It is agreed that the following minimum requirable. 1. Notify the appropriate district office properties. A copy of the approved notice of intents. 3. The minimum amount of surface pipe through all unconsolidated materials post through all unconsolidated materials post. The appropriate district office will be noted. If an ALTERNATE II COMPLETION, post of the properties of the properties of the properties. The appropriate district office will be noted. It an ALTERNATE II COMPLETION, post of the properties of the properties. The properties of the properties. The properties of the propertie	AFFing, completion and eventual plugrements will be met: ior to spudding of well; It to drill shall be posted on each as specified below shall be set blus a minimum of 20 feet into the atween the operator and the districtified before well is either pluggeroduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the shall be presented as the spud shall be presented as the spud shall be presented as the shall be pressented as the shall be presented as the shall be presented as th	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Orithing rig; y circulating cement to the top; in all cases surface pipe sunderlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternately alternative of my knowledge and belief. Production Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud descreage attribution plat according to field proration	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DAVISION WICHITA, KS It of spud date. ate II cementing y cementing. on Engineer It is it
The undersigned hereby affirms that the drill It is agreed that the following minimum requirable. Notify the appropriate district office proceedings of the approved notice of intents. The minimum amount of surface pipe through all unconsolidated materials proceedings and the well is dry hole, an agreement be suffaced in the surface properties of the appropriate district office will be noted. If an ALTERNATE II COMPLETION, programment to Appendix "B" - Eastern must be completed within 30 days of the surface proceedings. Signature of the surface of the surf	AFFing, completion and eventual plugrements will be met: ior to spudding of well; It to drill shall be posted on each as specified below shall be set blus a minimum of 20 feet into the atween the operator and the districtified before well is either pluggeroduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the spud shall be prein are true and correct to the beautiful and the shall be presented as the spud shall be presented as the spud shall be presented as the shall be pressented as the shall be presented as the shall be presented as th	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Iditing rig; y circulating cement to the top; in all cases surface pipe sunderlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternately alternative to make the surface within 120 DAYS 151,891-C, which applies to the KCC District 3 area, alternately alternative to make the surface within 120 DAYS 151,891-C, which applies to the KCC District 3 area, alternately alternative to make the surface within 120 DAYS 151,891-C, which applies to the KCC District 3 area, alternately alternative to make the surface prior to any less to fine below any knowledge and belief. Production File Drill Pit Application (form CDP-1) with Intent to Drill areage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sa	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DAVISION WICHITA, KS It of spud date. ate II cementing y cementing. on Engineer It; late; orders; ver or re-entry; led (within 60 days); it water.
The undersigned hereby affirms that the drill It is agreed that the following minimum requiration 1. Notify the appropriate district office properties. A copy of the approved notice of intents 3. The minimum amount of surface pipe through all unconsolidated materials properties. A lift the well is dry hole, an agreement be 5. The appropriate district office will be nowned to the following of the surface properties. The appropriate district office will be nowned to the surface properties. The appropriate district office will be nowned to the surface properties. The appropriate district office will be nowned to the surface properties. The appropriate district office will be nowned to the surface properties. The surface properties are surface properties are surface properties. The surface properties are surface properties are surface properties. The surface properties are surface properties are surface properties. The surface properties are surface properties are surface properties. The surface properties are surface properties are surface properties. The surface properties are surface properties are surface properties are surface properties. The surface properties are surface properties. The surface properties are surface properties. The surface properties are surface properties	ing, completion and eventual plugrements will be met: ior to spudding of well; It to drill shall be posted on each as specified below shall be set blus a minimum of 20 feet into the atween the operator and the district officed before well is either pluggeroduction pipe shall be cemented Kansas surface casing order #13 he spud date or the well shall be prein are true and correct to the beautiful and the properator or Agent: Operator or Agent: feet feet	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Orithing rig; y circulating cement to the top; in all cases surface pipe sunderlying formation. Ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternately alternately and belief. Production Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed.	RECEIVED KANSAS CORPORATION COMMISSI MAY 0 7 2008 CONSERVATION DAVISION WICHITA, KS It of spud date. ate II cementing y cementing. on Engineer It; late; orders; ver or re-entry; led (within 60 days); it water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 31615-0000			
Operator: Dart Cherokee Basin Operating Co LLC Lease: J&B Palmer	Location of Well: County: Montgomery 4620 feet from N / X S Line of Section		
Well Number: A2-13	feet from N / X S Line of Section 3300 feet from E / W Line of Section		
Field: Cherokee Basin Coal Gas Area	Sec. 13 Twp. 32 S. R. 15 🔀 E 🗌 W		
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: _ C _ NE _ NW	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co LLC			License Number: 33074				
Operator Address: 211 W Myrtle			Independence	KS	67301		
Contact Person: Jeff Hudson			Phone Number: 620-331-7870				
Lease Name & Well No.: J&B Palmer A2-13			Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>CNENW</u>				
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 32 R. 15 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		4620 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: 926			3300 Feet from				
		(bbls)	Montgomery		County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic Natural Clays	liner is not used	d?		
Pit dimensions (all but working pits):	5 Length (fe	eet) 30	Width (feet)	N/A:	Steel Pits		
Depth fr	om ground level to de	eepest point:	5 (feet)	No.	Pit		
			<u>.</u>		75/25		
		Depth to shallo Source of infor	hallowest fresh water 3 5 feet.				
2486 feet Depth of water well 105 feet		measured well owner electric log KDWR					
		i -	rkover and Haul-Off Pits ONLY:				
		cormation: sured well owner electric log KDWR kover and Haul-Off Pits ONLY: rial utilized in drilling/workover: None Air Rig orking pits to be utilized: 0					
			Number of working pits to be utilized: 0 Abandonment procedure: Air Dry & Backfill				
Barrels of fluid produced daily:		Abandonment procedure: All Diy & DaCKIIII					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION CO					
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.		MAY 0 7 2008		
May 6, 2008 Date		Dell H	ignature of Applicant or Agent		CONSERVATION DIVISION WICHITA, KS		
	KCC	OFFICE USE O	NLY Steel Pit	RFAC 🗹	RFAS		
Date Received: 5 7 08 Permit Num	ber:	Perm	it Date: 5/7/08 Lease	Inspection: X	Yes L		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

May 7, 2008

Mr. Jeff Hudson Dart Cherokee Basin Opr Co., LLC 211 W Myrtle Independence, KS 67301

RE: Drilling Pit Application

J & B Palmer Lease Well No. A2-13

NW/4 Sec. 13-32S-15E Montgomery County, Kansas

Dear Mr. Hudson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File