For KCC Use: Effective Date: District # SCA2 Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: May 6, 2008	Spot Description:	
month day year	E/2 - SE - SE Sec. 13 Twp. 29 S. R. 18 XE	¬w
33344 /	(0/0/0/0) 660 feet from N / X S Line of Se	
OPERATOR: License#	330 geet from E / W Line of Se	
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	
Contact Person: Richard Marlin	Lease Name: Klingenberg, Marion F. Well #: 13-1	
Phone: _405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?]No -
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
	Ground Surface Elevation: 1022 feet	MSL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	No /
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	No No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100	
X Other: Coalbed Methane	Depth to bottom of usable water: 150	
	Surface Pipe by Alternate: IIIII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	WellFarm Pond ⊠Other: Air	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
	(Note: Apply for Permit with DWR 🔲)	7
	NAME OF THE APPLICATION OF THE PROPERTY OF THE	
KCC DKT #:	Will Cores be taken?	∐No
KCC DK1 #:	If Yes, proposed zone:	
	If Yes, proposed zone:RECE	IVED
AFF	If Yes, proposed zone: RECE IDAVIT KANSAS CORPORA	IVED
AFF	If Yes, proposed zone: RECE IDAVIT KANSAS CORPORA agging of this well will comply with K.S.A. 55 et. seq.	IVED TION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECE IDAVIT KANSAS CORPORA	IVED TION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECE IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI	IVED TION COMMISSIN 5 2008 ON DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; conservation of the control of the cont	IVED TION COMMISSIN 5 2008 ON DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI They circulating cement to the top; in all cases surface pipe shall be set WICHI Funderlying formation.	IVED TION COMMISSIN 5 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distril	RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI They circulating cement to the top; in all cases surface pipe shall be set WICHI They underlying formation. In this well will comply with K.S.A. 55 et. seq. CONSERVATI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the top; in all cases surface pipe shall be set WICHI They circulating cement to the	IVED TION COMMISSIN 5 2008 ON DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI Py circulating cement to the top; in all cases surface pipe shall be set WICHI' underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	IVED TION COMMISSIN 5 2008 ON DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI In y circulating cement to the top; in all cases surface pipe shall be set WICHI's underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	IVED TION COMMISSIN 5 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI The programment to the top; in all cases surface pipe shall be set WICHI The underlying formation. The indicated in: I from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	IVED TION COMMISSIN 5 2008 ON DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECE IDAVIT KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI The programment to the top; in all cases surface pipe shall be set WICHI The underlying formation. The indicated in: I from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	IVED TION COMMISSIN 5 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plught is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the specific to the set.	IDAVIT RECE RECE KANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI In y circulating cement to the top; in all cases surface pipe shall be set WICHI In underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Sest of my knowledge and belief. Vice President	IVED TION COMMISSIN 5 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	IVED TION COMMISSIN 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrot my knowledge and delief. Title: Vice President Remember to:	IVED TION COMMISSIN 5 2008 ON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008 Signature of Operator or Agent: For KCC Use ONLY	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHF underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrot my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	IVED TION COMMISSIN 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the provent of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best pate: April 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27460-0000	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrot my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	IVED TION COMMISSION 5 2008 ON DIVISION FA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHF underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrof my knowledge and belief. Title: Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	IVED TION COMMISSIN 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: April 30, 2008	IDAVIT RECE RECE RECE RANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; conservation gring coment to the top; in all cases surface pipe shall be set WICHI underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Pestrot my knowledge and delief. Title: Vice President Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	IVED TION COMMISSION 5 2008 ON DIVISION FA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to he be Date: April 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27460-0000 Conductor pipe required	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHF underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrof my knowledge and belief. Title: Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	IVED TION COMMISSING 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008	RECE IDAVIT KANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHI' underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrot my knowledge and delief. Title: Vice President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.	IVED TION COMMISSIN 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the interest of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008	RECE IDAVIT RANSAS CORPORA gging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI by circulating cement to the top; in all cases surface pipe shall be set WICHI underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. estrof my knowledge and delief. Title: Vice President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.	IVED TION COMMISSING 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008	RECE IDAVIT RANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI In orderlying cement to the top; in all cases surface pipe shall be set WICHI Inderlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Petrof my knowledge and belief. Vice President Title: Vice President Title: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	IVED TION COMMISSIN 5 2008 ON DIVISION TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the interest of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date: April 30, 2008	RECE IDAVIT RANSAS CORPORA Igging of this well will comply with K.S.A. 55 et. seq. MAY 0 drilling rig; CONSERVATI In orderlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Vice President Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	IVED TION COMMISSING 5 2008 ON DIVISION TA, KS


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27460-0000		
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho	
Lease: Klingenberg, Marion F.	660 feet from N / N S Line of Section	
Well Number: 13-1	330 feet from X E / W Line of Section	
Field: Cherokee Basin CBM	Sec. <u>13</u> Twp. <u>29</u> S. R. <u>18</u> E W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR/QTR/QTR of acreage:E/2SESE		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102		
Contact Person: Richard Marlin		Phone Number: 405-702-7480		
Lease Name & Well No.: Klingenberg,	Marion F. 13	-1	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 29 R. 18 East West	
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	57.		Air Drilling Well	
Pit dimensions (all but working pits): 30 Length (feet) 10 Wighth (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 10 (feet) No Pit				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
			ng air drilled with operations lasting approx.	
3 days				
Distance to nearest water well within one-mile of pit Depth to shallo Source of information in the shallon of pit shallon one-mile one-mile one-mile one-mile one-mile of pit shallon one-mile one		west fresh waterfeet.		
		ured well owner electric log KDWR		
		kover and Haul-Off Pits ONLY:		
Producing Formation: Type of mater		erial utiliz ed in drilling/workover: Air Drilled		
Trained of producing state of the state of t		king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIO				
\mathcal{D}^{-} \mathcal{D}^{-} \mathcal{D}^{-} MAY 0 5 2008				
April 30, 2008 Date	─ ∮	1 Gard	ignature of Applicant or Agent WICHITA, KS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
, ,				
Date Received: 5/5/08 Permit Num	nber:	Perm	it Date: 5/5/08 Lease Inspection: Yes KNo	