For KCC Use:	5-12-08
District #	3
SGA? Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: May 12, 2008	Spot Description;
month day year	
33344	(ara/ara) 4,450 feet from N / X S Line of Section
OPERATOR: License#	1,880 feet from X E / W Line of Section
Name: Quest Cherokee, LLC	Is SECTION: Regular Irregular?
Address 1: 210 W. Park Ave., Suite 2750	is Section. Minedular
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: 405-702-7480	Lease Name: Nealy SWD Well #: 30-1
	Field Name; Cherokee Basin CBM
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 560
Oil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 900 feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 150
	Surface Pipe by Alternate: I I I I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 1600
Well Name:Original Total Depth:	Formation at Total Depth: Arbuckle
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Waler Source for Drining Operations. Well Farm Pond Other: Air
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:	
	- -
	If Yes, proposed zone:RECEIVED
الله الله الله الله الله الله الله الله	KANSAS COPPORATION COMMISSION
****	IDATI
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq. MAY 0 5 2008
It is agreed that the following minimum requirements will be met:	MAI 0 3 2000
 Notify the appropriate district office prior to spudding of well; 	CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set b	with the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 	act office on plug length and placement is necessary <i>prior to plugging</i> ,
The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented	from helow any usable water to surface within 120 DAYS of soud date.
Or pursuant to Appendix "B" - Fastern Kansas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the be	
Theseby certify that the statements made herein are the discussion of	
Date: May 5, 2008 Signature of Operator or Agent:	Y Vice President
) · · · ·	1110;
	1(0)
F (/OO H ONLY	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 133 - 27459-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
API # 15 - 1.33 - 2.7459-0000 Conductor pipe required None feet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
API # 15 - 133 - 27459-0000 Conductor pipe required Nore feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
API # 15 - 133 - 27459-0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
API # 15 - 133 - 27459-0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I Hi Approved by: Minimum 57-09	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
API # 15 - 133 - 27459-0000 Conductor pipe required Nore feet Minimum surface pipe required feet per ALT. I HI Approved by: First 57-09 This authorization expires: 5-7-09	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
API # 15 - 133 - 27459-0000 Conductor pipe required Nore feet Minimum surface pipe required feet per ALT. I Fill Approved by: First 57-06	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 133 - 27459-0000 Conductor pipe required	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
API # 15 - 133 - 27459-0000 Conductor pipe required Nore feet Minimum surface pipe required feet per ALT. I HI Approved by: MWH 57-09 This authorization expires: 5-7-09	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27459-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Neely SWD	4,450 feet from N / N S Line of Section
Well Number: 30-1	1,880 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 30 Twp. 28 S. R. 19 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC			License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750			Oklahoma City OK 73102		
Contact Person: Richard Marlin			Phone Number: 405-702-7480		
Lease Name & Well No.: Neely SWD 30-1			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 28 R. 19 East West		
Settling Pit Drilling Pit	If Existing, date of	onstructed:	4,450 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,880 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	000	(bbls)	Neosho County		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used?		
Yes No	Yes X		Air Drilling Well		
Pit dimensions (all but working pits):	SO Length (fe	eet)10	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point:10 (feet) No Pit					
The first a more given a construction of the c			edures for periodic maintenance and determining		
material, thickness and installation procedure.			ncluding any special monitoring.		
1		1	Vell is being air drilled with operations lasting approx.		
3		3 days			
Distance to nearest water well within one-mile of pit De			west fresh waterfeet.		
NA Seet Don'th of water well foot		Source of information: measured well owner electric log KDWR			
reet Depth of water wen reet		, the same of the			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY: Air Drilled			
			Type of material utilized in drilling/workover: Air Drilled		
· · · · · · · ·		Abandonment procedure: Air Dry, Back fill and cover.			
Barrels of fluid produced daily: Abandon		Abandonment	procedure: All Dry, Dack IIII and Cover.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS.					
	1	$\frac{1}{0}$	MAY 0 5 2008		
May 5, 2008		· Yard	When		
Date			Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
		OFFICE USE O			
Date Received: 5/5/08 Permit Num	ber:	Perm	it Date: 5/5/08 Lease Inspection: Yes 4No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.