For KCC Use:	5-13-08
Effective Date:	3 73-08
District #	<u> </u>
CCA2 Vos	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	TENT TO DRILL (5) days prior to commencing well	Ail blanks must be Filled	
Expected Spud Date: May 20 2008	Spot Description:		
month day year	NE Sec. 5 Twp. 33 S. R. 16	٦w	
31106 🗸	(GGGGG) 1,525 feet from N / S Line of Se		
PERAIOR: License#	1,325 feet from X E / W Line of Se		
Harper, Jay dba Harper Oil Co.	Is SECTION: Regular Itrregular?	ouon	
dress 1: 1599 east 5200 st.	IS SECTION. MINISTER		
dress 2:  y: Cherryvale	(Note: Locate well on the Section Plat on reverse side)		
ontact Person: Jay Harper	County: Montgomery		
one: 620-331-9738	Lease Name: Atlas Well #: B-24		
	Field Name: Brewster		
NTRACTOR: License# 5675	Is this a Prorated / Spaced Field?	No	
me: McPherson Drilling	Target Formation(s): Arbuckle		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1325		
	Ground Surface Elevation: 784 feet	MSL	
	Water well within one-quarter mile:	No,_	
Gas Storage Pool Ext. X Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	No	
Seismic; # of Holes Other	Death to bottom of tresh water: 50		
Other:	Depth to bottom of usable water: 56 /50		
	Surface Pipe by Alternate:		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20th Alternate II		
	Length of Conductor Pipe (if any):		
Operator:	Projected Total Cepth: 1330		
Well Name:Original Total Depth:	Formation at Total Depth: Arbuckle		
Original Compretion Date: Original fotal Deptil.	Water Source for Drilling Operations:		
rectional, Deviated or Horizontal wellbore?			
es, true vertical depth:	<del></del>		
·	DWR Permit #:		
ottom Hole Location:	(Note: Apply for Permit with DWR X)	71.4.2	
ottom Hole Location:		₫No	
ottom Hole Location:CC DKT #:	(Note: Apply for Permit with DWR X)  Will Cores be taken?	No	
ottom Hole Location:  CC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug	(Note: Apply for Permit with DWR W)  Will Cores be taken?	No	
ottom Hole Location:  CC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug  is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR W)  Will Cores be taken?	] No	
AFFI  is undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?	¶No	
AFFI ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?	No	
AFFI  the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a strength of the approved notice of intent to drill <i>shall be</i> posted on each of a strength of the strength of	Will Cores be taken?		
AFFI  is undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the appropriate district office will be a minimum of 20 feet into the copy of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the better the copy of the copy of the complete copy of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the better the copy of the copy	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Owner		
e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the	Will Cores be taken?		
e undersigned hereby affirms that the drilling, completion and eventual plug sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the	Will Cores be taken?	S	
e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the plugge of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of the plugge of the plug	Will Cores be taken?	S	
e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the intention of the in	Will Cores be taken?	5 33	
AFFI  the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the drill shall be posted below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be proportiate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the drill shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be parently be proportional to the drill shall be parently and the drill shall be parently	Will Cores be taken?	5 33	
AFFI  is undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of a copy of the approved notice of intent to drill shall be posted on each of the intention of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best state.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3   0   3 - 0000000000000000000000000	Will Cores be taken?	5 33	
AFFI e undersigned hereby affirms that the drilling, completion and eventual plug s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet	Will Cores be taken?  If Yes, proposed atme:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	5 33	
AFFI  the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of a copy of the approved notice of intent to drill shall be posted on each of the intention of a copy of the approved notice of intent to drill shall be posted on each of a copy of the approved notice of intent to drill shall be posted on each of a copy of the appropriate district office prior as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best of the statements and the prior of the perectage.  For KCC Use ONLY  API #15 - 125 - 31 018 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Prile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5 33	
AFFI  is undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of a copy of the approved notice of intent to drill shall be posted on each of the intention of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceived certify that the statements made herein are true and correct to the best state:  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 125 - 3   0   3 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  d or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Owner  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days)  - Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:	5 33	
AFFI  the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of a copy of the approved notice of intent to drill shall be posted on each of the intervention of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be precisely certify that the statements made herein are true and correct to the best set.  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 125 - 31 618 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Prile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	5 33 16 X <sub>E</sub>	

MAY 0 8 2008

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-125-31618-0000	
Operator: Harper, Jay dba Harper Oil Co.	Location of Well: County: Montgomery
Lease: Atlas	1,525 feet from N / S Line of Section
Well Number: B-24	1,325 feet from X E / W Line of Section
Field: Brewster	Sec. 5 Twp. 33 S. R. 16 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW - NW - SE - NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	1525	
	,325	RECEIVED KANSAS CORPORATION COMMISSION
		MAY 0 8 2008  CONSERVATION DIVISION
		WICHITA, KS EXAMPLE
		1980
 ·	 	3390'
: :		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Harper, Jay dba Harper Oil Co.			License Number: 31106	
Operator Address: 1599 east 5200	st.	Cher	ryvale,Ks. 67335	1
Contact Person: Jay Harper			Phone Number: 620-331-9738	1
Lease Name & Well No.: Atlas B-24		Pit Logation (QQQQ): NE NE SW	1	
Type of Pit:	Pit is:		WE WE SE NE	
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit ☐ Workover Pit ☐ Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date c	Existing onstructed:	Sec. 5 Twp. 33 R. 16 East West  1,525 Feet from North / South Line of Section  1,325 Feet from East / West Line of Section  Montgomery County	1
Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No	Artificial Liner?	<b></b>	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Clay	7
		pepest point:	Width (feet)  N/A: Steel Pits  No Pit  Including any special monitoring.  N/A: Steel Pits  N/A: Steel Pits  N/A: Steel Pits	
Distance to nearest water well within one-mile	of pit	Depth to shallo	MAY 0 8 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water 35 feet.  mation: JR - KGS	
2108 feet Depth of water well	/23feet	measu		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	>
Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Number of work	ul utilized in drilling/workover: king pits to be utilized: procedure: Pump out contents and fill in.	5/25/5
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	<del></del>	e closed within 365 days of spud date.	1618-
I hereby certify that the above states $\frac{5 - 6 - 08}{\text{Date}}$	ments are true and c	Sty /t	of my knowledge and belief.	5/6/2-000
Date Received: 5/8/08 Permit Numb	KCC C	OFFICE USE ON		
Date Received: 5/8/07 Permit Numb	Ar:	Dam-2	Date: 5/8/08 Lease Inspection: Yes Land	ļ