ForKCC Use:"	5-1808
Effective Date:	5 1000
District #	3
SGA? Yes	<b>∑</b> N₀

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

<u> </u>		Must be approved by KCC fi	ive (5) days prior to comme	ncing well	
Expected Spud Date:	05	17 2008	Spot Description:		
Exposico opos Dato.	month	day year		ne Sec. 13 Twp. 26	_S. R. 19   XE   W
	7160 🗸		(0000) 825		N / S Line of Section
OPERATOR: License# Name:David L. Wrestler		phin	165	feet from X	E / W Line of Section
		QIER	Is SECTION: Rec		E / Elle of Gazion
Address 1: 1776 Georgia	NO.		- 18 SECTION: PRINT	Josef Milliogoldin	
Address 2: City: Humboldt	State: ks	Zip: 66748 +		Locate well on the Section Plat on	1 reverse side)
Contact Person: David L.	Wrestler	Zip. <u>-001-40</u> +	County:		
Phone: 620-423-8795	11100201		Lease Name: Curining	nam	Well #: 7
	2 20	_		ft/chanute	
CONTRACTOR: License#.	<u> </u>				Yes No
Name: E.K. Energy LLC.			<ul> <li>Target Formation(s):</li></ul>	Cattleman	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit	boundary line (in footage): 165	; /
⊠Oil ☐ Enh F	Rec XInfield	✓ Mud Rotary	Ground Surface Eleva	tion: <u>n/a</u>	feet MSL
Gas Storag			Water well within one-	quarter mile:	Yes No
Dispo	~ <u>}</u>		Public water supply we		Yes X No
Seismic ; # c	<u> </u>		Depth to bottom of free		<del></del>
Other:		<del> </del>	Depth to bottom of usa		
	i toda o construir de es		Surface Pipe by Altern	ate: 🔲 🔀 🛚 🛴	
III OWWO: old well	information as follow	/S:	Length of Surface Pipe	e Planned to be set: 20'	
Operator:			Length of Conductor F	Pipe (if any):	
Well Name:			Projected Total Depth:		
Original Completion Da	ate: Or	riginal Total Depth:	Formation at Total Dep		<del>,</del>
			Water Source for Drillin		
Directional, Deviated or Ho		☐ Yes X No			
If Yes, true vertical depth: Bottom Hole Location:			- DWR Permit #:		<del></del>
KCC DKT #:				(Note: Apply for Permit with DWF	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>	Will Cores be taken?		Yes No
			If Yes, proposed zone:		RECEIVED
				К	ANSAS CORPORATION COMMISSIO
The undersigned bereby	offices that the drill		FFIDAVIT	nhu with M.C.A. EE at an-	
It is agreed that the follow		ling, completion and eventual p	and duild or trus men min coult	лу willi к.з.а. ээ өг. \$өд.	MAY 1 2 2008
-	•				00110
		<i>IOT</i> to soudding of Well:			CONSERVATION DIVIDION
	ate district office <i>pri</i>		sh deilling sigs		CONSERVATION DIVISION
2. A copy of the appro	oved notice of intent	t to drill <b>shall be</b> posted on eac		e too: in all cases surface pip	WICHITA, KS
A copy of the appro     The minimum amouthrough all unconsc	oved notice of intent unt of surface pipe a olidated materials pl	t to drill <b>shall be</b> posted on ead as specified below <b>shall be se</b> dus a minimum of 20 feet into the	of by circulating cement to the underlying formation.		WICHITA, KS e <b>shall be set</b>
A copy of the appro     The minimum amounthrough all unconso      If the well is dry hole	oved notice of intent unt of surface pipe a olidated materials pl le, an agreement be	t to drill <b>shall be</b> posted on eac as specified below <b>shall be se</b> flus a minimum of 20 feet into the tween the operator and the dis	of by circulating cement to the he underlying formation. strict office on plug length a	nd placement is necessary p	WICHITA, KS e <b>shall be set</b>
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis	oved notice of intent unt of surface pipe a olidated materials pl le, an agreement be strict office will be no	t to drill <b>shall be</b> posted on ead as specified below <b>shall be se</b> flus a minimum of 20 feet into the etween the operator and the dis- otified before well is either plug	of by circulating cement to the he underlying formation. strict office on plug length a gged or production casing is	nd placement is necessary proceedings	WICHITA, KS e shall be set rior to plugging;
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis     If an ALTERNATE II	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr	t to drill <b>shall be</b> posted on eac as specified below <b>shall be se</b> flus a minimum of 20 feet into the etween the operator and the dis- lotified before well is either plug roduction pipe shall be cement	of by circulating cement to the he underlying formation. strict office on plug length an agged or production casing is ted from below any usable w	nd placement is necessary proceedings of the commented in;	WICHITA, KS te shall be set  rior to plugging;  NYS of soud date.
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate Appr	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, prendix "B" - Eastern	t to drill <b>shall be</b> posted on eac as specified below <b>shall be se</b> flus a minimum of 20 feet into the etween the operator and the dis- lotified before well is either plug roduction pipe shall be cement Kansas surface casing order #	of by circulating cement to the he underlying formation. strict office on plug length ar gged or production casing is ted from below any usable w #133,891-C, which applies to	nd placement is necessary proceedings of the commented in; retart to surface within 120 DA to the KCC District 3 area, after	WICHITA, KS te shall be set  Flor to plugging;  NYS of spud date.  emate it cementing
<ol> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appropriate decompleted</li> </ol>	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr vendix "B" - Eastern I within 30 days of th	t to drill <b>shall be</b> posted on eac as specified below <b>shall be se</b> dus a minimum of 20 feet into the etween the operator and the dis- otified before well is either plug roduction pipe shall be cement Kansas surface casing order at the spud date or the well shall be	of by circulating cement to the he underlying formation. strict office on plug length algored or production casing is led from below any usable we #133,891-C, which applies to be plugged. In all cases, No	nd placement is necessary proceedings of the community of	WICHITA, KS te shall be set  Flor to plugging;  NYS of spud date.  emate it cementing
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate to completed     I hereby certify that the sta	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr sendix "B" - Eastern I within 30 days of the tatements made her	t to drill shall be posted on each as specified below shall be see all us a minimum of 20 feet into the etween the operator and the distributified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the	of by circulating cement to the he underlying formation. strict office on plug length algored or production casing is led from below any usable we #133,891-C, which applies to be plugged. In all cases, No	nd placement is necessary proceedings of the community of	WICHITA, KS te shall be set  Flor to plugging;  NYS of spud date.  emate it cementing
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate to completed     I hereby certify that the sta	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr sendix "B" - Eastern I within 30 days of the tatements made her	t to drill <b>shall be</b> posted on eac as specified below <b>shall be se</b> dus a minimum of 20 feet into the etween the operator and the dis- otified before well is either plug roduction pipe shall be cement Kansas surface casing order at the spud date or the well shall be	of by circulating cement to the he underlying formation. strict office on plug length algored or production casing is led from below any usable we #133,891-C, which applies to be plugged. In all cases, No	nd placement is necessary proceeding to comented in; vater to surface within 120 DA to the KCC District 3 area, alter DTIFY district office prior to belief.	WICHITA, KS te shall be set  Flor to plugging;  NYS of spud date.  emate it cementing
A copy of the appro     The minimum amouthrough all unconso     If the well is dry hol     The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate to completed     I hereby certify that the sta	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr sendix "B" - Eastern I within 30 days of the tatements made her	t to drill shall be posted on each as specified below shall be see all us a minimum of 20 feet into the etween the operator and the distributified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the	of by circulating cement to the he underlying formation. strict office on plug length at aged or production casing is sed from below any usable with 133,891-C, which applies to be plugged. In all cases, Not best of my knowledge and it	nd placement is necessary proceedings of the community of	WICHITA, KS the shall be set  Fror to plugging;  AYS of spud date.  The semanting any cementing.
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed I hereby certify that the standard  Date: 5-9-08  For KCC Use ONLY	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr pendix "B" - Eastern I within 30 days of the satements made her	t to drill shall be posted on each as specified below shall be selfus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	of by circulating cement to the he underlying formation. strict office on plug length at aged or production casing is sed from below any usable with 133,891-C, which applies to be plugged. In all cases, Not best of my knowledge and the semember to:	nd placement is necessary proceeding to comented in; vater to surface within 120 DA to the KCC District 3 area, alter DTIFY district office prior to belief.  Title:	WICHITA, KS the shall be set  for to plugging;  AYS of spud date.  The same is comenting any comenting.
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed I hereby certify that the standard  Date: 5-9-08  For KCC Use ONLY	oved notice of intent unt of surface pipe a olidated materials pi le, an agreement be strict office will be no Il COMPLETION, pr pendix "B" - Eastern I within 30 days of the satements made her	t to drill shall be posted on each as specified below shall be selfus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	of by circulating cement to the he underlying formation. strict office on plug length an aged or production casing is sed from below any usable with 133,891-C, which applies to be plugged. In all cases, Not best of my knowledge and the second seco	nd placement is necessary proceeding to comented in; vater to surface within 120 DA to the KCC District 3 area, alter DTIFY district office prior to belief.  Title:	WICHITA, KS we shall be set  where the plugging;  WYS of spud date.  where the properties of spud date.  where the plugging any cementing any cementing.
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to completed I hereby certify that the standard the standard of the stan	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not completely completely be not completely com	t to drill shall be posted on each as specified below shall be selected as specified below shall be selected a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	of by circulating cement to the underlying formation. strict office on plug length algored or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, No best of my knowledge and better to:  - File Drill Pit Application.	nd placement is necessary proceeding to comented in; vater to surface within 120 DA to the KCC District 3 area, alter DTIFY district office prior to belief.  Title:	WICHITA, KS the shall be set  Frior to plugging;  INS of spud date.  The shall be set  The shall be shall be set  The shall be set  The shall be sh
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15 - 001-2 Conductor pipe required	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not completely by not completely be not completely be not completely be not completely be not completely by not completely be not completely by not completely be not completely by not completel	t to drill shall be posted on each as specified below shall be sellus a minimum of 20 feet into the tween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	of by circulating cement to the underlying formation.  strict office on plug length algored or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notification.  Remember to:  File Drill Pit Application.  File acreage attribution.  Notify appropriate dis	nd placement is necessary proceeding to commented in; water to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to belief.  Title:  Title:  ACO-1 within 120 days of spurplat according to field proratistrict office 48 hours prior to work.	WICHITA, KS the shall be set  If or to plugging;  IVS of spud date.  The shall be set  IVS of spud date.  The
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15 - 001-2 Conductor pipe required Minimum surface pipe rec	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not in COMPLETION, prendix "B" - Eastern I within 30 days of the statements made her Signature of COMPLETION of COMPLET	t to drill shall be posted on each as specified below shall be selfus a minimum of 20 feet into the tween the operator and the distotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	with by circulating cement to the underlying formation.  strict office on plug length and aged or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notice best of my knowledge and the case of the Drill Pit Application.  Remember to:  File Drill Pit Application.  File acreage attribution.  Notify appropriate dis Submit plugging repo	nd placement is necessary proceeding cemented in; water to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to belief.  Title:  Title:  The ACO-1 within 120 days of spurplet according to field proratistrict office 48 hours prior to wort (CP-4) after plugging is compared to the compa	WICHITA, KS the shall be set  If or to plugging;  IVS of spud date.  The emanting any cementing any cementing.  Orill;  Id date;  In orders;  If on orders;  If or orders;  If on orders;  If on orders;  If on orders;  If orders is orders
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not ill COMPLETION, preendix "B" - Eastern I within 30 days of the statements made here.  Signature of COMPLETION, proposition of COMPLETION, preendix "B" - Eastern I within 30 days of the statements made here.  Signature of COMPLETION, proposition of COMPLETION, p	t to drill shall be posted on each as specified below shall be sellus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	pt by circulating cement to the underlying formation. strict office on plug length algored or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notibest of my knowledge and best of my knowledge.  Remember to:  File Drill Pit Application.  Notify appropriate dis Submit plugging reported to the production of the product	nd placement is necessary proceeding cemented in; cater to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to belief.  Title:  Title:  ACO-1 within 120 days of spurplat according to field prorational strict office 48 hours prior to work (CP-4) after plugging is compared before disposing or injecting	WICHITA, KS the shall be set  If or to plugging;  IVS of spud date.  The ementing any cementing any cementing.  Drill; the date; ton orders; rkover or re-entry; pleted (within 60 days); salt water.
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Approved to the completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15 - 00/-2 Conductor pipe required Minimum surface pipe rec Approved by: 1445  This authorization expire	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not in COMPLETION, propendix "B" - Eastern I within 30 days of the statements made here	t to drill shall be posted on each as specified below shall be sellus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:  Operator or Agent:  feet feet per ALT.	pt by circulating cement to the underlying formation. strict office on plug length argued or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notice best of my knowledge and the best of my kn	nd placement is necessary proceeding cemented in; water to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to belief.  Tritle:  On (form CDP-1) with Intent to En ACO-1 within 120 days of spurplet according to field proratistrict office 48 hours prior to work (CP-4) after plugging is coming to disposing or injecting ited (See: authorized expiration)	WICHITA, KS the shall be set  If or to plugging;  AYS of spud date.  The shall be set  The shall be sh
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Approved to the completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15 - 00/-2 Conductor pipe required Minimum surface pipe rec Approved by: 1445  This authorization expire	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not in COMPLETION, propendix "B" - Eastern I within 30 days of the statements made here	t to drill shall be posted on each as specified below shall be sellus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:	pt by circulating cement to the underlying formation. strict office on plug length algored or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notibest of my knowledge and best of my knowle	nd placement is necessary proceeding to cemented in; water to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to collect.  Title:	WICHITA, KS the shall be set  If or to plugging;  AYS of spud date.  The shall be set  The shall be sh
2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Approved to the completed I hereby certify that the sta  Date: 5-9-08  For KCC Use ONLY API # 15 - 00/-2 Conductor pipe required Minimum surface pipe rec Approved by: 1445  This authorization expire	oved notice of intent unt of surface pipe a olidated materials pile, an agreement be strict office will be not in COMPLETION, properties of the complete of th	t to drill shall be posted on each as specified below shall be sellus a minimum of 20 feet into the etween the operator and the disotified before well is either plug roduction pipe shall be cement. Kansas surface casing order the spud date or the well shall be rein are true and correct to the operator or Agent:  Operator or Agent:  feet feet per ALT.	pt by circulating cement to the underlying formation. strict office on plug length algored or production casing is ted from below any usable with 133,891-C, which applies to be plugged. In all cases, Notibest of my knowledge and best of my knowle	nd placement is necessary proceeding to cemented in; water to surface within 120 DA to the KCC District 3 area, after DTIFY district office prior to collect.  Title:	WICHITA, KS the shall be set  If or to plugging;  AYS of spud date.  The shall be set  The shall be sh

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ease: Cunningham	825	feet from X N	
Vell Number: 7	165	feet from 🔀 E /	W Line of Section
ield: humboldt/chanute	Sec. 13 1wp. 2	26 S. R. 19	⊠E □ W
lumber of Acres attributable to well:	Is Section: X Regu	lar or Irregular	
	If Section is Irregular, Section corner used:	ocate well from nearest	corner boundary. SW
PI (Show location of the well and shade attrib	LAT	or spaced wells.)	
(Show footage to the neares			RECEIVED
	825 FNL	KA	NECEIVED NSAS CORPORATION COMMISS
	<u> </u>		
			MAY 1 2 2008
LEASE Bas	seeling !		CONSERVATION DIVISION WICHITA, KS
	165' Neare	-FEL MSt LEASE Band	y 165'
		EXAMPLE	
80 AC	Plot		<u> </u>
			1980
		339	o' l
		· · · · · · · · · · · · · · · · · · ·	
		<u> </u>	: 1

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: David L. Wrestler a general Partnership		License Number: 7160			
Operator Address: 1776 Georgia RD.		Humboldt ks	66748		
Contact Person: David L. Wrestler		Phone Number: 620-423-8795			
Lease Name & Well No.: Cunningham 7		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>ne/4 _ se _ ne _ ne</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 13 Twp. 26 R. 19 East	West	
Settling Pit  Drilling Pit	If Existing, date constructed:		825 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		165 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	160	(bbls)	Allen	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Clay Bottom		
Pit dimensions (all but working pits):	■ 30 Length (fe	eet) 🖷 /	X Width (feet) N/A: Stee	l Pits	
	rom ground level to de	•	3 (feet) No Pit		
If the pit is lined give a brief description of the	liner	Describe proce	ures for periodic maintenance and determining		
material, thickness and installation procedure	<del>2</del> .	liner integrity, in	luding any special monitoring.		
			,		
				9	
		UNKNOWN	8		
Source of info		est fresh waterfeet.	7.0		
<u> </u>	feet	measu	d well owner electric log	KDWR 0	
Emergency, Settling and Burn Pits ONLY:		_	er and Haul-Off Pits ONLY:	$\geqslant$	
		utilized in drilling/workover: Fresh water			
!		ng pits to be utilized: 2	8		
Barrels of fluid produced daily: Abandonment		ocedure: evaporate water and back fill	O		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			CEIVED		
i hereby certify that the above state	ements are true and	correct to the best	·	RATION COMMISSIO	
, , , , , , , , , , , , , , , , , , , ,		_	MAY	1 2 2008	
5-9-08		Danie	Wutle CONSERV	ATION DIVISION	
Date		S	nature of Applicant or Agent WIC	HITA, KS	
KCC OFFICE USE OI			Y Steel Pit RFAC RFAC	s	
Date Received: 5/12/08 Permit Number:Permit		Date: 5/12/08 Lease Inspection: Yes	T/No		
				7	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202