KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002

For KCC Use: S-20-03 NOTICE OF INTEN	IT TO DRILL Form must be Typed Form must be Signed
Effective Date: Must be approved by KCC five (5) da	
District #	
SGA? Yes X No	Spot East
5 Could Date 05 15 2008	SE NW NW Sec 23 Twp 28 S.R 39 X West
Expected Spud Date 05 15 2008 month day year	1250 fact from VIN/S Line of Section
_	leet from A 1473 Line of Section
OPERATOR: License #	1250 feet from E / W X Line of Section
Name: BP AMERICA PRODUCTION COMPANY	Is SECTION X Regular Irregular?
Address: P. O. BOX 3092, RM 6.121, WL-1	(Note: Locate well on Section Plat on Reverse Side)
City/State/Zip: HOUSTON, TX 77253-3092	Cit port con
Contact Person: DEANN SMYERS	County.
Phone: (281) 366-4395	Lease realite.
CONTRACTOR: License #: 33784	Field Name: Hugoton Is this a Prorated/Spaced Field? X Yes No
CONTINOTOR Electrice II.	· · · · · · · · · · · · · · · · · · ·
Name:	Target Formation(s): Chase
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1250
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3149.22 feet MSL
Oil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile: yes x no
X Gas Storage Pool Ext. Air Rotary	Public water supply within one mile: yes x no
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor pipe required:
Well Name:	Projected Total Depth: 2960
Original Completion Date: Original Total Depth	Formation at Total Depth: Council Grove
	Water Source for Drilling Operations:
Directional, Deviated of Herizontal	Well X Farm Pond Other
If yes, true vertical depth:	DWR Permit #: will apply if needed
Bottom Hole Location	(Note: Apply for Permit with DWR)
KCC DKT # 08-CONS-139-CWLE	Will Cores Be Taken?: Yes x No
	If yes, proposed zone:
AFFI	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pluggi	ing of this well will comply with K.S.A. 55- 10 (AMSASCORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	
	MAY 1 3 2008
 Notify the appropriate district office prior to spudding of well; 	
2 A copy of the approved notice of intent to drill shall be posted on each	h drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set	by circulating coment to the top; in all cases surface pip WEN #IP beset
through all unconsolidated materials plus a minimum of 20 feet into the	trict office on plug length and placement is necessary <i>prior to plugging</i> ;
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug 	ned or production casing is cemented in:
6 If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of my	y knowledge and belief.
//).	DEVIT ANYDY CHAPP ACCION
Date: 5/06/2008 Signature of Operator or Agent:	
For KCC Use ONLY 21/210 COO	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15- API # 15-	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required feet	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required 720 feet per AlV 1	Notify appropriate district office 48 hours prior to workover or re-entry;
Approved by: 15-08	- Submit plugging report (CP-4) after plugging is completed;
This authorization expires: .57509	- Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within a months of effective date.)	- If permit has expired (See: authorized expiration date) please
1/2	check the box below and return to the address below
Spud date: Agent	Well Not Drilled - Permit Expired

Signature of Operator or Agent: _

Date: .

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 187-21126-0000	Location of Well: County:Stanton
Operator EP AMERICA PRODUCTION COMPANY	1250 feet from X N / S Line of Section
Lease Russell A	1250_ feet from E/W Line of Section
Well Number 4	Sec 23 Twp 28 S. R 39 East X West
Field Hugoton	·
Number of Acres attributable to well:640	ls Section X Regular or Irregular
QTR/QTR/QTR of acreage: SE - NW - NW	If Section is irregular, locate well from nearest corner boundary.
· ——————	Section corner used: NE SW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- The distance of the proposed drilling location from the section's south/north and east/west; and3.
- The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

BP AMERICA PRODUCTION COMPANY

2225 West Oklahoma Ulysses, KS 67880 620-356-1237

NW/4	NE/4	
	:	DATE 2-11-2008
1250'	:	WELL NAME RUSSELL A 4
건 1250' •		LOCATION STANTON 23 28S 39W COUNTY SEC TOW RAIN
		FOOTAGES & RELATIONS <u>1250'</u> F <u>N</u>
(23)	:	LATITUDE 37*36'09.23" LONGITUDE 101*33'29.76"
		ELEVATION3149.22
		DISTANCE FROM #1 HUGOTON WELL (If appl) 1867 FT.
SW/4	SE/4	DRIVING DIRECTIONS
CROPS :RRIGATED :RRIGATED :RRIGATED :RRIGATED :RRIGATED		JCT OF HIGHWAYS 160 & 25 IN ULYSSES 11 WEST ON 160 TO THE BIG BOW JCT 1 3/4 NORTH 1/4 EAST INTO
WATER WELL WITHIN 1/4 MILE		RECEIVED KANSAS CORPORATION COMMISSION
yes _ x _no		MAY 1 3 2008
PUBLIC WATER SUPPLY WITHIN 1 MILE		
yes _ <u>x</u> no		CONSERVATION DIVISION WICHITA, KS

8P AUTHORIZED REPRESENTATIVE JOE EUDEY

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division
Finney State Office Building, 130 South Market, Room 2078
Wichita, Kansas 67202

API NUMBER 15- 187-21126-0000	SUANDON
OPERATOR BP AMERICA PRODUCTION COMPANY LEASE RUSSELL A	LOCATION OF WELL: COUNTY STANTON 1250 FNL feet from south/north line of section
-	
WELL NUMBER 4 FIELD HUGOTON / CHASE	
FIELD INSCIOUT, CHARLE	SECTION 23 TWP 28S (s) RG 39W E/W
	IS SECTION X REGULAR or IRREGULAR
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE SE - NW - NW	IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used:—NENWSESW
(Show the location of the well and shade attr (Show the footage to the nearest lease or nearest common source supply well).	ributable acreage for prorated or spaced wells). unit boundary line; and show footage to the
	RECEIVED
	KANSAS CORPORATION COMMISSION
	1 2000
	MAY 1 3 2008
. 4	CONSERVATION DIVISION
/250	WICHITA, KS
	· []
	EXAMPLE
• 2	
	1980
	····
	. 10
	3390
● 3 <i>h</i>	' Γ
	. . .
	SEWARD CO.
The undersigned hereby certifies as REGU	ATORY STAFF ASSISTANT (title) for
BP AMERICA PRODUCTION COMPANY	(Co.),a duly authorized agent, that all
information shown hereon is true and correct	to the best of my knowledge and belief, that all med herein is held by production from that well to be assigned to the well upon the filing of
Sic	gnature Delinamen
-	
Subscribed and sworn to before me on this5	Way of the Comment of
	Marie Million Day Day
My Commission expires $\frac{1-11-2009}{}$	Notary Public, State of Texas

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
BP America Production Company		5952		
Operator Address:				
P. O. Box 3092, Houston, TX 772	53-3092, Room 6.1	21, WL-1		
Contact Person:			Phone Number:	
DeAnn Smyers		-	(281) 366- 4 39!	5
Lease Name & Well No.:			Pit Location (QQQQ):	
Russell A Well No. 4			- SE - NW - NW	
Type of Pit:	Pit is			
☐ Emergency Pit ☐ Burn Pit	X Proposed	Existing	Sec. <u>23</u> Twp. <u>28</u> R. <u>39</u>	East 🕱 West
Settling Pit 🕱 Drilling Pit	If existing, date cor	nstructed	1250 Feet from North/	South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity	_	1250 Feet from East/	West Line of Section
(If WP Supply API No. or Year Drilled)	3500	(bbls)	Stanton	County
Is the pit located in a Sensitive Ground Water	er Area? Yes	X No	Chloride concentration:	mg/l
		<u> </u>	(For Emergency Pits and Settling Pits, o	
Is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner	is not used?
X Yes No	Yes	X No	Sealed with Bentonite from	drilling fluid
Pit dimensions (all but working pits):	75 Leng	oth (feet)7	5 Width (feet)	N/A Steel Pits
	Depth from ground lev		nt 4 (feet)	
i in the nit is lined dive a brief describiion.	of the liner	I Describe proce	edures for periodic maintenance and	determining
If the pit is lined give a brief description material, thickness and installation procedure			edures for periodic maintenance and actualing any special monitoring. KANS	RECEIVED SAS CORPORATION COMMISSION MAY 13 2008
material, thickness and installation procedure	e.	liner integrity, ir	ncluding any special monitoring. KAN	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION
material, thickness and installation procedure Distance to nearest water well within one	e.		Actualing any special monitoring. KANS allowest fresh water	RECEIVED SAS CORPORATION COMMISSION MAY 13 2008
material, thickness and installation procedure	e. e-mile of pit	liner integrity, in	allowest fresh water /70	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS
material, thickness and installation procedure Distance to nearest water well within one	e. e-mile of pit <u>460</u> feet	Depth to sh Source of info	allowest fresh water /70	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet, WICHITA, KS
material, thickness and installation procedure Distance to nearest water well within one 3721 N/A feet Depth of water well	e. e-mile of pit <u>460</u> feet	Depth to sh. Source of information Drilling, Works	allowest fresh water /70 rmation: well owner electric	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS
material, thickness and installation procedure Distance to nearest water well within one 3721 N/A 1 feet Depth of water well	e-mile of pit <u>460</u> feet	Depth to she Source of information measure. Drilling, Worker Type of material	allowest fresh water /70 rmation: red well owner electric	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS
Distance to nearest water well within one 3721 N/A 1 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e-mile of pit <u>Yoo</u> feet	Depth to sh. Source of informeasur Drilling, Worke Type of materia	allowest fresh water /70 rmation: ed well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	e. -mile of pit	Depth to sh. Source of informeasur Drilling, Worke Type of materia Number of work	allowest fresh water /70 rmation: ed well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	e. -mile of pit	Depth to sh. Source of informeasur Drilling, Worke Type of materia Number of work	allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton king pits to be utilized 0	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	e-mile of pit 400 feet : ull spilled fluids to	Depth to she Source of informeasur Drilling, Worke Type of materia Number of work Abandonment	Allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil	RECEIVED SAS CORPORATION COMMISSIO MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A 1 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pond? I hereby certify that the above statements	e-mile of pit 400 feet : ull spilled fluids to	Depth to she Source of informeasur Drilling, Worke Type of materia Number of work Abandonment	Allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR Dite
Distance to nearest water well within one 3721 N/A 1 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pond? Yes	e-mile of pit 400 feet : ull spilled fluids to	Depth to she Source of informeasur Drilling, Worked Type of material Number of work Abandonment particular in the beserver of the beserver.	allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil st be closed within 365 days of sp t of my knowledge and belief.	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A 1 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pond? I hereby certify that the above statemes	e-mile of pit	Depth to she Source of informeasur Drilling, Worked Type of material Number of work Abandonment particular in the beserver of the beserver.	Allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: all utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR
Distance to nearest water well within one 3721 N/A 1 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pond? I hereby certify that the above statemes	e-mile of pit	Depth to she Source of informeasur Drilling, Worked Type of material Number of work Abandonment prilling pits must rect to the best Signature of the state of	allowest fresh water /7C) rmation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover Benton king pits to be utilized 0 procedure: Evaporate & Backfil st be closed within 365 days of sp t of my knowledge and belief.	RECEIVED SAS CORPORATION COMMISSION MAY 1 3 2008 CONSERVATION DIVISION feet. WICHITA, KS log KDWR