For KCC Use: Effective Date: 5 20-08 District # Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 6-12-08	Spot Description: 55' N & 30' W of
month day year	E2 - NW - SW - NW Sec. 5 Twp. 15 S. R. 31 EXW
5214	(gravara) 1,595 feet from N / S Line of Section
OPERATOR: License#	465 feet from E / X W Line of Section
Name: Land Oil & Gas company Address 1: 301 S. Market	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jay Schweikert	County.
Phone: 316-265-5611	Lease Name.
22675	Field Name:
CONTRACTOR. Electises	Is this a Prorated / Spaced Field? Wes No
Name: WW Drilling, LLC	Target Formation(s): Mississippian/Spergen
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of Grit Dodridary into (in rootage).
Oil / Enh Rec Infield Mud Rotary	Ground Danace Ecvation.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 220'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4750'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian/Spergen
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	proeiven
AFE	RECEIVED REPORTION COMMISSION
	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b	DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the top; in all cases surface pipe shall bid is the complete to the complete
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall belief. KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	ping of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bulled TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented.	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall be ISENTA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC district 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented.	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC district 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation Division y circulating cement to the top; in all cases surface pipe shall bulletta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the spud date.	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall belief. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my Rnowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation Division y circulating cement to the top; in all cases surface pipe shall bulletta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best of the spud date. Signature of Operator or Agent: 1. **Completion** Signature of Operator or Agent: 1. **Completion** Signature of Operator or Agent: 1. **Completion** Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Signature of Operator or Agent:	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall bullefut, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC district 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate: 5-13-08 Signature of Operator or Agent:	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC district 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete to the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete to the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of the spud date or the well shall be 1 hereby certified the statement of the sum of the spud date or the spud date or the well shall be 1 hereby certified the statement of the statement of the statement of the statement	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall belief. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate: 5-13-08 Signature of Operator or Agent:	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best bate: 5-13-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 063-21715 0000	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC district 3 area, alternate II cementing clugged. In all cases, NOTIFY district office prior to any cementing. st of my nowledge and belief. Characteristic Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Substitute at least tribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Substitute the service of the service
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certified the complete of the spud date or the spud date or the well shall be 1 hereby certified the complete of the spud date or the well shall be 1 hereby certified the complete of the spud date or the sp	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall bullefut, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Derations Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the production of	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall bulletent, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my nowledge and belief. Title: Derrations Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and to the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certified the spud date or the well shall be 1 hereby certified the statement of the spud date or	drilling rig; conservation Division conservation
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the production of	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Derations Engineer Title: Operations Engineer File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beta beta beta beta beta beta beta bet	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing clugged. In all cases, NOTIFY district office prior to any cementing. st of my nowledge and belief. Derations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges. 5. The appropriate district office will be notified before well is either plugges. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best between the complete of the production of the pro	ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Derations Engineer Title: Operations Engineer File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 063-217/5-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Gove
Lease: Thies Ranch	1,595 feet from N / S Line of Section
Well Number: 1-5	465 feet from E / X W Line of Section
Field: Wildcat	Sec. 5 Twp. 15 S. R. 31 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: E2 - NW - SW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas C	ompany		License Number: 5214
Operator Address: 301 S. Market			Wichita KS 67202
Contact Person: Jay Schweikert			Phone Number: 316-265-5611
Lease Name & Well No.: Thies Ran	ch 1-	-5	Pit Location (QQQQ):
Type of Pit:	Pit is:		E2 NW SW NW
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 5 Twp. 15 R. 31 East West
Settling Pit	If Existing, date or	onstructed:	1,595 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		465 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	7,100	(bbls)	Gove
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: mg/l
		-	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):1	00 Length (fe	eet)100	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	eepest point:	4 (feet) No Pit
material, thickness and installation procedure	<i>z</i> .	inter integrity, if	RECEIVED KANSAS CORPORATION COM MAY 1 4 2008
Distance to nearest water well within one-mile	e of pit	Depth to shallo	CONCERNATION BUILD
A . A	•	Source of infor	west fresh waterfeet. WICHITA, KS mation:
NA feet Depth of water well			west fresh waterfeet. WICHITA, KS mation: redwell ownerelectric logKDWR
Deput of water were	feet	Source of information measurements brilling, Worker	west fresh waterfeet. WICHITA, KS mation: red well owner electric log KDWR over and Haul-Off Pits ONLY:
Emergency, Settling and Burn Pits ONLY:	feet	Source of information measurements brilling, Worker	west fresh waterfeet. WICHITA, KS mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud
Emergency, Settling and Burn Pits ONLY:	feet	Source of information measurements Drilling, Worker Type of material Number of worker	west fresh waterfeet. WICHITA, KS mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of information measurements Drilling, Worker Type of material Number of worker	west fresh waterfeet. WICHITA, KS mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Source of information measu Drilling, Worke Type of materia Number of work Abandonment	west fresh waterfeet. WICHITA, KS mation: redwell owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite Mud king pits to be utilized: 2
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Source of information measurement. Drilling, Worker Type of material Number of work Abandonment Drill pits must be correct to the best	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 5-13-08	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment Drill pits must be correct to the best	west fresh water