For KCC Use: Effective Date: 5-21-08 District # SGA2 Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 6-18-08	Spot Description:
month day year	NE _ SW _ NE _ Sec. 18 _ Twp. 10 _ S. R. 19 _ TE XW
5214	(GOG/GOO) 1,650 feet from N / S Line of Section
OPERATOR: License#	1,650 feet from \mathbb{Z} E / Line of Section
Name: Land Oil & Gas Company Address 1: 301 S. Market	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jay Schweikert	County: Rooks Longo Names Anderson Mall # 15
Phone: 316-265-5611	Lease Name. VVeil #
CONTRACTOR: Linguist 30606	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment;	Nearest Lease or unit boundary line (in footage):
XOil ☐ Enh Rec	Ground Surface Elevation: 1556 est. 2224 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile;
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 140'
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I
TI COVACO. Old Well Information as follows,	Longer of Contact 1 por larged to 50 Set.
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4300'
Original Completion Date: Original Total Depth;	Formation at Total Depth: Arbuckle
D	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
100 DI(1 π,	Will Cores be taken?
	If Yes, proposed zone:
AEEI	DAVIT PECEIVED
	DAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION
	and of this mail mile corresponding years as at sed. Yansas corporation commission
It is agreed that the following minimum requirements will be met:	MAY 4 C 0000
Notify the appropriate district office <i>prior</i> to spudding of well;	MAY 1 6 2008
2. A copy of the approved notice of intent to drill shall be posted on each of	orilling rig; y circulating cement to the top; in all cases surface pipe stonister (FION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the	
4. If the well is dry hole, an agreement between the operator and the district	, o month, vo
5. The appropriate district office will be notified before well is either plugger	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	3,891-C, which applies to the KCC District 3 area, alternate II cementing
I hereby certify that the statements made herein are true and correct to the per-	
Date: 5-15-08 Signature of Operator or Agent:	Operations Engineer
Signature of Operator of Agent,	
	7
F 1/20 11 20111	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-23726-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15 - 163 - 23 72 6 - 0000 Conductor pipe required None feet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - //03 - 23 72 6 - COOD Conductor pipe required feet Minimum surface pipe required feet per ALT I II	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
API # 15 - //03 - 23 72 6 - 0000 Conductor pipe required	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
API # 15 - 163 - 23 72 6 - 0000 Conductor pipe required Now feet Minimum surface pipe required teet per ALT. I VII Approved by: ### 5 - 16 - 09 This authorization expires: 5 - 16 - 09	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
API # 15 - //03 - 23 72 6 - 0000 Conductor pipe required	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 163 - 23 72 6 - 0000 Conductor pipe required Now feet Minimum surface pipe required teet per ALT. I VII Approved by: 1 5 - 16 - 08 This authorization expires: 5 - 16 - 09	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23726-0000	
Operator:Lario Oil & Gas Company	Location of Well: County: Rooks
Lease: Anderson	1,650 feet from X N / S Line of Section
Well Number:15	1,650 feet from E / W Line of Section
Field: Marcotte	Sec. 18 Twp. 10 S. R. 19 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ NE _ SW _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market			Wichita KS 67202	
Contact Person: Jay Schweikert		Phone Number: 316-265-5611		
Lease Name & Well No.: Anderson 15		Pit Location (QQQQ):		
Type of Pit: Pit is:		NESWNE_		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 18 Twp. 10 R. 19 East West	
Settling Pit	If Existing, date or	onstructed:	1,650 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,650 Feet from East / West Line of Section	,
(If WP Supply API No. or Year Drilled)	7 100	(bbls)	Rooks County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):10	0 Length (fe	et) 100	Width (feet) N/A: Steel Pits	
	om ground level to de			
If the pit is lined give a brief description of the material, thickness and installation procedure.		Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIVED **ANSAS CORPORATION COM**	MISSION
		1		
			MAY 1 6 2008	
			CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile	of pit	Depth to shallo	CONSERVATION DIVISION DIVISION DIVISION DIVISION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile 4451 feet Depth of water well	-		conservation divisk west fresh water	2/ /5
	-	Source of informeasu	CONSERVATION DIVISM west fresh water 70 feet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY:	2/ /5
	102 feet	Source of informeasu	CONSERVATION DIVISION west fresh water 70 feet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:	
	102 feet	Source of informeasu Drilling, Work Type of materia Number of wor	CONSERVATION DIVISE west fresh water	15763-23
#45/ feet Depth of water well	102 feet	Source of informeasu Drilling, Work Type of materia Number of wor	conservation division west fresh water feet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:	15763-23
	102 feet	Source of informeasu Drilling, Work Type of materia Number of work Abandonment	conservation division west fresh water	15763-23
#45/ feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all stank battery allow all stank battery.	102 feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must	CONSERVATION DIVISION West fresh water	2/ /5
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above stater 5-15-08	102 feet	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must becorrect to the bes	conservation divisions west fresh water	15763-23
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above stater	102 feet	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must becorrect to the bes	CONSERVATION DIVISION West fresh water	15763-23
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above stater 5-15-08	spilled fluids to	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must becorrect to the bes	conservation division west fresh water	15763-23