| For KCC Use: | ~~ 21 <u>~0</u> 0 |
|-------------------|-------------------|
| Effective Date: _ | 5-21-08 |
| District # | _ <u></u> |
| SGA? Yes | s 🗶 No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date: May 20, 2008 month day year | Spot Description: |
|--|--|
| _ * | NW NW SW Sec. 10 Twp. 34 S. R. 18 E W |
| OPERATOR: License# | (a/a/a/a) 2,605 feet from N / X S Line of Section |
| Name: Quest Cherokee, LLC | 5,220 feet from E / W Line of Section |
| Address 1: 210 W. Park Ave., Suite 2750 | Is SECTION: Regular Irregular? |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: Oklahoma City State: OK Zip: 73102 + | County: Labette |
| Contact Person: Richard Marlin | Lease Name: Banowetz SWD Well #: 10-1 |
| Phone: 405-702-7480 | Field Name: Cherokee Basin CBM |
| CONTRACTOR: License#_ 33837 or another Licensed by KCC | , ico (talle) |
| Name: Will advise on the ACO-1 | Is this a Prorated / Spaced Field? Target Formation(s): **Cherokee Coals** Arbuckle** Yes X No |
| Ivame. | Alarment I accompany to the second se |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 35 (SWD) |
| Oil Enh Rec XInfield Mud Rotary | Ground Surface Elevation: 812 feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: 100 |
| Other: | Depth to bottom of usable water: 100 |
| The Charleton and wall information on follows: | Surface Pipe by Alternate: III III |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 |
| Operator: | Length of Conductor Pipe (if any): |
| 77011762770 | Projected Total Depth: 1600 |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Cheroke Coals Arbuille |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: Well Farm Pond Other: Air |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? |
| | If Yes, proposed zone: |
| | RECEIVED |
| ΔFF | IDAVIT KANSAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plug | |
| It is agreed that the following minimum requirements will be met: | MAY 1 5 2008 |
| Notify the appropriate district office <i>prior</i> to spudding of well; | • |
| 2. A copy of the approved notice of intent to drill shall be posted on each | drilling rig; CONSERVATION DIVISION |
| 3. The minimum amount of surface pipe as specified below shall be set b | by circulating cement to the top; in all cases surface pipe shall be set CHITA, KS |
| through all unconsolidated materials plus a minimum of 20 feet into the | underlying formation. |
| 4. If the well is dry hole, an agreement between the operator and the distr | ict office on plug length and placement is necessary prior to plugging; |
| 5. The appropriate district office will be notified before well is either plugge | ed or production casing is comented in; |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented | 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| must be completed within 30 days of the spud date or the well shall be | plunged. In all cases, NOTIFY district office prior to any cementing. |
| I hereby certify that the statements made herein are true and correct to the be | |
| a_{ℓ} | \ m\lambda \ // \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| Date: May 14, 2008 Signature of Operator or Agent: | Martin Title: Vice President |
| Date: | - / |
| For KCC Use ONLY | Remember to: |
| 000-24//2/6-2222 | |
| | - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 1 11 ' | - File Completion Form ACO-1 within 120 days of spud date: |
| Conductor pipe required | - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration orders; |
| 20 | File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| Minimum surface pipe required 20 feet per ALT. | - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration orders; |
| Minimum surface pipe required 20 feet per ALT. | File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| Minimum surface pipe required 20 feet per ALT. I III Approved by: 1408 This authorization expires: 5-16-09 | File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. |
| Minimum surface pipe required 20 feet per ALT. | File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| Minimum surface pipe required 20 feet per ALT. I III Approved by: 1408 This authorization expires: 5-16-09 | File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 099-24426-0000 | | |
|---------------------------------------|--|--|
| Operator: Quest Cherokee, LLC | Location of Well: County: Labette | |
| Lease: Banowetz SWD | 2,605 feet from N / X S Line of Section | |
| Well Number: 10-1 | 5,220 feet from X E / W Line of Section | |
| Field: Cherokee Basin CBM | Sec. 10 Twp. 34 S. R. 18 X E W | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | |
| QTR/QTR/QTR of acreage: NW _ NW _ SW | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee, LLC | | | License Number: 33344 | | |
|--|--------------------------------|---|---|--|--|
| Operator Address: 210 W. Park Ave., Suite 2750 | | | Oklahoma City OK 73102 | | |
| Contact Person: Richard Marlin | | | Phone Number: 405-702-7480 | | |
| Lease Name & Well No.: Banowetz SWD 10-1 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>NW _ NW _ SW</u> | | |
| Emergency Pit Burn Pit | Proposed | Existing | Sec. 10 Twp. 34 R. 18 East West | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 2,605 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 5,220 Feet from East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | 300 | (bbls) | Labette County | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l | | |
| | | | (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No | Artificial Liner? Yes No | | How is the pit lined if a plastic liner is not used? Air Drifling Well | | |
| Pit dimensions (all but working pits): | i0 Longth (fo | 10 | | | |
| | om ground level to de | | 40 | | |
| If the pit is lined give a brief description of the | | | edures for periodic maintenance and determining | | |
| material, thickness and installation procedure | | | ncluding any special monitoring. | | |
| I | | | ng air drilled with operations lasting approx. | | |
| 3 days | | 3 days | | | |
| | | | | | |
| Distance to nearest water well within one-mile of pit | | Depth to shallowest fresh waterfeet. Source of information: | | | |
| NA feet Depth of water wellfeet | | measured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of materia | Type of material utilized in drilling/workover: Air Drilled | | |
| Number of producing wells on lease: | | Number of working pits to be utilized:1 | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Air Dry, Back fill and cover. | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | |
| RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS | | | | | |
| $\mathcal{L}_{1} = \mathcal{L}_{2} = \mathcal{L}_{2} = \mathcal{L}_{3} $ | | | | | |
| May 14, 2008 | | | | | |
| Date / Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS | | | | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | | |
| Date Received: 5/15/08 Permit Num | ber: | Permi | it Date: 5/15/08 Lease Inspection: Yes No | | |



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133.891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.