For KCC Use: Effective Date: SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 6-21-08	Spot Description: Appx
month day year 7076	NE SE SW Sec. 15 Twp. 9 S. R. 22 EXW (a/a/a/a) 910 feet from N / X S. Line of Section
OPERATOR: License# Name: Black Diamond Oil, Inc.	2,280 feet from E / W Line of Section
Address 1: P.O. Box 641	Is SECTION: Regular Irregular?
Address 2:	
City: Hays State: KS Zip: 67601 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Vehige	County: Graham
Phone: 785-625-5891	Lease Name: Jimeson Well #: 1
	Field Name: Wildcat
CONTRACTOR: License# 33575 /	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 360'
⊠Oil • ☐ Enh Rec ☐ Infield ☑ Mud Rotary •	Ground Surface Elevation: 2335 Est feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal X Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: _4000 <
Original Completion Date: Original Total Depth:	Formation at Total Depth: _Arbuckle <
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	MAY 1 9 2008
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set A, No
through all unconsolidated materials plus a minimum of 20 feet into the	
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge 	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the be	est of my knowledge and belief.
	Contract of the contract of th
Date: 5-18-08 Signature of Operator or Agent:	
	mile: president
For KCC Use ONLY	
	**Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
API # 15 - 065 - 23435 - 00 - 00	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required None feet	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CR 4) after plugging is completed (within 60 days):
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required Nonz feet Minimum surface pipe required 200 feet per ALT. I XIII Approved by: 56 5-19-08	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required Nonz feet Minimum surface pipe required 200 feet per ALT. I	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required Nonz feet Minimum surface pipe required 200 feet per ALT. I XIII Approved by: 5 - 19 - 08	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 065 - 23435 - 00 - 00 Conductor pipe required Nonz feet Minimum surface pipe required 200 feet per ALT. I XIII Approved by: 56 5-19-08 This authorization expires: 5-19-09	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065 - 23935 - 00-00	
Operator: Black Diamond Oil, Inc.	Location of Well: County: Graham
Lease: Jimeson	910 feet from N / X S Line of Section
Well Number: 1	2,280 feet from E / W Line of Section
Field: Wildcat	Sec. 15 Twp. 9 S. R. 22 E W
Number of Acres attributable to well: 10 QTR/QTR/QTR of acreage: NE _ SE _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	 		 ,,,,,,,,,,	
		15		
 2280	 •		 ,	
	910			

RECEIVED KANSAS CORPORATION COMMISSION

MAY 1 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Form CDP-1 April 2004

Form must be Typed

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Black Diamond Oil	, Inc.		License Number: 7076			
Operator Address: P.O. Box 641 H	lays, KS 676	601				
Contact Person: Kenneth Vehige			Phone Number: (785) 625 - 5891			
Lease Name & Well No.: Jimeson			Pit Location (QQQQ):			
Type of Pit:	Pit is:		C NE SE SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 15 Twp. 9 R. 22 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		910 Feet from North / ✓ South Line of Section Peet from East / ✓ West Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:					
	1000	(bbls)	Graham County			
Is the pit located in a Sensitive Ground Water	Area? Yes	Z No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes 🗸	No	Native Soil			
Pit dimensions (all but working pits):	55 Length (f	eet) 65	Width (feet) N/A: Steel Pits			
	om ground level to d	_	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	dures for periodic maintenance and determiningRECEIVED notuding any special monitoring.			
		mier megryy, n	MAY 1 9 2008 CONSERVATION DIVISION			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	MAY 1 9 2008 CONSERVATION DIVISION WICHITA KS			
Distance to nearest water well within one-mile		Depth to shallo Source of infor	MAY 1 9 2008 CONSERVATION DIVISION WICHITA KS			
	80 feet	Depth to shallo Source of infor measu	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water			
579 feet Depth of water well	80 feet	Depth to shallo Source of infor measu Drilling, Worke	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water			
	80feet	Depth to shallo Source of informassu Drilling, Worke Type of material	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log			
	80_feet	Depth to shallo Source of informassu Drilling, Worke Type of materia Number of work	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log			
	80feet	Depth to shallo Source of information measured Drilling, Worke Type of material Number of work Abandonment	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	80 feet	Depth to shallo Source of informassu Drilling, Worke Type of material Number of work Abandonment prill pits must be	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	80 feet	Depth to shallo Source of information measured Drilling, Worked Type of material Number of work Abandonment purill pits must be correct to the best	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: red well owner electric log			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Depth to shallo Source of information measured Drilling, Worked Type of material Number of work Abandonment purill pits must be correct to the best	MAY 1 9 2008 CONSERVATION DIVISION WICHITA, KS west fresh water			