For KCC Use: 59408 Effective Date: 59408 District # 3860

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	NE - NE - NE - SE Sec. 27 Twp. 17 S. R. 22 XE W
OPERATOR: License# 32116	(a/a/a/a) 2,475 feet from N / X S Line of Section
Name: R.T. Enterprises of Kansas, Inc.	165 feet from E / W Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Louisburg State: KS Zip: 66053 +	County: Miami
Contact Person: Lori Driskell	Lease Name: Terbrock Well #: 1
Phone: 913-406-4236	Field Name: Paola-Rantoul
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel
Mall Dallad Form (Mall Observe Time Foreign and	Nearest Lease or unit boundary line (in footage): 165'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
⊠Oil Enh Rec ⊠Infield ☐ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic ; # of HolesOther	Depth to bottom of usable water: 200
Other:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 211
_	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth:700'
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Cher:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
KCC DKT #;	Will Cores be taken? Yes No
	Will Cores be taken? If Yes, proposed zone: RECEIVED
AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; y circulating cement to the top; in all cases surface pipe SNALLING SECTION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; y circulating cement to the top; in all cases surface pipe SNATHER, sec. underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall the section of the control of the contr
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall-the set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 CONSERVATION DIVISION In originally graphing to the top; in all cases surface pipe shall have seed underlying formation. In original comply and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If Yes No RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes No RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed zone: AND RECEIVED KANSAS CORPORATION COMMISSION If Yes, proposed
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall him yes underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall him yes underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall-line, set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe swall-bra, sec underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 5/13/08 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shift—the set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful to the complete of the complete of the spud date or Agent: Signature of Operator or Agent: **Ear KCC Use ONLY**	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall the set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 5/13/08 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall-the set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall-line, set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the statements of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28559 - 0000000000000000000000000000000000	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall-the set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the complete to the statements of the operator of the complete to the statements. For KCC Use ONLY API #15 - 121 - 28559 - 0000000000000000000000000000000000	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 CONSERVATION DIVISION Y circulating cement to the top; in all cases surface pipe shalf-trages underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the statements of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28559 - 0000000000000000000000000000000000	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shift-the set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the co	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Riging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe swift has set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of the complete of the spud date or the well shall be conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION If Yes are a surface pipe shift to provide the set of production casing is cemented in; If or production casing is cemented in; If this permit plus a provide district office prior to any cementing plugged. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Printed - Parmit Expired - Date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or Agent: For KCC Use ONLY API # 15 - 121 - 28589 - OOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION In y circulating cement to the top; in all cases surface pipe shwithing set underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Bay,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the co	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe swall-traged underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 12

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28589-0000	
Operator: R.T. Enterprises of Kansas, Inc.	Location of Well: County: Miami
Lease: Terbrock	2,475 feet from N / X S Line of Section
Well Number: 1	165 feet from X E / W Line of Section
Field: Paola-Rantoul	Sec. <u>27</u> Twp. <u>17</u> S. R. <u>22</u> $\overline{\mathbb{X}}$ E $\overline{\mathbb{X}}$ W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NE - NE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

MAY 1 6 2008

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: R.T. Enterprises of Kansas, Inc.		License Number: 32116	
Operator Address: 1207 N. 1st Street East		Louisburg KS 66053	
Contact Person: Lori Driskell		Phone Number: 913-406-4236	
Lease Name & Well No.: Terbrock 1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE NE SE
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 17 R. 22 East West
Settling Pit Drilling Pit	If Existing, date constructed:		2,475 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		165 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled)	100	(bbls)	Miami County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes X		Pits not lines unless not holding fluid
Pit dimensions (all but working pits): 8 Length (feet) 12 Width (feet) N/A: Steel Pits			
Depth f	rom ground level to de		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe proced liner integrity, inc.		edures for periodic maintenance and determining including any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.	
 		ured well owner electric log KDWR	
			kover and Haul-Off Pits ONLY:
Producing Formation: Type of mate		ial utilized in drilling/workover: Fresh Water	
Number of producing wells on lease: Number of w		t procedure: Pits filled as soon as well is completed	
Daniel of male pro-		t procedure: Fits linea as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		t be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
5/13/08		$ \mathcal{O}$	Signature of Applicant or Agent
Date Total Proc			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 5/16/08 Permit No	ımber:	Per	mit Date: 5/15/08 Lease Inspection: Yes No