# For KCC Use: Effective Date: 5-24-0P District # Type The

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description: N/2 of SE/4
month day year	SW - NE - NE - SE Sec. 27 Twp. 17 S. R. 22 XE W
ODERATOR: Harrast 32116 /	(a/a/a/a) 2,145 feet from N / X S Line of Section
OPERATOR: License#	495 feet from E / W Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?
Address 2:	<del>-</del> · - ·
City: Louisburg State: KS Zip: 66053 +	( <b>Note</b> : Locate well on the Section Plat on reverse side)  County: Miami
Contact Person: Lori Driskell	County: Terbrock 7
Phone: 913-406-4236	Lease Name: Terbrock Well #: 7
33715	Field Name: Paola-Rantoul
CONTRACTOR: License#_ 33715  Name: _Town Oilfield Service, Inc.	Is this a Prorated / Spaced Field? Yes No
Name: Town Smod Sorviso, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165'
Oil Enh Rec   Infield   Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 200
_	Surface Pipe by Afternate: I X II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 21'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond XOther:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:
	Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  MAY 1 6 2008  drilling rig; by circulating cement to the top; in all cases surface pipe STATIVATION DIVISION WICHITA, KS underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken?  If Yes, proposed zone:    Composed zone:   Composed zone:   RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  MAY 1 6 2008  drilling rig; by circulating cement to the top; in all cases surface pipe Shariff and DIVISION widerlying formation.  WiCHITA, KS with the properties of production casing is cemented in; let of production casing is cemented in; let from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:  5/13/08  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  MAY 1 6 2008  drilling rig; by circulating cement to the top; in all cases surface pipe Shariff and DIVISION widerlying formation.  WiCHITA, KS with the properties of production casing is cemented in; let of production casing is cemented in; let from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the surface of the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or Agent:  5/13/08  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:    Paging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:  5/13/08  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  MAY 1 6 2008  drilling rig; by circulating cement to the top; in all cases surface pipe shaff various DIVISION WICHITA, KS underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:    Date: 5/13/08   Signature of Operator or Agent:   Signature	Will Cores be taken?  If Yes, proposed zone:    Paging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be ceremented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be been been shall be completed. Signature of Operator or Agent:    Date: 5/13/08   Signature of Operator or Agent:   Signature of Operator or Agent   Signature of Operator   Signature of Op	Will Cores be taken?  If Yes, proposed zone:    Percent
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be be a completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 121 - 285 95 - 0000  Conductor pipe required 1910 feet per ALT. 11 1910	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  MAY 1 6 2008  drilling rig;  by circulating cement to the top; in all cases surface pipe Shafi Value of DIVISION WICHITA, KS underlying formation.  Interpretation of the complete of the compl
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be ceremented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be been been shall be completed. Signature of Operator or Agent:    Date: 5/13/08   Signature of Operator or Agent:   Signature of Operator or Agent   Signature of Operator   Signature of Op	Will Cores be taken?  If Yes, proposed zone:    Percent
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and correct to the because of the spud state.  For KCC Use ONLY  API # 15 - 121 - 28595 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be be a completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and correct to the best of the spud state.  For KCC Use ONLY  API # 15 - 121 - 285 95 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and correct to the because of the spud state.  For KCC Use ONLY  API # 15 - 121 - 28595 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:    Percent


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28595-000	
Operator: R.T. Enterprises of Kansas, Inc.	Location of Well; County: Miami
Lease: Terbrock  Well Number: 7  Field: Paola-Rantoul	2,145       feet from [N / X] S Line of Section         495       feet from [X] E / [W] W Line of Section         Sec. 27       Twp. 17       S. R. 22       X E [W] W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: _SWNE SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## RECEIVED KANSAS CORPORATION COMMISSION

MAY 1 6 2008

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: R.T. Enterprises of Kansas, Inc.		License Number: 32116		
Operator Address: 1207 N. 1st Street East			Louisburg KS 66053	
Contact Person: Lori Driskell			Phone Number: 913-406-4236	
Lease Name & Well No.: Terbrock	7		Pit Logation (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit	Pit is:	<del></del> _	SW NE NE SE  Sec. 27 Twp. 17 R 22 East West  2,145 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)		
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner? Yes XI	No	How is the pit lined if a plastic liner is not used? Pits not lines unless not holding fluid	
Pit dimensions (all but working pits): 8 Length (feet) 12 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 5 (feet) No Pit				
material, thickness and installation procedur			Including any special monitoring.	
Source of in		Source of info	owest fresh waterfeet.  ormation:  uredwell owner electric logKDWR	
			kover and Haul-Off Pits ONLY:	
Line golloy, Colling and Line golloy			ial utilized in drilling/workover: Fresh Water	
		orking pits to be utilized: 2		
Number of producing wells on lease: Number of fluid produced daily: Abance		Abandonmen	procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu		Drill pits mus	be closed within 365 days of spud date.	
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief.  5/13/08  Date  Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: ≤/16/08 Permit Nu	mber:	Per	mit Date: 5/14/08 Lease Inspection: Yes 4No	