## For KCC Use: Effective Date: District #

## KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot Description:
Expected Spud Date: May 28, 2008 month day year	
33365	(0000) - SE - SE Sec. 34 Twp. 31 S. R. 16 XE W
OPERATOR: License#	feet from N / X S Line of Section
Name: Layne Energy Operating, LLC	646 feet from E / W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 20	Ounty: Montgomery
Contact Person: Timothy H. Wright	Lease Name: Eldson Well #: 16-34
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License#33606	
Name: Thornton Air	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment	Nearest Lease or unit boundary line (in footage): 507'
Oil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 899 feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water: 156 206
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Projected Total Booth: 1200'
Well Name:Original Total Depth:Original Total Depth:	
Original Completion Date: Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Water source to Drilling Operations.  Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
KCC DKT #:	
	Will colled be taken:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and ex-	NANSAS COPPODATION -
	control plugging of this well will comply with K.S.A. 55 at sec.
	75
It is agreed that the following minimum requirements will be met:	75
Notify the appropriate district office <i>prior</i> to spudding of well	MAY 24 2008
Notify the appropriate district office <i>prior</i> to spudding of well	MAY 24 2008
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> poste</li> <li>The minimum amount of surface pipe as specified below <i>sh</i></li> </ol>	MAY 24 2008  Id on each drilling rig:  CONSERVATION DIVISION  CONSERVATION DIVISION  CONSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> poste</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f</li> </ol>	MAY 24 2008  In all the set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> poste</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator and</li> </ol>	MAY 24 2008  Indicate the difference of the diff
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> poste</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> </ol>	MAY 24 2008  Indicate the construction of the construction of the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posts</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be</li> </ol>	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the formation.  In the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; is commented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> poste</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the formation.  In the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> postes</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 feet.</li> <li>If the well is dry hole, an agreement between the operator are</li> <li>The appropriate district office will be notified before well is eet.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well.</li> </ol>	MAY 24 2008  CONSERVATION DIVISION all be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  Indeed the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> postes</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 feet.</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is eet.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corrections.</li> </ol>	MAY 24 2008  and on each drilling rig:  CONSERVATION DIVISION  and be set by circulating cement to the top; in all cases surface pipe within a set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date.  The gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  The control of the best of my knowledge and belief.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> postes</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corrections.</li> </ol>	MAY 24 2008  CONSERVATION DIVISION all be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  Indeed the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> postes</li> <li>The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 ft</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corrections.</li> </ol>	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; in the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  In the best of my knowledge and belief.
Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the complete of the spud date of the spud date.  May 21, 2008  Signature of Operator or Agents.	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; are cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing let shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Agent  Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the complete of the spud state of the spud sta	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the post of my knowledge and belief.  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 ft. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the complete statements and the product of Agents.</li> <li>May 21, 2008 Signature of Operator or Agents.</li> </ol>	MAY 24 2008  and on each drilling rig:  CONSERVATION DIVISION  and be set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;  the cemented from below any usable water to surface within 120 DAYS of spud date.  The gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  The completion form CDP-1) with Intent to Drill;  File Completion Form ACQ-1 within 120 days of sould date:
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the complete of the spud state of the spud sta	MAY 24 2008  In all be set by circulating cement to the top; in all cases surface pipe with the set into the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; are cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the surface of the spud statements.  May 21, 2008  Signature of Operator or Agents 15 - 125 - 31440 - 00 - 00 Conductor pipe required 16 of the spud statements.	MAY 24 2008  In ad on each drilling rig:  CONSERVATION DIVISION  Conservation
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the surface of the spud date or the well is a completed.    May 21, 2008   Signature of Operator or Agents	MAY 24 2008  In ad on each drilling rig:  CONSERVATION DIVISION  Conservation  Conservat
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 ft. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corresponding.    National Complete Complete Conductor pipe required   1/25 - 3/240 - 00 - 00	MAY 24 2008  In do ne each drilling rig:  CONSERVATION DIVISION  Bet into the underlying formation.  Indeed the district office on plug length and placement is necessary prior to plugging;  If the plugged or production casing is cemented in;  If cemented from below any usable water to surface within 120 DAYS of spud date.  If g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  If the best of my knowledge and belief.  Agent  Title:  Agent  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud state of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the sp	MAY 24 2008  and on each drilling rig:  CONSERVATION DIVISION  and be set by circulating cement to the top; in all cases surface pipe and the property of the underlying formation.  Indicate the underlying formation of the district office on plug length and placement is necessary prior to plugging;  Inter plugged or production casing is cemented in;  In ecemented from below any usable water to surface within 120 DAYS of spud date.  In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the prior to the best of my knowledge and belief.  Agent  Title:  Agent  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and correspond to the surface of th	MAY 24 2008  and on each drilling rig:  CONSERVATION DIVISION  and be set by circulating cement to the top; in all cases surface pipe when he will be set into the underlying formation.  Indithe district office on plug length and placement is necessary prior to plugging;  Inter plugged or production casing is cemented in;  In ecemented from below any usable water to surface within 120 DAYS of spud date.  If you can all cases, NOTIFY district office prior to any cementing.  In all cases, NOTIFY district office prior to any cementing.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud state of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date of the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certify that the statements made herein are true and corresponding to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the well hereby certified to the spud date or the sp	MAY 24 2008  and on each drilling rig:  CONSERVATION DIVISION  and be set by circulating cement to the top; in all cases surface pipe and the property of the underlying formation.  Indicate the underlying formation of the district office on plug length and placement is necessary prior to plugging;  Inter plugged or production casing is cemented in;  In ecemented from below any usable water to surface within 120 DAYS of spud date.  In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the prior to the best of my knowledge and belief.  Agent  Title:  Agent  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31640 - 00 - 00	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Eidson	793 feet from N / X S Line of Section
Well Number: 16-34	646 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 34 Twp. 31 S. R. 16 🔀 E 🗌 W
Number of Acres attributable to well:	is Section: X Regular or Irregular
QTR/QTR/QTR of acreage: SE . SE	2
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	.,	 				
			••••	<b></b> .		
	: :					
<b>1</b>						
		 				646
				•	193	

RECEIVED
KANSAS CORPORATION COMMISSION
23

MAY 24 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee	Mission Par	Mission Woods KS 66205			
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960		
Lease Name & Well No.: Eidson	16-34		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE_SE_SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 31 R. 16 East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		793 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		646 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery		
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l		
		<u>-</u>	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  self-sealing		
Pit dimensions (all but working pits):	Length (fe	et) 20	Width (feet) N/A: Steel Pits		
	om ground level to de	epest point:	3 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		l '	edures for periodic maintenance and determining ncluding any special monitoring.		
			Depth to shallowest fresh waterfeet. Source of information:		
none feet Depth of water wellfeet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of ma			pe of material utilized in drilling/workover: fresh water mud		
1			f working pits to be utilized: 2		
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes  No		Abandonment procedure: Let evaporate until dry, then backfill and restore			
		Drill pits must be closed within 365 days of spud date.			
RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION.					
$\frac{1}{12} \frac{1}{12} \frac$					
May 21, 2008 Date		g /ls	ignature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 5/23/08 Permit Number: Permit Date: 5/23/08 Lease Inspection: Yes KNo					