For KCC Use: Effective Date: District # SGA2 Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Sould Date: May 26, 2008	Spot Description: 115' South & 105' West of
Expected Spud Date: May 20, 2000 month day year	
34110 <	C SW SW SW Sec. 20 Twp. 17 S. R. 13 E W W
OPERATOR: License#	feet from N / S Line of Section State
Address 1: P.O. Box 1378	Is SECTION: Regular Irregular?
Address 2:	
City: Hays State: KS Zip: 67601 +	(Note: Locate well on the Section Plat on reverse side) County: Barton
Contact Person: Brian Karlin	Lease Name: Lacey Well #: 3-20
Phone: 785-623-3290	Field Name: Holsington Southwest
CONTRACTOR: License#5142	Is this a Prorated / Spaced Field?
Name: Sterling Dritting Company	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 545'FSL
	Ground Surface Elevation: 1911' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 200'
Other:	Depth to bottom of usable water: 380'
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI III
	Length of Surface Pipe Planned to be set: +/- 925'
Operator:	Length of Conductor Pipe (if any): none Projected Total Depth: 3550'
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle /
Original Completion Date Original lotal Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #;
Bottom Hole Location:	(Note: Apply for Permit with DWR)
	· · · · · · · · · · · · · · · · · · ·
KCC DKT #:	Will Cores be taken?
KCC DKT #:	
	Will Cores be taken?
AFFI	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. #ANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. #GANSAS CORPORATION COMMISSION MAY 2 2 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. #GANSAS CORPORATION COMMISSION MAY 2 2 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. #ANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; y circulating cement to the top; in all cases surface properties of the
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SCANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; y circulating cement to the top; in all cases surface provided by the comply is not underlying formation. WICHITA, KS ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 Idrilling rig; In y circulating cement to the top; in all cases surface proposition with the top of the
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 Idrilling rig; In the comply with the control of the con
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and the stan	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface proposed propos
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the best of the statements.	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If you circulating cement to the top; in all cases surface production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. If yes No No Notice In the Interview No. Not Interview No.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the beside.	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SCANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If you circulating cement to the top; in all cases surface provided and provided in the confliction of t
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the standard	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 Idrilling rig; In y circulating cement to the top; in all cases surface proposed prior to plugging; In or production casing is cemented in; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases s
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be appropriate of surface pipe as specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface and the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface provide the property of the plugging; In the complete of the complete
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements of the operator of Agent: Date: 5-20-2008	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SCANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If you circulating cement to the top; in all cases surface production with the top in all cases surface production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS,891-C, which applies to the KCC District 3 area, alternate II cementing obugged. In all cases, NOTIFY district office prior to any cementing. It is to fine brill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud state of the spud date or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state or the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface provided and provided and placement is necessary prior to plugging; If y circulating cement to the top; in all cases surface provided and placement is necessary prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging to
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements of the price of the statement of the placed by the placed by the statement of the placed by the plac	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SCANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If you circulating cement to the top; in all cases surface provided to the complete of the comp
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud state of the spud date or the well shall be placed by the spud state of the spud state or the well shall be placed by the spud state or the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface provided and provided and placement is necessary prior to plugging; If y circulating cement to the top; in all cases surface provided and placement is necessary prior to plugging; If y circulating cement to the top; in all cases surface provided and placement is necessary prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating cement to the top; in all cases surface prior to plugging; If y circulating rig;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge in a hard state of the state of the well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the product of the placed by the statement of the placed by the placed by the statement of the placed by the statement of the placed by the placed b	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SCANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If you circulating cement to the top; in all cases surface provided to the complete of the comp
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION MAY 2 2 2008 drilling rig; If y circulating cement to the top; in all cases surface proposed propos
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge in a hard state of the state of the well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the product of the placed by the statement of the placed by the placed by the statement of the placed by the statement of the placed by the placed b	If Yes, proposed zone: PAVIT RECEIVED

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 25213 - 00 - 00 Operator: Teton North America LLC	Location of Well: County: Barton
Lease: Lacey Well Number: 3-20	545 feet from N / N S Line of Section 555 feet from E / W Line of Section
Field: Hoisington Southwest	Sec. 20 Twp. 17 S. R. 13 E X W
Number of Acres attributable to well:	is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

20	E	BARTON	/					
		:	:	:		:	:	: : :
		: :	: :	: :		:	: :	: : :
						:	:	
		· • • •				:	:	· • •
		 :	: :			· E	·	:
		<u>:</u>	: : :	2	l Λ	:		
558) 			
553		•••••						••••••
555		******		********				
	555							
545'		545'						

RECEIVED KANSAS CORPORATION COMMISSION

MAY 2 2 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Teton North America LLC		License Number: 34110				
Operator Address: P.O. Box 1378			Hays KS 67601			
Contact Person: Brian Karlin			Phone Number: 785-623-3290			
Lease Name & Well No.: Lacey	3-2	20	Pit Location (QQQQ):			
Type of Pit:	Pit is:		app. C SW SW			
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed Existing If Existing, date constructed: Pit capacity: 3,000 (bbls)		Sec. 20 Twp. 17 R. 13 East West 545 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Lined with soil and drilling mud.			
Pit dimensions (all but working pits):						
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.			
Source of infor						
Emergency, Settling and Burn Pits ONLY: Drilling, Work		red well owner electric log KDWR over and Haul-Off Pits ONLY:				
		1	al utilized in drilling/workover: drilling mud.			
		king pits to be utilized: 3				
Barrels of fluid produced daily: Abandonment		procedure: Allow liquid to evaporate. Let the				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must t	cuttings dry and then backfill.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
5-20-2008 Date Signature of Applicant or Agent MAY 2 2 2008 CONSERVATION DAVISION WICHTA, KS						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: <u> </u>	per:	Permi	t Date: 5/32/05 Lease Inspection: Yes No			