# For KCC Use: Effective Date: 5-28-08 District # 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:	
month day year	<u>SE</u> <u>SE</u> <u>Sec. 32</u> Twp. <u>29</u> S	R 14 ⊠E∏w
33365 /	(aaraa) 601 feet from N	
OPERATOR: License#	reet nom	
Name: Layro Energy Operating, EEO	teet from $\sum E$	W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: 🔀 Regular 🔲 Irregular?	
Address 2:	(Note: Locate well on the Section Plat on rev	rerse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Wilson	oroc didey
Contact Person: Timothy H. Wright	Lease Name: Shire	Well #: 16-32
Phone: 913-748-3960	Field Name: Cherokee Basin Coal	_ vveii #:
33606		
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	Yes X No ⁻
Name: Thomton Air	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 604'	
	Ground Surface Elevation: 974	feet MSL
	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic ; # of Holes Other		
Other:	Depth to bottom of usable water: 200'	
THE COMMAND AND SECTION OF THE PROPERTY OF THE	Surface Pipe by Alternate: I I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 1500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
Original Policy Dato:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
If Yes, true vertical depth:	<del></del>	
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR	1,
KCC DKT #:		<i>-</i>
	Will Cores be taken?	Yes No
	If Yes, proposed zone:	······································
	R	ECEIVED
AFFI	DAVIT KANSAS COR	PORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	COMMISSION
		~ 2
It is agreed that the following minimum requirements will be met:	MAN	23 24 2000
· ·	MAY	24 2008
Notify the appropriate district office <i>prior</i> to spudding of well;		24 2008
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> </ol>	drilling rig; CONSER	2 4 2008
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by</li> </ol>	crilling rig; y circulating cement to the top; in all cases surface pipe w	2 4 2008
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> </ol>	conservation conservation conservation conservations of the top; in all cases surface pipe with construction.	24 2008 WATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	crilling rig;  y circulating cement to the top; in all cases surface pipe with underlying formation.  ct office on plug length and placement is necessary prior	24 2008 WATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAYS	VATION DIVISION to plugging; of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the electric structure.</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipely underlying formation. ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternation	VATION DIVISION to plugging; of spud date. It ell cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipely underlying formation. ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternation	VATION DIVISION to plugging; of spud date. It ell cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the electric structure.</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe wounderlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the cases, NOTIFY district office prior to any	VATION DIVISION to plugging; of spud date. It ell cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of</li></ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe of underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in;  from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the prior to any set of my knowledge and belief.	VATION DIVISION to plugging; of spud date. It ell cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the</li></ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe wounderlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the cases, NOTIFY district office prior to any	VATION DIVISION to plugging; of spud date. It ell cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the approved all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the product of the shall be put that the statements made herein are true and correct to the best May 21, 2008.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the company of the	VATION DIVISION to plugging; of spud date. at ell cementing cementing.
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the prior to any st of my knowledge and belief.  Agent  Reprepare to:	VATION DIVISION to plugging; of spud date. It cementing a cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best of the complete of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the specifi	drilling rig;  y circulating cement to the top; in all cases surface pipe wounderlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the prior to any st of my knowledge and belief.  Agent  Reviewer to:  File Drill Pit Application (form CDP-1) with Intent to Drill	VATION DIVISION to plugging; of spud date. It cementing a cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the approved all unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either plugge.  1. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge.  3. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the spud date or the shall be plugged by the spud date or the spud date or the spud date or the spud date or the spud dat	drilling rig;  y circulating cement to the top; in all cases surface pipe of underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the complete of the complete prior to any set of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud drivents.	WATION DIVISION to plugging; of spud date. ate II cementing cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best of the complete of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the spud date or the well shall be put to the specific part of the specifi	drilling rig;  y circulating cement to the top; in all cases surface pipe of underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the prior to any stoff my knowledge and belief.  Agent  Reviewer to:  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	VATION DIVISION to plugging; of spud date. Ite II cementing a cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the perfectly signature of Operator or Agent.  For KCC Use ONLY  API # 15 - 205 - 275/3 - 00 - 00 feet	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the prior to any st of my knowledge and belief.  Agent  Title: Agent  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to worker	VATION DIVISION to plugging; of spud date. Ite II cementing a cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the dri	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating alleged. In all cases, NOTIFY district office prior to any set of my knowledge and belief.  Agent  Title: Agent  File Drill Pit Application (form CDP-1) with Intent to Drill  File Completion Form ACO-1 within 120 days of spud of the acreage attribution plat according to field proration  Notify appropriate district office 48 hours prior to workow.  Submit plugging report (CP-4) after plugging is completed.	WATION DIVISION  TO plugging;  of spud date.  Ite II cementing rementing.  cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through all unconsolidated materials plus a minimum of 20 feet into the drill through a surface drill through a surface drill through a surface casing order within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful through a signature of Operator or Agent.  For KCC Use ONLY  API # 15 - 205 - 21563 - 00 - 00  Conductor pipe required	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating alternation of the prior to any stoff my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is completed.	to plugging; of spud date. Ite II cementing rementing.  ate; orders; ver or re-entry; ed (within 60 days); It water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the dri	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating alternation of the prior to any set of my knowledge and belief.  Agent  Title: Agent  File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud of - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to workow - Submit plugging report (CP-4) after plugging is complet - Obtain written approval before disposing or injecting sat - If this permit has expired (See: authorized expiration days)	to plugging; of spud date. Ite II cementing cementing.  ate; orders; ver or re-entry; ed (within 60 days); It water. Ite) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best of the spud state of the spud state or the well shall be put in the statements made herein are true and correct to the best of the spud state of the spud state or specific states of the spud state or specific states of the spud	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the triangle of triangle of the triangle of tria	to plugging; of spud date. Ite II cementing rementing.  ate; orders; ver or re-entry; ed (within 60 days); It water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beat in the statements of the operator of Agent.    May 21, 2008	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating alternation of the fice prior to any store of my knowledge and belief.  Agent  Title:  Agent  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worker obtain written approval before disposing or injecting sall. If this permit has expired (See: authorized expiration date check the box below and return to the address below.  Well Not Oritled - Permit Expired  Date:	to plugging; of spud date. Ite II cementing cementing.  ate; orders; ver or re-entry; ed (within 60 days); It water. Ite) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beat in the statements of the operator of Agent.    May 21, 2008	drilling rig;  y circulating cement to the top; in all cases surface pipely underlying formation.  ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating of the triangle of triangle of the triangle of tria	to plugging; of spud date. Ite II cementing cementing.  ate; orders; ver or re-entry; ed (within 60 days); It water. Ite) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205 - 27563-00-00 Operator: Layne Energy Operating, LLC Lease: Shire	Location of Well: County: Wilson  601   feet from N / X S Line of Section
Well Number: 16-32	
Field: Cherokee Basin Coal	630 feet from     X   E /
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
F	PLAT
·	ributable acreage for prorated or spaced wells.) rest lease or unit boundary line.)

				Y			***************************************
	<u>.</u>	. :	1		1	• ;	ı
		:			:	:	•
			•	1			•
•	•	•		1	•	•	•
	•	:		1	:	: :	
	_				•	: .	
			•		•		•
	*******			*********		,,,,,,,,,,	
			•		•	. ,	
	-				•		•
	•	•			•		•
	<u> </u>	:		1	:	:	
		:		1	•	:	
	-				•		•
*******							
			, !				
	•		•				•
	•		•		•		•
	•	•					
					:		
		:				:	
			•				,
	•		•		•	- •	•
	******				******		
		_		1			
	•		•				
	•		•		•		
	•	•			:		
				1		:	;
		:		'			
			•		•		•
•	•		•		•	•	•
•	•	•	•		•		•
							<del></del>
	:	: :					
-					•		
					•		
•							
				l			
			,		••••		
	· · · · · · · · · · · · · · · · · · ·				••••		
	···········				••••		••••••
					•••••		·*************************************
	·••••••		••••		••••		
	·••••••		*********		••••		
	·•••••••••••••••••••••••••••••••••••••				•••••		•••••
	*******		*********	••••	•••••		•••••
	·······						•••••
					•••••		
					•••••		
					•••••		
							(629)
							(230 9
							( <sub>6</sub> 250)
							<u>(230</u>
						sol	(630
					•••••	 60	
						 	(23)
						<i>⊗</i> I	

RECEIVED
KANSAS CORPORATION COMMISSION
23

MAY 24 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960		
Lease Name & Well No.: Shire	16-32		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE</u> . <u>SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 Twp. 29 R. 14 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		601 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		630 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	self-sealing		
Pit dimensions (all but working pits):	0 Length (fe	eet)20	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point:	3 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining		
material, thickness and installation procedure	•	inter integrity, in	ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit		west fresh waterfeet.		
none feet Depth of water well feet Source of information feet measurements.					
		over and Haul-Off Pits ONLY:			
		al utilized in drilling/workover: fresh water mud			
		king pits to be utilized:2			
Barrels of fluid produced daily: Abandonment p		procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must t	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief KANSAS CORPORATION COMMISSION					
			A		
May 21, 2008			MAY 24 2008		
Date		Si	gnature of Applicant or Agent CONSERVATION DIVISION WICHITA KS		
KCC OFFICE USE ONL			NLY Steel Pit RFAC RFAS		
Date Received: 5/23/08 Permit Numb	рег:	Permi	t Date: 5/23/08 Lease Inspection: Yes No		