CORRECTED 5-23-08

For KCC Use:	2 22-20
Effective Date:	0-03-08
District #	4
SGA? Tyes	✓ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

SGA? Yes ✓ No				NTENT TO DRILL e (5) days prior to commencing well	Form must be Sigr All blanks must be Fil	
Expected Spud Date:	March	20	2008	Crest Description		
Expected opid date.	month	day	year	Spot Description: SE - SE - SW - NE Sec. 23 Twp. 6	S. R. 26 EX	
OPEDATOR: Harres	31790			(APA)	N / S Line of Section	
OPERATOR: License# Name: Fremont Explorat	tion, Inc.			1.485 ILAD feet from	E / W Line of Secti	ion
Address 1: 12412 St. Andrew			The state of the s	Is SECTION: Regular Irregular?	ZIT 1 CILIA OL DECI	IO11
Address 2:						
City: Oklahoma City		K Zip: _7:	3120 +	(Note: Locate well on the Section Plat of County:Sheridan	on reverse side)	
Contact Person: Tom Conra	<u>y</u>			Lease Name: Teel	Well #: 1-23	
Phone: 405-936-0012				Field Name: Vahling West	***************************************	
CONTRACTOR: License#_	33575			Is this a Prorated / Spaced Field?	Yes XN)o
Name: WW Drilling, LLC				Target Formation(s): LKC		
Well Drilled For:	Well Class:	Tvn	e Equipment:	Nearest Lease or unit boundary line (in footage): 16	5' (leases attached)	
⊠OII ∕ ∏Enh Re		<u> </u>	Mud Rotary	Ground Surface Elevation: 2605 (est.)	feet MS	SL
Gas Storage		_	Air Rotary	Water well within one-quarter mile:	Yes 🔀	سر 70
Dispos			Cable	Public water supply well within one mile:	☐Yes 🗖 ۱	Vo
Seismic ;# of		" L	Joanno	Depth to bottom of fresh water: 280'		
Other:				Depth to bottom of usable water: 1400'		
				Surface Pipe by Alternate: II III II	,	
If OWWO: old well in	nformation as folio	ws:		Length of Surface Pipe Planned to be set: 350'		
Operator:				Length of Conductor Pipe (if any):		
Well Name:				Projected Total Depth: 4000		
Original Completion Date	9:	Original Tota	Depth:	Formation at Total Depth: Marmaton	-1,	
				Water Source for Drilling Operations:	,	
Directional, Deviated or Horiz			Yes X No	Well Farth Pond Other: Haul if nece	essary	_
If Yes, true vertical depth: Bottom Hole Location:				OWR Permit #:		
KCC DKT #:	······································			(Note: Apply for Permit with DV		
Oij & Gas Jeases w/po			<u> </u>	Will Cores be taken?	Yes X	No
Was: 2475 FAIL	4 1985'	FEL		If Yes, proposed zone:		_
14: 2475 FNL	£ 1000,	FEL	AFI	FIDAVIT Igging of this well will comply with K.S.A. 55 et, sedfAN	PEO.	
The undersigned hereby at	firms that the dri	illing, compl	etion and eventual plu	gging of this well will comply with K.S.A. 55 et, sed[AN]	SAS CORPORATION	
It is agreed that the following	ng minimum requ	irements w	ill be met:		- TO ORA JION COMM	Issa
1. Notify the appropriat	e district office p	rior to spuc	lding of well;		FEB 15 2008	-0.0
2. A copy of the approv	ed notice of inte	nt to drill sh	all be posted on each	idrilling rig; by circulating cement to the top; in all cases surface p e underlying formation. rict office on plug length and placement is necessary a	. CD 13 2008	
3. The minimum amoun	nt of surface pipe	as specifie	d below shall be set	by circulating cement to the top; in all cases surface p	pe shall be set	
anrough all unconsol	cated materials an admendent l	pius a minir hetween the	num of 20 feet into the congrator and the dist	e underlying formation. rict office on plug length and placement is necessary a	WICHER TON DIVISION	
			- p	ed or production casing is comented in:	into to proggities	
				d from below any usable water to surface within 120 D.		
				33,891-C, which applies to the KCC District 3 area, all		
				plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.	any cementing.	
	Spring Heads II	ale III				
Date: 2/12/08	Signature of	Operator o	r Agent:	Title: Agent		
				Remember to:		N
For KCC Use ONLY				File Drill Pit Application (form CDP-1) with Intent to	Drill:	23
API # 15 . 179-2	1190-00	つひ		- File Completion Form ACO-1 within 120 days of sp		
AP #35.///						
AFI# 13 - 2 2 2		ንላሬ_	foot	- File acreage attribution plat according to field prore	ition orders;	တ
Conductor pipe required	<u>₩</u>	20	feet	Notify appropriate district office 48 hours prior to w	orkover or re-entry;	တ
Conductor pipe required	uirod 3	30	feet per ALT. 1	Notify appropriate district office 48 hours prior to w Submit plugging report (CP-4) after plugging is core	orkover or re-entry; npleted (within 60 days);	
Conductor pipe required	uirod 3	30		Notify appropriate district office 48 hours prior to w Submit plugging report (CP-4) after plugging is cor Obtain written approval before disposing or injecting	orkover or re-entry; npleted (within 60 days); g salt water.	6 26
Conductor pipe required _ Minimum surface pipe req Approved by:	No uirod 30 - 18-08 - 2-18-09	30 Sß	feet per ALT. 1 15/1 5-23-08	Notify appropriate district office 48 hours prior to w Submit plugging report (CP-4) after plugging is cor Obtain written approval before disposing or injectin If this permit has expired (See: authorized expiration)	orkover or re-entry; npleted (within 60 days); g salt water. n date) please	
Conductor pipe required _ Minimum surface pipe req Approved by:	No uirod 30 - 18-08 - 2-18-09	30 Sß	feet per ALT. 1 15/1 5-23-08	Notify appropriate district office 48 hours prior to w Submit plugging report (CP-4) after plugging is cor Obtain written approval before disposing or injectin If this permit has expired (See: authorized expiration check the box below and return to the address below	orkover or re-entry; npleted (within 60 days); g salt water. n date) please	
Conductor pipe required _ Minimum surface pipe req Approved by:	uired 30 - 18-08 - 2-18-09 illing not started w	30 Sß	feet per ALT. 1 15/1 5-23-08	Notify appropriate district office 48 hours prior to w Submit plugging report (CP-4) after plugging is cor Obtain written approval before disposing or injectin If this permit has expired (See: authorized expiration)	orkover or re-entry; mpleted (within 60 days); g sait water, in date) please w.	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179-21190-000		
Operator: FREMONT EXPLORATION, INC.	Location of Well: County: SHERIDAN	
Lease: TEEL	2,475 feet from N / S Line of Section	
Well Number: 1-23	* 1,600 feet from X E / W Line of Section	
Field: Vahling West	Sec. <u>23 Twp. 6</u> S. R. <u>26</u> E X W	
Number of Acres attributable to well: 20 QTR/QTR/QTR/QTR of acreage: SE _ SE _ SW _ NE	Is Section: Regular or Irregular	
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division



APPLICATION FOR SURFACE PIT

Submit in Duplicate

Contact Person: Tom Conroy	Operator Name: FREMONT EXPLORATION, INC,			License Number: 31790	
Lease Name & Well No. TEEL 1-23 Pit Location (QQQQ): Type of Pit: Generating Pit Burn Pit Existing, date constructed: Pit sis: Proposed Existing Sec_23_Twp 6 R. 26 East West 2,475 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / South Line of Section \$1,600 Feet from North / \$1,600 Feet from	Operator Address: 12412 St. Andrews Drive			Oklahoma City OK 73120	
Type of Pit: Emergency Pit Burn Pit Existing, date constructed: Workover Pit Hau-Off Pit Pit Capacity: West Line of Section Hau-Off Pit Pit Capacity: Steel Pit Capacity: Pit Capacity: Steel Pit Capacity: Pit Capa	Contact Person: Tom Conroy			Phone Number: 405-936-0012	1
Emergency Pit Burn Pit Proposed Existing Sec. 23 Twp. 6 R 26 East West	Lease Name & Well No.: TEEL	1-23		Pit Location (QQQQ):	
Source of information:	Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth fr	Pit is: Proposed E If Existing, date construct Pit capacity: Area? Yes No Artificial Liner? No Length (feet) Om ground level to deepest	80 point:	SE SE SW NE Sec. 23 Twp. 6 R. 26 East West 2,475 Feet from North / South Line of Section 1,600 Feet from East / West Line of Section SHERIDAN County Chloride concentration: 2,000 mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Drilling mud Width (feet) N/A: Steel Pits 4 (feet) No Pit	-
	2904 feet Depth of water well	Sou Drill Type Num Aba spilled fluids to Drill ments are true and correct	ling, Work of materia nber of wor ndonment to the bes	mation: ared well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling mud king pits to be utilized: 2 procedure: EVaporate & back-fill be closed within 365 days of spud date. The component of Applicant or Agent CONSERVATION DWING WICHITA KS	2 195-00-00 OMMISSIO
Uate Received: 31/22/04 Permit Number: Permit Date: 3/22/05 Lease inspection: Lifes Lyingo F	Date Received: 5/22/08 Permit Num			NLY Steel Pit	