For KCC Use:	10-1-08
Effective Date:	6-1-00
District #	3
SGA2 Voc	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date: May 27, 2008	Spot Description:	
month day year		E W
33344 /	(a/a/a/a) 1.875 feet from N / X S Line of	
OPERATOR: License#	3,460 feet from XE / W Line of	
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	_	
City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side) County: Neosho	
Contact Person: Richard Marlin	Lease Name: Panek SWD Well #: 34-1	
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License#_ 33837 or another Licensed by KCC =		X No-
Name: Will advise on the ACO-1	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 765 (SWD)	
	020	feet MSL
Oil Enh Rec XInfield Mud Rotary Gas Storage Pool Ext. XAir Rotary		. ⊠No _
Gas Storage Pool Ext. Air Rotary - Disposal - Wildcat Cable	Public water supply well within one mile:	
Seismic; # of Holes Other	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water: 150	
	Surface Pipe by Alternate: I XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1600	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:		i ⊠No
		No No
	Will Cores be taken? Yes If Yes, proposed zone:	 D
KCC DKT #:	Will Cores be taken? Yes If Yes, proposed zone: RECEIVE IDAVIT KANSAS CORPORATION (D
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION (gging of this well will comply with K.S.A. 55 et. seq.	D COMMISSION
KCC DKT #:	Will Cores be taken? Yes If Yes, proposed zone: RECEIVE IDAVIT KANSAS CORPORATION (D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20	D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF THE PROPERTION OF THE PRO	D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF THE PROPERTY OF T	D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF STANDARD CONSERVATION OF STANDARD CONSERVATION.	D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF CONSERVATION DIVIDED TO THE TOP TOP TO THE TOP TOP TO THE TOP TO THE TOP	D COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Igging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIVIDED TO STAN SET OF	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Iging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIVIDED TO STATE OF STATE	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF CONSERVATION DIVIDED IN THE CONSERVAT	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feat the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the base.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF CONSERVATION OF C	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feat the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the base.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF CONSERVATIO	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Iging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIVIDED IN THE CONSERVA	D COMMISSION 108 Vision
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and confect to the be Date: May 21, 2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Iging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIFFURITHENENCE OF STANISHINGS Underlying formation. Ict office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If yes, proposed zone: CONSERVATION DIFFERENCE OF STANISH STA	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the completed within 30 days of the spud date or the well shall be shall be a like the completed within 30 days of the spud date or the well shall be shall be shall be shall be a like the completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Iging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIVIDED IN THE STANKS Underlying formation. Ict office on plug length and placement is necessary prior to plugging; Indicated or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If yeir and the stanks of the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the stanks of my knowledge and belief Title: Nice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	D COMMISSION 108 Vision
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statements are true and contect to the batch of the complete statement are true and contect to the batch of the complete statement are true and contect to the batch of the complete statement are true and contect to the batch of the complete statement are true and contect to the batch of the complete statement are true and contect to the complete statement are	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF KANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION DIVIDED TO THE CONSERVATION DIVIDED	D COMMISSION 108 VISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the best pate: May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27419 - 00 - 00 Conductor pipe required 100 - 000 Conductor pipe required 100 - 000	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF Iging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 Idrilling rig; CONSERVATION DIVIDED IN THE STANKS Underlying formation. Ict office on plug length and placement is necessary prior to plugging; Indicated or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If yeir and the stanks of the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the stanks of my knowledge and belief Title: Nice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	D COMMISSION 108 Vision
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and contect to the best part of the product of the content of the content of the product of the product of the content of the product of the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF CONSERVATION OF C	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the best pate: May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27419 - 00 - 00 Conductor pipe required 100 - 000 Conductor pipe required 100 - 000	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases, prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 decoration written approval before disposing or injecting salt water.	D COMMISSION 108 Vision
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the best place. May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - L33 - 274L9 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases surface pipe shall cell for the top; in all cases, prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 decoration of the plugging report (CP-4) after plugging is salt water. If this permit has expired (See: authorized expiration date) please	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and contect to the base. May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 133 - 27419 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of Grand of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall Gell Jacks underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Vice President** **President**	D COMMISSION 108 //ISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the bate. May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 133 - 27419 - 00 - 00 Conductor pipe required Minimum surface pipe required Approved by: SB 5-27-08 This authorization expires: 5-27-08	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of ging of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall cell for to plugging; y circulating cement to the top; in all cases surface pipe shall cell for the complete of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Lest of my knowledge and belight. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 decent of the completion of	D COMMISSION 108 //ISION g 34 30 19
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and contect to the bate. May 21, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 133 - 27419 - 00 - 00 Conductor pipe required Minimum surface pipe required Approved by: SB 5-27-08 This authorization expires: 5-27-08	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of Grand of this well will comply with K.S.A. 55 et. seq. MAY 2 2 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall Gell Jacks underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Vice President** **President**	D COMMISSION 108 /ISION g 34 30 19

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 123 - 27469-00-00	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Panek SWD	1,875 feet from N / N S Line of Section
Well Number: 34-1	3,460 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 34 Twp. 30 S. R. 19 Z E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show lootage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

ON


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750 Oklahoma City OK 73102				
Contact Person: Richard Marlin		Phone Number: 405-702-7480		
Lease Name & Well No.: Panek SWD 34-1		-1	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE _ SW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec34Twp30R19 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		1,875 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		3,460 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neo\$ho County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l	
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes No		Air Drilling Well	
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	eepest point:	10 (feet) No Pit	
		edures for periodic maintenance and determining ncluding any special monitoring.		
Well is being air drilled.			ng air drilled with operations lasting approx.	
3 days				
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.		
		measu	ured well owner electric log KDWR	
1			over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: Air Drilled Air Drilled Thing pits to be utilized:	
1		i woming pilo to to time or		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover. be closed within 365 days of spud date.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS				
D 0 100 MAY 2 2 2008				
May 21, 2008 Date May 21, 2008 Signature of Applicant or Agent WICHITA KS				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 5/22/08 Permit Number: Permit Date: 5/23 (08 Lease Inspection: Yes > No				





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.