

15-015-00564-00-00

WELL PLUGGING RECORD


STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building Wichita, Kansas

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

Butler County, Sec. 22 Twp. 28S Rge. 3 (E) (W) Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NE of NE of NW 1/4 Lease Owner: David S. Alter and C W Brakensiek Lease Name: Swindell Well No. 1 Office Address: Wichita, Kansas Character of Well (completed as Oil, Gas or Dry Hole) dry hole Date well completed: Sept. 28th 19 46 Application for plugging filed: Sept. 18th 19 46 Application for plugging approved: Sept. 18th 19 46 Plugging commenced: Sept. 18th 19 46 Plugging completed: Sept. 20th 19 46 Reason for abandonment of well or producing formation: Dry hole If a producing well is abandoned, date of last production: 19 Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well: A. L. Loman Producing formation: Wilcox Depth to top: 3175 Bottom: 3178 Total Depth of Well: 3178 Feet Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Rows include shale, Lime, Shale, Lime, Sand, and Lime with corresponding depth and size data.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mud to 200 feet 15 sacks of cement on 15 ft of rock bridge at 185 ft. Mud to 15 ft. 5 sacks cement on a 10 foot bridge (Rock) to surface.

PLUGGING FILE 22 28 3E BOOK PAGE 73 OF 4




(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to: H & M Drilling Co. Leon, Kansas

STATE OF Kansas, COUNTY OF Butler, ss.

H & M Drg. Co. By (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Handwritten Signature] Leon, Kansas (Address)



SUBSCRIBED AND SWORN to before me this 23rd day of Sept. 19 46 Edna B. Sosh Notary Public.

PAGE 2

SWINDELL NO. 1

Lime	2700
Lime and shale	2735
Shale-sandy	2785
Shale-Sandy	2790
Chat hole full water	2809
Lime	2810
Shale bailing	2833
Chat	2835
Lime	2925
Shells & Shale	2938
Lime	3007
Shale	3020
Lime	3036
Shale-black	3065
Lime	3125
Shale-sandy	3160
Sand hole full water	3178

COMPLETED AS A DRY HOLE

Casing record

15 $\frac{1}{2}$ "	at	165
13 "	"	1060
10"	"	1982
8"	"	2221
7"	"	2483
5"	"	2809

DRILLED IN NE NE OF NW $\frac{1}{4}$
SEC. 22-28S-3E
BUTLER COUNTY, KANS.

DRILLED BY: H & M DRILLING CO.
LEON, KANSAS

DRILLING STARTED: AUG. 15th 1946
DRILLING COMP. Sept. 20th 1946

Soil	6	Shale	1160
Rock	10	Lime	1165
Mud	30	Shale & Shells	1200
Clay and shale	55	Shale	1225
Shale 1 BW	60	Shale & Shells	1255
Shale 6 $\frac{1}{2}$ BW	85	Shale	1260
Shale	130	Lime-Med.	1290
Shale-green	145	Shale	1295
Red Rock	155	Lime-hard	1300
Shale-gray	165	Lime	1325
Shale	185	Shale	1378
Lime	205	Lime	1410
Shale	210	Lime-Med.	1430
Lime	225	Shale	1440
Shale	230	Lime-hard	1450
Lime	235	Lime	1470
Shale	260	Shale	1480
Sandy Shale	300	Lime	1485
Lime	325	Shale-black	1490
Red Rock	365	Lime	1495
Shale	390	Shale	1500
Lime	405	Lime	1520
Shale	415	Shale	1550
Lime	430	Lime-hard	1560
Shale	505	Shale	1570
Lime-broken	520	Lime	1580
Shale	540	Shale	1585
Lime 6 BW 45-60	575	Lime	1600
Shale	580	Shale	1605
Lime	595	Shale & Shells	1630
Shale	600	Lime	1675
Lime	615	Shale & Shells	1700
Shale	635	Lime	1745
Lime	640	Shale-black	1750
Shale	655	Lime	1755
Lime	685	Shale	1760
Shale	690	Lime	1780
Lime	720	Shale	1785
Shale	725	Shale & Shells	1810
Lime	740	Lime	1815
Shale & Shells	790	Shale & Shells	1850
Lime-hard	795	Shale	1962
Shale	805	Lime	1990
Shale & Shells	815	Shale	2000
Lime	820	Lime-hard	2005
Shale & Shells	845	Lime	2035
Red Rock	850	Shale	2080
Shale	870	Lime $\frac{1}{2}$ BW 2125-30	2140
Lime-hard	875	Shale	2150
Shale	890	Lime 1 BW 2178-83	2232
Lime-Med.	900	Shale -black	2240
Shale	925	Shale & Shells	2285
Shale & Shells	945	Shale & Lime-shells	2300
Lime	950	Shale	2345
Shale	955	Lime	2360
Lime	960	Sand 4 BW	2372
Shale 10 BW 65-70	975	Lime	2415
Shale	1025	Sandy Lime 1 BW 20	2440
Sand hole full W	1050	Lime	2539
Shale	1061	Shale	2550
sand	1075	Lime	2565
Lime-hard	1079	Shale-Sandy	2590
Lime	1081	Shale	2595
Lime-hard	1085	Shale & Shells	2620
Shale-sandy	1095	Shale	2628
Lime	1100	Red Rock	2630
Shale	1110	Shale	2638
Lime	1130	Lime	2655
Shale & Shells	1140	Shale	2665
Lime	1145	Shale	2675

22 28 3E
73 4