

Date 3-5-08

- New Situation
- Response to Request
- Follow-up

Operator license # 8996

Operator MIDCONTINENT RESOURCES, INC.

Address P.O. BOX 399

Location SW 5E NW SE, Sec 23, T 19 S, R 22 W

GARDEN CITY, KS 67846

Lease GILLIG Well # 5-23

County NESS

Operator phone number 785-398-2270

Reason for Investigation: TOP STAGE CEMENTING REQUIREMENT OF PRODUCTION CASING ON AN ALTERNATE 2 COMPLETION.

Problem: \_\_\_\_\_

Person(s) Contacted: SET PIPE TD @ 4396'

Findings: 8 5/8" SURFACE CASING @ 227' w/ 160 SY

5 1/2" PRODUCTION CASING @ 4395' w/ 150 SY

PORT COLLAR FOUND @ 2512'

photos taken: \_\_\_\_\_

Action/Recommendations: SWIFT CEMENTING SERVICES PUMPED 330 TOTAL SY CMT WITH 20 SY CIRCULATING TO THE PIT.

GPS: 38.38214° N 99.72044° W

alt II complete

- Lease Inspection
- Complaint
- Field Report

By [Signature]  
GEOL. ASSOCIATE

RECEIVED  
KANSAS CORPORATION COMMISSION

MAR 10 2008

CONSERVATION DIVISION  
WICHITA, KS

Retain 1 copy Joint District Office  
Send one copy Conservation Division

- RBDMS
- TA program
- KGS
- T-1 database
- District files
- Courthouse

AP 2/11/09

For KCC Use: Effective Date: 02/16/2008 District # 1 SGA?  Yes  No

KANSAS CORPORATION COMMISSION 1016454 OIL & GAS CONSERVATION DIVISION 15-135-24710

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

**NOTICE OF INTENT TO DRILL**  
Must be approved by KCC five (5) days prior to commencing well

Att 2

Expected Spud Date: 02/14/2008  
month day year

OPERATOR: License# 8996  
Name: Mid-Continent Resources, Inc.  
Address 1: PO BOX 399  
Address 2:  
City: GARDEN CITY State: KS Zip: 67846 + 0399  
Contact Person: Scott Corsair  
Phone: 7853982270

CONTRACTOR: License# 33323  
Name: Petromark Drilling, LLC

Well Drilled For: Well Class: Type Equipment:  
 Oil  Enh Rec  Infield  Mud Rotary  
 Gas  Storage  Pool Ext.  Air Rotary  
 Seismic; # of Holes  Wildcat  Cable  
 Other:  If OWWO: old well information as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Completion Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Directional, Deviated or Horizontal wellbore?  Yes  No  
If Yes, true vertical depth: \_\_\_\_\_

Spot Description: 110' N & 165' E of C W/2 SE/4  
SW SE NW SE Sec. 23 Twp. 19 S. R. 22  E  W  
1,430 feet from  N /  S Line of Section  
1,815 feet from  E /  W Line of Section

Is SECTION:  Regular  Irregular?

(Note: Locate well on the Section Plat on reverse side)

County: Ness  
Lease Name: Gillig Well #: 522  
Field Name: Schaben

Is this a Prorated / Spaced Field?  Yes  No

Target Formation(s): Mississippian

Nearest Lease or unit boundary line (in footage): 765

Ground Surface Elevation: 2253 feet MSL

Water well within one-quarter mile:  Yes  No

Public water supply well within one mile:  Yes  No

Depth to bottom of fresh water: 180

Depth to bottom of usable water: 720

Surface Pipe by Alternate:  I  II

Length of Surface Pipe Planned to be set: 200

Length of Conductor Pipe (if any): \_\_\_\_\_

Projected Total Depth: 4400

Formation at Total Depth: Mississippian

Water Source for Drilling Operations:  Well  Farm Pond  Other: \_\_\_\_\_

DWR Permit #: \_\_\_\_\_

**Spud Call:**

Phone number for company representative: 6174749  
Company Representative: Kenny Roach  
Company name: Petromark K.C.C. Initials: SR  
Spud Date: 2-16-08  
Conductor Size: \_\_\_\_\_ set at \_\_\_\_\_  
Surface Casing: Size 8 5/8" Proposed setting depth 2207'  
Surface Casing: Minimum 200', Alt I (II)  
Drilling Fluid Mgmt: Normal at completion salt/completion  
Steel pits (Approved haul-off pit) \_\_\_\_\_

**Plugging:**

P.O. received by: Kenny Roach w/ Petromark  
Phone # \_\_\_\_\_  
Final T.D. \_\_\_\_\_ Anhydrite: T 1493 B 1526  
Surface casing: Size 8 5/8" set @ 222' w/ 160 sx cmt  
Did cement circulate to surface? Yes / No  
Did you rat hole ahead? Yes / No  
Plug Arbuckle @ \_\_\_\_\_ w/ 50 sx cmt

1 Plug Anhydrite/S.P. @ 1500' w/50 sx cmt

2 Plug Usable water @ 730' w/80 sx cmt

Plug Fresh Water @ \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt

3 Plug Base Surface Casing @ 210' w/50 sx cmt

4 Plug Top of Surface Casing @ 60' w/20 sx cmt

5 Circulate rat hole w/15 sx cmt Circulate mouse hole w/10 sx cmt

Water Supply well: Yes / No Who will plug?

Cement: 60/40 pozmix 4% gel X 1/4# flo seal 2-3% c.c.

Technician who gave plugging orders RAY Date 02/22/08

Start Time: \_\_\_\_\_ (AM/PM) Completion Time: 7:00 (AM/PM)

Completion Date: 2-28-07

Cement Company: Swift

Set pipe: T.D. 4396' Surface csg: Size 8 5/8" set @ 227'

Prod. Casing size: 5 1/2" set at 4395' w/ 150 sx cmt

DV Tool Port Collar set at 2517' Cemented w/ 310 sx cmt

Did cement circulate? Yes No If no, why?

RECEIVED KANSAS CORPORATION COMMISSION

MAR 10 2008

CONSERVATION DIVISION WICHITA, KS

*[Signature]*