Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

	Oil Company, LLC				API Number: _	15 - 100-	21638 -00 -		
Address: P.O. Box 428 Logan, KS 67646 Phone: (785) 689 - 7456					Lease Name: Schneider				
					Lease Name: Well Number: Spot Location (QQQQ): App - NW - NW - SE				
The plugging proposal wa	as approved on: January	11, 2008		(Date)	2240 209 Feet	(from 🗹 E	East / Wes	st Section Line	
_{by:} Herb Deines			(KCC District A	Agent's Name)				East West	
Is ACO-1 filed?	No If not, is we	II log attached	? Yes	No	County: Rool				
Producing Formation(s): Li	ist All (If needed attach anot	her sheet)			Date Well Com	M	lay 5, 1982		
LKC	Depth to Top: 332	6 Bottom	<u>3353</u> т.	_{D.} 3448	Plugging Comr	nenced:	lan 28, 2008		
Arbuckle	Depth to Top: <u>343</u>	1 Bottom	. <u>3448</u> T.	D. 3448	Jan 28, 2008 Plugging Commenced: Jan 28, 2008				
	Depth to Top:	Bottom	: т.	D	Plugging Comp	oleted:	,		
Show depth and thickness	s of all water, oil and gas f	ormations.							
Oil, Gas or V	Nater Records		C	asing Record (Surface Conductor	₹ Production,)		
Formation	Content	From	То	Size	Put In	F	Pulled Out		
LKC	Oil & Salt Water	Surface	3431'	4 1/2"	3431'		None		
Arbuckle	Oil & Salt Water	Surface	210'	8 5/8"	210'		None		
hole. If cement or other p	nner in which the well is pluplings were used, state the	character of s	ame depth pl	aced from (bott	om), to (top) for e	ach plug se	t.		
hole. If cement or other p Well was plugged	•	character of see. Pumped	ame depth pl	aced from (bott ent 60/40 poz	om), to (top) for e 4% gel with hvy	ach plug se hulls, pum	et. ped 11 sks gels own annulus.	spacer with hvy	
hole. If cement or other p Well was plugged	plugs were used, state the down casing from surfac	character of see. Pumped	ame depth pl	aced from (bott ent 60/40 poz	om), to (top) for e 4% gel with hvy	ach plug se hulls, pum	et. ped 11 sks gels	spacer with hvy	
hole. If cement or other p Well was plugged hulls, pumped 140	plugs were used, state the down casing from surfac sks cement with hvy	character of see. Pumped	ame depth pl	aced from (bott ent 60/40 poz	om), to (top) for e 4% gel with hvy mped 10 sks c	ach plug se hulls, pum ement do	ped 11 sks gel: own annulus. RECE KANSAS CORPORA	spacer with hvy	
hole. If cement or other p Well was plugged of hulls, pumped 140 Name of Plugging Contract P.O. Box 46	plugs were used, state the down casing from surface sks cement with hvy ctor:_Swift Services, Inc	character of see. Pumped hulls to fill	ame depth pl	aced from (bott ent 60/40 poz	om), to (top) for e 4% gel with hvy	ach plug se hulls, pum ement do	ped 11 sks gel: own annulus. RECE KANSAS CORPORA	Spacer with hvy	
hole. If cement or other p Well was plugged of hulls, pumped 140 Name of Plugging Contract Address: P.O. Box 46	plugs were used, state the down casing from surface sks cement with hvy countries. Swift Services, Inc. 66 Ness City, KS 6	character of size. Pumped hulls to fill	ame depth pl 40 sks ceme casing to s	aced from (bott ent 60/40 poz eurface. Pui	om), to (top) for e 4% gel with hvy mped 10 sks c	ach plug se hulls, pum ement do	ped 11 sks gel: own annulus. RECE KANSAS CORPORA	Spacer with hvy SIVED TION COMMISSION 9 2003	
hole. If cement or other p Well was plugged of hulls, pumped 140 Name of Plugging Contract Address: P.O. Box 46	olugs were used, state the down casing from surface sks cement with hvy ctor: Swift Services, Inc. 66 Ness City, KS 6 ole for Plugging Fees: Ba	character of size. Pumped hulls to fill 7560	ame depth pl 40 sks ceme casing to s	aced from (bott ent 60/40 poz eurface. Pui	om), to (top) for e 4% gel with hvy mped 10 sks c	ach plug se hulls, pum ement do	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO	Spacer with hvy SIVED TION COMMISSION 9 2003	
hole. If cement or other p Well was plugged of hulls, pumped 140 Name of Plugging Contract	olugs were used, state the down casing from surface sks cement with hvy ctor: Swift Services, Inc. 66 Ness City, KS 6 ole for Plugging Fees: Ba	character of size. Pumped hulls to fill	ame depth pl 40 sks ceme casing to s	aced from (bott ent 60/40 poz eurface. Pui	om), to (top) for e 4% gel with hvy mped 10 sks c	ach plug se hulls, pum ement do	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO	SPACET WITH hvy STORED TION COMMISSION 9 2003	
hole. If cement or other p Well was plugged of hulls, pumped 140 Name of Plugging Contract Address: P.O. Box 46	olugs were used, state the down casing from surface sks cement with hvy ctor: Swift Services, Inc. 66 Ness City, KS 6 le for Plugging Fees: Ba	character of size. Pumped hulls to fill 7560	ame depth pl 40 sks ceme casing to s	ent 60/40 poz	om), to (top) for e 4% gel with hvy mped 10 sks c	ach plug se hulls, pum ement do	ped 11 sks gel sown annulus. RECE KANSAS ORPORA FEB 1 CONSERVATION WICHTI	Spacer with hvy SIVED TION COMMISSION 9 2003 N DIVISION KS	
Name of Plugging Contract Address: P.O. Box 46 Name of Party Responsible State of Kansas Andrew C. Noone	ctor: Swift Services, Inc. 66 Ness City, KS 6 County, P t I have knowledge of the ft, so help me God.	character of size. Pumped hulls to fill 7560 aird Oil Corchillips	ame depth pl 40 sks ceme casing to s	ent 60/40 poz	om), to (top) for e 4% gel with hvy mped 10 sks c License #	ach plug se hulls, pum ement do 32382	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO WICHTI	Spacer with hvy SIVED TION COMMISSION 9 2003 N DIVISION T, KS	
Name of Plugging Contract Address: P.O. Box 46 Name of Party Responsible State of Kansas Andrew C. Noone sworn on oath, says: That	ctor: Swift Services, Inc. 66 Ness City, KS 6 County, P t I have knowledge of the ft, so help me God.	character of size. Pumped hulls to fill 7560 aird Oil Corchillips	ame depth place of the second to sec	ent 60/40 poz	om), to (top) for e 4% gel with hvy mped 10 sks of License #	ach plug se hulls, pum ement do 32382	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO WICHTI	Spacer with hvy SIVED TION COMMISSION 9 2003 N DIVISION T, KS	
Name of Plugging Contract Address: P.O. Box 46 Name of Party Responsible State of Kansas Andrew C. Noone sworn on oath, says: That	ctor: _Swift Services, Inc. 66 Ness City, KS 6 County, P t I have knowledge of the ft, so help me God.	character of size. Pumped hulls to fill 7560 hird Oil Corphillips facts statement Signature)	mpany, LLC	ent 60/40 poz surface. Pur surface. Pur contact. Service de la contact. Service de la conta	om), to (top) for e 4% gel with hvy mped 10 sks of License #	ach plug se hulls, pum ement do 32382	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO WICHTI	SPACET WITH hvy STOP TON COMMISSION C 2003 N DIVISION L KS ell, being first duly s as filed, and the	
Name of Plugging Contract Address: P.O. Box 46 Name of Party Responsible State of Kansas Andrew C. Noone sworn on oath, says: That	ctor: Swift Services, Inc. 66 Ness City, KS 6 County, P t I have knowledge of the ft, so help me God.	character of size. Pumped hulls to fill 7560 hird Oil Corphillips facts statement Signature)	mpany, LLC	ent 60/40 poz surface. Pur surface. Pur contact. Service de la contact. Service de la conta	om), to (top) for each of the second of the	ach plug se hulls, pum ement do	Ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO WICHTI bove-described well in	Spacer with hvy SIVED TION COMMISSION 9 2003 N DIVISION T, KS	
Name of Plugging Contract Address: P.O. Box 46 Name of Party Responsible State of Kansas Andrew C. Noone sworn on oath, says: That	ctor: _Swift Services, Inc. 66 Ness City, KS 6 County, P t I have knowledge of the ft, so help me God.	character of size. Pumped hulls to fill 7560 hird Oil Corphillips facts statement Signature)	mpany, LLC	ent 60/40 poz surface. Pur surface. Pur contact. Service de la contact. Service de la conta	om), to (top) for et 4% gel with hvy mped 10 sks of License #	ach plug se hulls, pum ement do	ped 11 sks gel sown annulus. RECE KANSAS CORPORA FEB 1 CONSERVATIO WICHTI	SPACET WITH hvy STOP TON COMMISSION C 2003 N DIVISION L KS ell, being first duly s as filed, and the	







BAIRD OIL CO, LLC PO BOX 428

LOGAN, KS 67646-0428

Martin - Se

Sold To:

Direct All Questions To: 1380 RT 286 E Suite 121 Indiana, PA 15701

Voice: (724)465-8904 Fax: (724)465-8907

Invoice No.

Date Shipper ID

Order Type Customer ID

40-001315 1/31/2008

INVOICE

S0080300 Sales BAIR1

PAGE 1

ORDER DATE 1/28/2008	E TERMS 30 Days	Schnei	SITE 40			
PART NUMBER 70-210-1000	DESCRIPTION SERVICE CHARGE	UNITS FT	QTY SHIPPED	PRICE 1,199.83	DISC % 51.76	EXT. PRICE 578.80
75-805-0100	MIN CHRG 3-1/8 HSC DP	JOB	1.00	1,600.00	51.80	771.20

RZ/8/2008 82111/2008

Schneide 191020

1,390,50

Schneider #12 - Setup & perforating

charges to plug well

RECEIVED KANSAS CORPORATION COMMISSION

FEB 1 9 2008

CONSERVATION DIVISION WICHITA, KS

		Sales Total	1,350.00
Diagra Damit Daymant to		Fuel Surcharge	40.50
Please Remit Payment to:		Misc. Chargés	0.00
Superior Well Services, Ltd		Tax Total	0.00 1,390.50
P.O. Box 360469 Pittsburgh, PA 15251-6469	Check No:	Less Paid Amount	0.00
		TOTAL	1,390.50



P. O. Box 466 Ness City, KS 67560 Off: 785-798-2300



Invoice

DATE	INVOICE#
1/28/2008	13241

BILL TO

Baird Oil Company LLC

PO Box 428

Logan, KS 67646

- Acidizing
- Cement
- Tool Rental

TERMS	Well N	lo. Lease	County	Contractor	Well T	ype W	ell Category	Job Purpose	Operator
Net 30	#2	Schneider	Rooks		Oil		Workover	РТА	Dave
PRICE	REF.	· · · · · · · · · · · · · · · · · · ·	DESCRIPT	TION		QTY	UM	UNIT PRICE	AMOUNT
575W 576W-P 275 290 326 279 581W 583W		Mileage - 1 Way Pump Charge - PTA Cotton Seed Hulls D-Air 60/40 Pozmix (2% G Bentonite Gel Service Charge Cem Drayage Subtotal	Gel) ent	R21612008 P21712008 12 ER#2- primp C	hares,	10 1 9 1 190 14 190 425.93	Job Sack(s) Gallon(s) Sacks Sack(s) Sacks Ton Miles	RECEIV	ED .
								KANSAS CORPORATION FEB 1 9 CONSERVATION DI WICHITA, KS	2003
		u For Your Forward To		s In 2007! 3 You In 200	08!		Tota	I	\$3,928.43

2/7/2008 CMA7117