

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 31191
Name: R&B Oil & Gas, Inc.
Address: PO Box 195
City/State/Zip: Attica, Kansas 67009-0195
Purchaser: _____
Operator Contact Person: Randy Newberry
Phone: (620) 254-7251
Contractor: Name: Duke Drilling Co., Inc.
License: 5929
Wellsite Geologist: Tim Pierce
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv.-to-Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>09-29-04</u>	<u>10-05-04</u>	<u>10-29-04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 077-21495-00-00
County: Harper County, Kansas
C-N/2, NW, SW Sec. 25 Twp. 31 S. R. 9 East West
2310 feet from (S) N (circle one) Line of Section
660 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW (SW)
Lease Name: Antrim Well #: 3

Field Name: Spivey Grabs
Producing Formation: Mississippi

Elevation: Ground: 1560' Kelly Bushing: 1571'
Total Depth: 4500' Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 235 Feet
Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan ALT #1 KGR 6/29/07
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume: 400 bbls
Dewatering method used: Hauled Off

Location of fluid disposal if hauled offsite:
Operator Name: Jody Oil & Gas Corp.
Lease Name: Sanders 3A License No.: 3288
Quarter SW Sec. 20 Twp. 3 S. R. 8 East West
County: Harper Docket No.: D-23, 313


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Randy Newberry
Title: President Date: 11-18-04

Subscribed and sworn to before me this 18 day of November,
2004

Notary Public: Jane Swingle
Date Commission Expires: 1-6-2007

 **JANE SWINGLE**
Notary Public - State of Kansas
My Appt. Exp. 1-6-07

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
NOV 19 2004
KCC WICHITA

Operator Name: **R&B Oil & Gas, Inc.** Lease Name: **Antrim** Well #: **3**
 Sec. **25** Twp. **31** S. R. **9** East West County: **Harper County, Kansas**

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <p style="text-align: center;">Dual Compensated Porosity Dual Induction</p>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Mississippi</td> <td>4398</td> <td>-2827</td> </tr> </table>	Name	Top	Datum	Mississippi	4398	-2827
Name	Top	Datum					
Mississippi	4398	-2827					

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	28#	235'	60/40	185	3%cc 2%gel
Production	7-7/8"	5-1/2"	15.5#	4506'	ASC	150	5#/sk kolseal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	4400 - 4410	600 gal 7 1/2% HCL Acid	
		Frac - 50sxs 100 mesh	
		250sxs 12/20 sand	
		100sxs 12/20 CRC	

TUBING RECORD	Size 2-7/8	Set At 4452	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	-------------------	--------------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. 10-30-04	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	---

Estimated Production Per 24 Hours	Oil 8 Bbls.	Gas 70 Mcf	Water 140 Bbls.	Gas-Oil Ratio 8.75 - 8	Gravity
-----------------------------------	--------------------	-------------------	------------------------	-------------------------------	---------

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION

Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

