


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Commission

P. O. Box 17027
Wichita, Kansas 67217
NORTH



Locate well correctly on above
Section Plat

Graham County, Sec. 30 Twp. 8 Rge. 24 (E) (W) X
 Location as "NE/CNW/SE/SW" or footage from lines NE SW SW
 Lease Owner: Petroleum Management Inc.
 Lease Name: Holley Unit Well No. #2-3
 Office Address: 15 15 Vickers KSB&T Bldg. Wichita, Kansas
 Character of Well (completed as Oil, Gas or Dry Hole)
 Date well completed _____ 19____
 Application for plugging filed _____ 19____
 Application for plugging approved _____ 19____
 Plugging commenced 10-17-73 _____ 19____
 Plugging completed 2-21-74 _____ 19____
 Reason for abandonment of well or producing formation _____
 If a producing well is abandoned, date of last production _____ 19____
 Was permission obtained from the Conservation Division or its agents before plugging was commenced? _____

Name of Conservation Agent who supervised plugging of this well W. L. Nichols
 Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3984' Feet
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				7"	3984'	2376.26'
				10 3/4"	310'	
					318' ^{ICC} _{THP}	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Made bottom hole plug back with sand to 3940'. Mixed and ran 6 sacks cement thru dump bailer.
 Well Plugged by Halliburton. Pumped plug to 2707'. 35 sacks cement on top.


RECEIVED
 STATE CORPORATION COMMISSION
 3-25-1974
 MAR 25 1974
 CONSERVATION DIVISION
 Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor: Southwest Casing Pulling Co.
 Address: Box 364 Great Bend, Kansas

STATE OF Kansas COUNTY OF Barton ss.
 Southwest Casing Pulling Co. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. C. Spencer Sec.
 Box 364 Great Bend, Kansas
 (Address)



Subscribed and sworn to before me this 25 day of March 1974
 24 October 1976
 Sidney D. Miller
 Notary Public.



15-065-02715-60-01

Halliburton
OIL WELL CEMENTING CO.

RADIATION GUARD

Natural Gamma Radiation — Induced Gamma Radiation — Focused Resistivity

COMPANY <u>THE TEXAS CO.</u> FILE WELL <u>T. L. SMITH # 3</u> FIELD <u>Holley West Pool</u> County <u>Graham</u> State <u>Kansas</u>	COMPANY <u>THE TEXAS COMPANY</u> WELL <u>T. L. SMITH # 3</u> FIELD <u>Holley West Pool</u> COUNTY <u>Graham</u> STATE <u>Kansas</u> SEC. <u>30</u> TWP <u>8S</u> RGE. <u>24W</u> SURVEY	RECEIVED STATE CORPORATION COMMISSION OCT 10 1973 CONSERVATION DIVISION WICHITA, KANSAS Location <u>SW-SW</u> Elev. D.F. <u>2477'</u> K.B. <u>2479'</u> Grd. <u>2474'</u>
--	--	--

Log Measured From <u>Kelly Bushing</u>	Elevation <u>2479'</u>
Drilling Measured From <u>" "</u>	Elevation <u>2479'</u>
Permanent Datum <u>Ground Level</u>	Elevation <u>2474'</u>

Type Log	GAMMA	NEUTRON	GUARD
Run No.	One	One	One
Date	5-11-56	5-11-56	5-11-56
Type of Fluid in Hole	Mud	Mud	Mud
Fluid Level	Full	Full	Full
Neutron Source Strength		400mg	
Source to Bot. of Counter	106"	12"	
Length Meas. Device - in	28"	14"	
O.D. of Instrument - in	3-5/8"	3-5/8"	3-7/8"
Time Constant - sec.	2	2	
Logging Speed Ft. min.	See Logging Speed Indication on Left Side of Log.		
Mud - Kind			Water Base
Treatment			Gel & Starch
Weight			41
Viscosity			10
ph	@ °F	@ °F	@ °F
Loss ml./min.	@ °F	@ °F	@ °F
Res. Ohm m ² /m	@ °F	@ °F	1.7 @ 75 °F
Max. Temp.	@ °F	@ °F	1.2 @ 110 °F
Source Mud Sample			Circulated

CASING RECORD				OPEN HOLE RECORD			
Run No.	Size - In.	Wt. - Lb.	Interval		Bit-Size-In	Interval	
One	10-3/4"	--	0	To 318'	13-3/4"	0	To 318'
				To	9"	318'	To 3984'
				To			To
				To			To
				To			To

REMARKS: — NOT AVAILABLE

—Truck # 4176

Tool # 2011

Recorded by H. KendallWitnessed by Bob Jack

GAMMA Counts Per Second	Depth & Casing Collars	NEUTRON - GAMMA Counts Per Second	GUARD Resistivity Ohms M ² /M
			0 50
			0 500
10	110	200	1200
110	310		
INDICATION OF LOGGING SPEED FEET PER MINUTE			