

RECEIVED
JUN 29 2005
KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 32654
Name: Jones Gas Corporation
Address: P O Box 970
City/State/Zip: Wichita, KS 67201-0970
Purchaser: Bluestem Pipeline LLC
Operator Contact Person: George R. Jones
Phone: (316) 262-5503
Contractor: Name: Well Refined Drilling Company, Inc.
License: 33072
Wellsite Geologist: William M. Stout
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>4/29/05</u>	<u>5/03/05</u>	<u>6/21/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 125-30724-00-00
County: Montgomery
SW NE SW Sec. 33 Twp. 31 S. R. 15 East West
1650 feet from (S) N (circle one) Line of Section
1650 feet from E / (W) (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW (SW)
Lease Name: H. MCDANIEL A Well #: 2
Field Name: Jefferson-Sycamore
Producing Formation: Weir, Mulky
Elevation: Ground: 835 Kelly Bushing: _____
Total Depth: 1280 Plug Back Total Depth: 1268
Amount of Surface Pipe Set and Cemented at 22.5 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1277
feet depth to Surface w/ 160 sx cmt.


Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) ALT II W/HW
7-2-07
Chloride content _____ ppm Fluid volume _____ bbis
Dewatering method used N/A - Air Drill
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: President Date: 6/28/05
Subscribed and sworn to before me this 28th day of June,
20 05.
Notary Public: [Signature]
Date Commission Expires: May 15, 2007

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution



Operator Name: Jones Gas Corporation Lease Name: H. MCDANIEL A Well #: 2
 Sec. 33 Twp. 31 S. R. 15 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Differential Temperature Log; Density Neutron Log Radioactivity	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Lenapah</td> <td>534</td> <td>+301</td> </tr> <tr> <td>Mulky Shale</td> <td>861.</td> <td>-26</td> </tr> <tr> <td>Croweburg</td> <td>908</td> <td>-73</td> </tr> <tr> <td>Weir Coal</td> <td>1031</td> <td>-196</td> </tr> <tr> <td>Mississippi</td> <td>1223</td> <td>-388</td> </tr> <tr> <td>Total Depth</td> <td>1280</td> <td>-445</td> </tr> </table>	Name	Top	Datum	Lenapah	534	+301	Mulky Shale	861.	-26	Croweburg	908	-73	Weir Coal	1031	-196	Mississippi	1223	-388	Total Depth	1280	-445
Name	Top	Datum																				
Lenapah	534	+301																				
Mulky Shale	861.	-26																				
Croweburg	908	-73																				
Weir Coal	1031	-196																				
Mississippi	1223	-388																				
Total Depth	1280	-445																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	26#	22.5"	Portland	4	
Production	6 3/4"	4 1/2"	10.5#	1277'	Thick Set	160	2% gel;5% metasilicate
							2% floeal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	862-869	Frac,250 gal. 15% acid;20 balls;4500# 20-40 Sd;	
		6700# 12-20 Sand, 444 bbls 15% gel water	
4	1031-36	Frac,200 gal. 15% acid;25 balls; 3000# 20-40 Sd;	
		9500# 12-20 Sd;473 bbls. 15% gel water	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 3/8"	858'	None	<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 6/23/05			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		30	120		

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
JUN 29 2005
KCC WICHITA



CONSOLIDATED
OIL WELL
SERVICES, INC.
AN INFINITY COMPANY

REMIT TO
Consolidated Oil Well Services, Inc.
P.O. Box 493
Chanute, KS 66720

MAIN OFFICE
1530 S. Santa Fe • P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 197047

Invoice Date: 05/19/2005 Terms: 0/30,n/30 Page 1

JONES GAS CORPORATION
P.O. BOX 970
WICHITA KS 67201-0970
(316)262-5503

H. MCDANIEL A-2
3863
05-04-05

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	160.00	13.0000	2080.00
1107	FLO-SEAL (25#)	2.00	42.7500	85.50
1118A	S-5 GEL/ BENTONITE (50#)	4.00	6.6300	26.52
1111A	SODIUM METASILICATE	50.00	1.5500	77.50
1123	CITY WATER	3000.00	.0122	36.60
4404	4 1/2" RUBBER PLUG	1.00	38.0000	38.00

Description	Hours	Unit Price	Total
436 80 BBL VACUUM TRUCK (CEMENT)	4.00	82.00	328.00
441 TON MILEAGE DELIVERY	1.00	237.60	237.60
444 CEMENT PUMP	1.00	765.00	765.00
444 EQUIPMENT MILEAGE (ONE WAY)	30.00	2.50	75.00

RECEIVED
JUN 29 2005
KCC WICHITA

Parts:	2344.12	Freight:	.00	Tax:	124.24	AR	3873.96
Labor:	.00	Misc:	.00	Total:	3873.96		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

BARTLESVILLE, OK P.O. Box 1453 74005 918/338-0808	EUREKA, Ks 820 E. 7th 67045 620/583-7664	OTTAWA, Ks 2631 So. Eisenhower Ave. 66067 785/242-4044	GILLETTE, WY 300 Enterprise Avenue 82716 307/686-4914	THAYER, Ks 8655 Dorn Road 66776 620/839-5269
--	---	---	--	---

TREATMENT REPORT & FIELD TICKET
CEMENT

DATE	CUSTOMER#	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY																
5-4-05	4004	H McDaniel A # 2				Montgomery																
CUSTOMER Jones Gas Corp.			<table border="1"> <thead> <tr> <th>TRUCK#</th> <th>DRIVER</th> <th>TRUCK#</th> <th>DRIVER</th> </tr> </thead> <tbody> <tr> <td>444</td> <td>ALAN</td> <td></td> <td></td> </tr> <tr> <td>444</td> <td>CALIN</td> <td></td> <td></td> </tr> <tr> <td>436</td> <td>JASON</td> <td></td> <td></td> </tr> </tbody> </table>				TRUCK#	DRIVER	TRUCK#	DRIVER	444	ALAN			444	CALIN			436	JASON		
TRUCK#	DRIVER	TRUCK#					DRIVER															
444	ALAN																					
444	CALIN																					
436	JASON																					
MAILING ADDRESS P.O. Box 970																						
CITY STATE ZIP CODE Wichita KS 67201																						
Gus Jones																						

JOB TYPE hang string HOLE SIZE 6 3/4 HOLE DEPTH 1279 CASING SIZE & WEIGHT 4 1/2 10.5 #
 CASING DEPTH 1277 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.3 # SLURRY VOL _____ WATER gal/sk 8.0 CEMENT LEFT in CASING _____
 DISPLACEMENT 20.3 DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Safety meeting, Rig up to 4 1/2 casing, Break circulation w/ 10 Bbl water over pipe vol = 30 Bbl pump 10 Bbl gel flush, followed w/ 20 Bbl water, 10 Bbl D/E mix 160 SKs thickset cement w/ 1/3 # floccie at 13.3 # shut down, wash out pump + lines, release plug, displace w/ 20.3 Bbl water final pump PSI 750 # bump plug to 1250 # check float, float held. Good cement returns to surface. (7 Bbl slurry) close casing in at 0 PSI. Job completely torn down.

Thank you
Russell McCoy

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	765.00	765.00
5406	30	MILEAGE	2.50	75.00
1126A	160 SKs	THICKSET CEMENT	13.00	2,080.00
1107	2 SKs	Floccie 1/3 # per/sk	42.75	85.50
1118	4 SKs	Gel Flush = 200 #	6.63	26.52
1111 A	50 #	Metasilicate (Pie Flush)	1.55	77.50
5407 A	8.8 Tons	30 miles Bulk Truck	.90	237.60
5502 C	4 hrs	80 Bbl Unc Truck	82.00	328.00
1123	3000	gallons city water	12.25	3660
4404	1	4 1/2 Top Rubber Plug	38.00	38.00
RECEIVED				
JUN 29 2005				
KCC WICHITA				
			Sub Total	3,749.61
			5.3%	124.15
			ESTIMATED TOTAL	3,873.76

Well Refined Drilling Co., Inc.
 4270 Gray Road
 Thayer, KS 66776

Invoice

Invoice Number:
 042805-R3-024

Invoice Date:
 May 3, 2005

Voice: 620-763-2619
 Fax: 620-763-2065

Page:
 1

Sold To:
 Jones Gas Corporation
 PO Box 970
 Wichita, KS 67201-0970

Ship to:

Customer ID		Customer PO		Payment Terms	
JGC		H McDaniel A 2		C.O.D.	
Sales Rep ID		Shipping Method		Ship Date	Due Date
		Rig 3			5/3/05
Quantity	Item	Description	Unit Price	Extension	
1,280.00	DRI-3	API # 15-125-30724-0000 S33, T31S, R15E of Montgomery County, KS Spud Date 4/28/05 Well Drilling (feet) 6 3/4"	6.50	8,320.00	
4.00	PC	Portland Cement	10.00	40.00	

RECEIVED

JUN 29 2005

KCC WICHITA

Check/Credit Memo No:

Subtotal	8,360.00
Sales Tax	
Total Invoice Amount	8,360.00
Payment/Credit Applied	
TOTAL	8,360.00

Invoices 30 days overdue are subject to finance charges of 1.5% (18% APR).