

RECEIVED

JUN 23 2005

KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Operator: License # 4767
Name: Ritchie Exploration, Inc.
Address: P.O. Box 783188
City/State/Zip: Wichita, KS 67278-3188
Purchaser: NCRA
Operator Contact Person: John Niernberger
Phone: (316) 691-9500
Contractor: Name: Murfin Drilling, Inc.
License: 30606

KCC

JUN 27 2005

CONFIDENTIAL

Wellsite Geologist: Mike Engelbrecht
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

3/3/05 3/15/05 4/15/05
Spud Date or 3/15/05 Date Reached TD 4/15/05 Completion Date or
Recompletion Date 3/15/05 Recompletion Date

API No. 15 - 101-21870-00-00
County: Lane
130°N W/2 W/2 E/2 Sec. 17 Twp. 17 S. R. 28 East West
2510 feet from S / N (circle one) Line of Section
2310 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Richards-James Well #: 1

Field Name: _____
Producing Formation: LKC & Marmaton
Elevation: Ground: 2769' Kelly Bushing: 2774'
Total Depth: 4630' Plug Back Total Depth: 4597'
Amount of Surface Pipe Set and Cemented at 263' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2136' Feet
If Alternate II completion, cement circulated from 2145' (perf)
feet depth to surface w/ 325 sx cmt.

Drilling Fluid Management Plan ALT II WITH
(Data must be collected from the Reserve Pit) 7-2-07
Chloride content 15000 ppm Fluid volume 600 bbls
Dewatering method used evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Production Manager Date: 6/22/05

Subscribed and sworn to before me this 22nd day of June
20 05
Notary Public: [Signature]
Date Commission Expires: 5/14/07

DEBRA K. PHILLIPS
Notary Public - State of Kansas
My Appt. Expires 5/14/07

KCC Office Use ONLY
YES Letter of Confidentiality Received
If Denied, Yes Date: _____
Wireline Log Received _____
Geologist Report Received _____
UIC Distribution _____

RECEIVED

JUN 23 2005

KCC WICHITA

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Ritchie Exploration, Inc. Lease Name: Richards-James Well #: 1
Sec. 17 Twp. 17 S. R. 28 [] East [x] West County: Lane

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [x] Yes [] No
Samples Sent to Geological Survey [x] Yes [] No
Cores Taken [] Yes [x] No
Electric Log Run [x] Yes [] No

[] Log Formation (Top), Depth and Datum [x] Sample
Name Top Datum

KCC SEE ATTACHED
JUN 22 2005

CONFIDENTIAL

List All E. Logs Run:

Dual Induction Log
Compensated Density/Neutron Log

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows include Surface and Production data.

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes a list of purposes like Perforate, Protect Casing, etc.

Table with 3 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth. Rows show perforation details for different intervals.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run (Yes/No).

Table with columns: Date of First, Resumerd Production, SWD or Enhr., Producing Method (Flowing, Pumping, Gas Lift, Other).

Table with columns: Estimated Production Per 24 Hours (Oil, Gas, Water), Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval
[] Vented [] Sold [] Used on Lease [] Open Hole [x] Perf. [] Dually Comp. [x] Commingled
[] Other (Specify)

ORIGINAL



CONFIDENTIAL

RECEIVED
JUN 23 2005
KCC WICHITA

#1 Richards-James
2510' FNL & 2310' FEL
Section 17-17S-28W
Lane County, Kansas
API# 15-101-21870-00-00
Elevation: 2,769' GL, 2,774' KB

KCC
JUN 27 2005
CONFIDENTIAL

Sample Tops		Ref.	Well
Anhydrite	2160'	+614	-3
B/Anhydrite	2190'	+584	-5
Heebner Shale	3932'	-1158	-2
Lansing	3968'	-1194	-3
Lansing "E" zone	4053'	-1279	-1
Muncie Creek Shale	4132'	-1358	-6
Lansing "H"	4147'	-1373	-6
Lansing "J"	4203'	-1429	-4
Stark	4229'	-1455	-7
Lansing "K"	4235'	-1461	-7
Hush. Shale	4260'	-1486	-7
Marmaton	4329'	-1555	-7
Altamont	4348'	-1574	-7
Cherokee Shale	4500'	-1726	-7
Mississippian	4563'	-1789	-7
RTD	4630'	-1856	

ALLIED CEMENTING CO., INC.

17464

CONFIDENTIAL

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Near city

DATE <u>3-3-05</u> <i>Richard</i>	SEC. <u>17</u>	TWP. <u>17</u>	RANGE <u>28</u>	CALLED OUT <u>11:00am</u>	ON LOCATION <u>2:15pm</u>	JOB START <u>7:00pm</u>	JOB FINISH <u>7:30pm</u>
LEASE <u>James</u>	WELL # <u>1</u>	LOCATION <u>Dighton SW 1/4 N 1/4 E</u>			COUNTY <u>Lane</u>	STATE <u>KS</u>	

OLD OR NEW (Circle one)

KCC
JUN 22 2005

CONFIDENTIAL

CONTRACTOR Murphy Dally #24

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 264

CASING SIZE 8 7/8 DEPTH 263

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15

PERFS. _____

DISPLACEMENT 15 1/2

OWNER _____

CEMENT

AMOUNT ORDERED

200 Cem 3%cc 2%Wap.

EQUIPMENT

PUMP TRUCK CEMENTER J. Weiglause

224 HELPER

BULK TRUCK

260 DRIVER Steve

BULK TRUCK

_____ DRIVER O. Ryan

COMMON	<u>200</u>	@	<u>8.30</u>	<u>1660.00</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>13.00</u>	<u>52.00</u>
CHLORIDE	<u>6</u>	@	<u>36.00</u>	<u>216.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>Pickup</u>	@	<u>1.50</u>	<u>315.00</u>
MILEAGE	<u>39</u>	@	<u>.055</u>	<u>2.10</u>
			TOTAL	<u>2693.45</u>

RECEIVED
JUN 23 2005
KCC WICHITA

REMARKS:

New 28#
circ 8 7/8 w/sig pump mix
200% cement (premix 50% cement)
Disp plug w/ 15 1/2 BBL
cent in the collar

Thanks

SERVICE

DEPTH OF JOB	<u>263</u>			
PUMP TRUCK CHARGE				<u>625.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>39</u>	@	<u>4.50</u>	<u>175.50</u>
		@		
		@		
			TOTAL	<u>800.50</u>

CHARGE TO: Ritchie Explor Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

MANIFOLD		@		
<u>1-8 7/8 Top Wood</u>		@	<u>55.00</u>	<u>55.00</u>
		@		
		@		
			TOTAL	<u>55.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Anthony Martin
Good Job

Anthony Martin
PRINTED NAME

CONFIDENTIAL

ALLIED CEMENTING CO., INC.

20723

ORIGINAL

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

Wichita

DATE 3-15-05 SEC. 17 TWP. 17 RANGE 28 CALLED OUT 10:00 AM ON LOCATION 7:30 AM JOB START 10:45 AM JOB FINISH 1:00 PM LEASE James WELL # 1 LOCATION Dighton SW. 1E, 14N E/S COUNTY Lane STATE KS

KCC

JUN 22 2005

CONFIDENTIAL

CONTRACTOR Menden #24 TYPE OF JOB Production HOLE SIZE 7 7/8" T.D. 4630' CASING SIZE 5 1/2" DEPTH 4615' TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL Post collar - - - DEPTH 2136' PRES. MAX 1000# MINIMUM MEAS. LINE SHOE JOINT 21.65' CEMENT LEFT IN CSG 21.65' PERFS. DISPLACEMENT 109.312 bbls EQUIPMENT PUMP TRUCK CEMENTER James D #224 HELPER James W BULK TRUCK #341 DRIVER Stewart BULK TRUCK # DRIVER

OWNER Same CEMENT AMOUNT ORDERED 225 lbs 60% Al, 270 Al, 10% salt 3/4 of 12 CA-31 1/2 of foam 500 gal ASF

Table with 4 columns: Item, Unit, Price, Total. Includes COMMON 135AL @ 8.30 1120.50, POZMIX 9.44 @ 4.50 405.00, GEL 4.14 @ 13.00 52.00, CHLORIDE @, ASC @, SALT 10.14 @ 15.00 150.00, ACA-31 139 # @ 6.00 834.00, ASFUSH 500 GAL @ 1.00 500.00, D-FOAM 26 # @ 5.50 143.00, HANDLING 233.14 @ 1.50 349.50, MILEAGE 233 AL SS 39 499.98

RECEIVED JUN 23 2005 KCC WICHITA

REMARKS:

Run 4615' of 5 1/2" CG. Bucho circulation (circ. 1hr) Pumped 500 gal ASF followed by 200 lbs 60% Al, 270 Al, 10% salt 3/4 of 12 CA-31 1/2 of foam. Wanted here clean of cement. Released plug. Displaced with fresh H2O. Loaded plug at 1000#. Released float. Hold. Plugged bottom w/150lbs Movable w/100lbs

SERVICE

Table with 4 columns: Item, Unit, Price, Total. Includes DEPTH OF JOB 4615', PUMP TRUCK CHARGE 1315.00, EXTRA FOOTAGE @, MILEAGE 39 @ 4.50 175.50, MANIFOLD @

CHARGE TO: Ritchie Exploration STREET CITY STATE ZIP

TOTAL 1540.50

PLUG & FLOAT EQUIPMENT

Table with 4 columns: Item, Unit, Price, Total. Includes 1-5 1/2" Guide line 160.00 160.00, 1-5 1/2" All insert @ 233.00 233.00, 2-5 1/2" Timber Containers @ 60.00 420.00, 2-5 1/2" Baskets @ 140.00 280.00, 1-5 1/2" Protection @ 175.00 175.00, 1-5 1/2" Rubber Plug @ 60.00 60.00, TOTAL 2905.00

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX TOTAL CHARGE DISCOUNT IF PAID IN 30 DAYS

SIGNATURE X Gay Rowe

X Gay Rowe PRINTED NAME

CONFIDENTIAL CEMENTING CO., INC. 19121 ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley KS

KCC
JUN 22 2005

CONFIDENTIAL

DATE <u>3-28-05</u>	SEC <u>6</u>	TWP <u>17</u>	RANGE <u>28W</u>	CALLED OUT <u>8:00am</u>	ON LOCATION <u>11:30am</u>	JOB START <u>12:00pm</u>	JOB FINISH <u>3:15pm</u>
LEASE <u>James</u>		WELL# <u>#1</u>	LOCATION <u>Skields S - Rd 220</u>			COUNTY <u>Lane</u>	STATE <u>Ks</u>
OLD OR NEW (Circle one)			<u>Cast to Langhorn 3/45 - E 1/4 NW</u>				

CONTRACTOR Plains OWNER Same

TYPE OF JOB Pont Collar

HOLE SIZE _____ T.D. _____

CASING SIZE _____ DEPTH _____

TUBING SIZE 2 3/8 DEPTH 2136'

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy - Max

373-281 HELPER Andrew

BULK TRUCK _____

386 DRIVER Lonnie

BULK TRUCK _____

_____ DRIVER _____

REMARKS:

Test Pont Collar to 1000psi. & hold
could not get pont collar
to open. Pressured several
times as high as 2000psi.

Sub complete @ 3:30pm

Thanks Fuzzy

CHARGE TO: Ritchie

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Gay Rowe

CEMENT

AMOUNT ORDERED 475 bolts 690cel

1/4" #6 - seal

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

TOTAL _____

SERVICE

DEPTH OF JOB 2136' 750⁰⁰

PUMP TRUCK CHARGE ~~144~~

EXTRA FOOTAGE @ _____

MILEAGE 42 (cross rd) 450 189⁰⁰

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL ~~144~~

939⁰⁰

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE ~~144~~

DISCOUNT ~~144~~ IF PAID IN 30 DAYS

PRINTED NAME

RECEIVED
JUN 23 2005
KCC WICHITA

ALLIED CEMENTING CO., INC. 19190

ORIGINAL

CONFIDENTIAL

REMIT TO: P.O. BOX 51
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>3-29-05</u>	SEC. <u>6</u>	TWP. <u>17</u>	RANGE <u>28w</u>	CALLED OUT	ON LOCATION <u>8:00 AM</u>	JOB START <u>8:45 AM</u>	JOB FINISH <u>3:30 PM</u>
LEASEE <u>Richard James</u>		WELL # <u>1</u>	LOCATION <u>Shields #423 2s 1E 3/4S B/S</u>		COUNTY <u>Lane</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

KCC
JUN 22 2005

CONFIDENTIAL

CONTRACTOR Plains well service
 TYPE OF JOB Port Collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5/2 DEPTH _____
 TUBING SIZE 2 3/8 DEPTH 2136'
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 2000' MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER Sgme
 CEMENT AMOUNT ORDERED
475 SKS 60/40p02 67d Gel 1/4" Flo Seal

EQUIPMENT

PUMP TRUCK CEMENTER Dean
 # 373-251 HELPER Andrew/Max
 BULK TRUCK
 # 386 DRIVER Lonnie
 BULK TRUCK
 # _____ DRIVER _____

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____

RECEIVED
JUN 23 2005
KCC WICHITA

REMARKS:

Tried to open Port Collar. Pressure up 1000 # Held 5 mins No Leak. Trip Tub changed opening Tool to open Port Collar Pressure up to 2000 # Held 5 mins No Leak. Swab Tub Dry. Did not give up and fluid Load Hole to perf. csz. done for Today.
Used NO cement Thank you.

CHARGE TO: Bitchie Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 750.00
 EXTRA FOOTAGE @ _____
 MILEAGE 42 Miles @ _____ N/C
 MANIFOLD @ _____

TOTAL 750.00

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Gay Rowe
608 GLENN ST
CROSS CITY, KS 67871

PRINTED NAME

ALLIED CEMENTING CO., INC.

19191

ORIGINAL

CONFIDENTIAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>3-30-05</u>	SEC. <u>6</u>	TWP. <u>17</u>	RANGE <u>28w</u>	CALLED OUT	ON LOCATION <u>8:45 AM</u>	JOB START <u>9:30 AM</u>	JOB FINISH <u>2:15 PM</u>
LEASE <u>Richard James</u>	WELL # <u>1</u>	LOCATION <u>Shields 4423 25 1E 34E</u>			COUNTY <u>Land</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)				<u>E/S</u>			

KCC
JUN 22 2005

CONTRACTOR Plains well service
 TYPE OF JOB Perf Below Port Collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE 2 3/4 DEPTH 1971'
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 1000' MINIMUM 500'
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. 2145'
 DISPLACEMENT _____

OWNER Same

CONFIDENTIAL

EQUIPMENT

PUMP TRUCK CEMENTER Dean
 # 373-291 HELPER Andrew
 BULK TRUCK
 # 386 DRIVER Lonnie
 BULK TRUCK
 # 315 DRIVER Mike

CEMENT

AMOUNT ORDERED 50 sks com 39 c.c.
475 sks 60/40 Poz 6% Gel 1/4 Flo Seal
Used 275 sks 60/40 + 50 sks com
32.5' changed on weight back 2039.50

COMMON	<u>24.5 sks</u>	@ <u>8.30</u>	<u>203.45</u>
POZMIX	<u>130 sks</u>	@ <u>4.50</u>	<u>585.00</u>
GEL	<u>170 sks</u>	@ <u>13.00</u>	<u>221.00</u>
CHLORIDE	<u>2 sks</u>	@ <u>36.00</u>	<u>72.00</u>
ASC		@	
	<u>81 #</u>	@	
Flo Seal	<u>10 #</u>	@ <u>1.60</u>	<u>129.60</u>
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>550 sks</u>	@ <u>1.50</u>	<u>825.00</u>
MILEAGE	<u>.055 #/GK/mile</u>		<u>1270.50</u>
TOTAL			<u>5136.60</u>

REMARKS:
Csg Perf at 2145'. Packer set
at 1971'. Mix 275 sks 60/40 Poz
6% Gel 1/4 Flo Seal follow w/50 sk com
39 c.c. Cement Circulated out 8 1/2
Wash Trk + Line. Stage for 2 1/2 hrs.
1000' squeeze. Pulled Tub. Put
500' on 5 1/2 csg + shut in

Thank you

CHARGE TO: Ritchie Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB 1971'
 PUMP TRUCK CHARGE 750.00
 EXTRA FOOTAGE @ _____
 MILEAGE 42 Miles @ _____ N/C
 MANIFOLD @ _____
 @ _____
 @ _____

TOTAL 750.00

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Gay Rowe
608 S GLENN
0-00-00-00-00-00

PRINTED NAME

RECEIVED
 JUN 23 2005
 KCC WICHITA